

#01294

Material Safety Data Sheet

Identity	KX-P115 / KX-P115	0-198
----------	-------------------	-------

SECTION I - Identification

Manufacturer's Name	Fuji Kagakushi Kogyo Company Limited	Emergency Telephone Number	(06) 471-7071
Address	8-43, Utajima 4-chome, Nishi Yodogawa-ku, Osaka 555, Japan	Telephone Number for Information	(06) 471-7071
		Date Prepared	Aug. 1, 1989

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components	CAS No.	OSHA PEL	ACGIH TLV	Other Limits
Carbon Black	1333-88-4	3.5mg/m ³	3.5mg/m ³	N/A
Diethylhexyl Phthalate	117-81-7	5.0mg/m ³	5.0mg/m ³	N/A
Predominant Components		Not Applicable		
Coloring material Oil Additive				
Nylon 6-6 fabric Polyurethane foam				

01294

SECTION III - Physical/Chemical Characteristics

Melting point	N/A	Specific Gravity	N/A
Boiling Point, Evaporation Rate	N/A	Vapor Pressure/Density	N/A
Solubility in Water	No data available		
Appearance and Odor	Nylon 6-6 fabric and polyurethane foam impregnated with liquid black ink.		

SECTION IV - Fire and Explosion Hazard Data				
Flash Point	N/A		Flammable Limits	LEL N/A UEL N/A
Extinguishing Media	Water mist, Foam, Dry powder, CO ₂ gas, others			
Special Fire Fighting Procedures	N/A			
Unusual Fire and Explosion Hazards	None			
SECTION V - Reactivity Data				
Stability	Unstable		Condition to Avoid N/A	
	Stable	X		
Incompatibility (Material to Avoid)	None			
Hazardous Decomposition or Byproducts	None			
Hazardous Polymerization	May Occur		Condition to Avoid N/A	
	Will Not Occur	X		
SECTION VI - Health Hazard Data				
Route(s) of Entry:	Inhalation?	Skin?	Ingestion?	
	No	Yes	Yes	
Health Hazard (Acute and Chronic)	No data available			
Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?	
	Yes	Yes	No	
	Diethylhexyl Phthalate [117-81-7] : NTP anticipated human carcinogen. IARC animal carcinogen.			
Signs and Symptoms of Exposure	No data available			
Medical Conditions Generally Aggravated by Exposure	No data available			
Emergency and First Aid Procedures	<p>Wash eye with soap and water an ink sticking to skin. If ink has contacted eye, wash it with enough water, then consult a doctor.</p>			

SECTION II - Physical Hazards and Health Effects			
Steps to be Taken in Case Material is Released or Spilled As inadvertently released or rewound ribbon should be wound again on the reel.			
Waste Disposal Method No Special			
Precautions to be Taken in Handling and Storage Should be stored at dark and cold place. Do not pull the ribbon out of cassette except when mounting it on the printer.			
Other Precautions None			
SECTION III - Control Measures			
Respiratory Protection (Specify Type)		None	
Ventilation	Local Exhaust	N/A	Special N/A
	Mechanical (General)	N/A	Other N/A
Protective Gloves Desirable in Some Cases.		Eye Protection N/A	
Other Protective Clothing or Equipment N/A			
Work Hygiene Practices None			