

# Bid

**Purchasing Entity:** KCDA  
**Bid ID:** 276  
**Description:** #08-065 Plastic Can Liner Bid  
**Category:** Custodial  
**Effective Start Date:**  
**Effective End Date:**

**Bids Due By:** 02/01/2008 5:00 PM ET  
**Bids Sealed Until:** 02/01/2008 5:00 PM ET  
**Awarded:**

**Run Date:** 12/07/2007

Line Number	Lot Code	Item Description	Purchase Unit	Qty Required	Previous Unit Price (\$)	Sample Req'd
1		Item #: 32110 CAN LINERS, 17"X18", 1.0 MIL,1000/CS <b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 17" x 18", 1.0 MIL, 1000/CS, 20.41 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.	1 - 1000.0000 Each Case	100		No
2		Item #: 32111 CAN LINERS, 24" X 23", .90 MIL, 500/CS <b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 24" X 23", .90 MIL, 500/CS, 16.57 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.	1 - 500.0000 Each Case	200		No
3		Item #: 32104 CAN LINERS, 24" X 32", .85 MIL, 500/CS <b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 24" X 32", .85 MIL, 500/CS, 21.77 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL. FULL CASE SAMPLE REQUIRED BY BID OPENING DATE.	1 - 500.0000 Each Case	2000		Yes
4		Item #: 32200 CAN LINERS, 26" X 32", .70 MIL, 500/CS <b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 26" X 32", .70 MIL, 500/CS, 19.42 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.	1 - 500.0000 Each Case	200		No
5		Item #: 32105 CAN LINERS, 30"X37", 1.5 MIL, 250/CS <b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 30" X 37", 1.50 MIL, 250/CS, 27.76 lb/CASE, MOHAWK PLASTICS, SHIELDS OR EQUAL.	1 - 250.0000 Each Case	150		No
6		Item #: 32112 CAN LINERS, 30" X 37", 2.0 MIL, 200/CS	1 - 200.0000 Each Case	250		No

Line Number	Lot Code	Item Description	Purchase Unit	Qty Required	Previous Unit Price (\$)	Sample Req'd
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 30" X 37", 2.0 MIL, 200/CS, 29.62 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
7		Item #: 32220 CAN LINERS, 32" X 37", 1.5 MIL, 250/CS	1 - 250.0000 Each Case	50		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 32" X 37", 1.5 MIL, 250/CS, 29.62 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
8		Item #: 32120 CAN LINERS, 33" X 39", 1.1 MIL, 250/CS	1 - 250.0000 Each Case	25		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 33" X 39", 1.1 MIL, 250/CS, 23.61 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
9		Item #: 32107 CAN LINERS, 33" X 40", 1.5 MIL, 250/CS	1 - 250.0000 Each Case	2000		Yes
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 33" X 40", 1.5 MIL, 250/CS, 33.02 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL. FULL CASE SAMPLE REQUIRED BY BID OPENING DATE				
10		Item #: 32115 CAN LINERS, 33" X 40", 2.0 MIL, 200/CS	1 - 200.0000 Each Case	2500		Yes
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 33" X 40", 2.0 MIL, 200/CS, 35.22 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL. FULL CASE SAMPLE REQUIRED BY BID OPENING DATE				
11		Item #: 32230 CAN LINERS, 34" X 42", 1.5 MIL, 250/CS	1 - 250.0000 Each Case	400		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 34" X 42", 1.5 MIL, 250/CS, 35.72 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
12		Item #: 32232 CAN LINERS, 34" X 42", 2.0 MIL, 200/CS	1 - 200.0000 Each Case	700		No

Line Number	Lot Code	Item Description	Purchase Unit	Qty Required	Previous Unit Price (\$)	Sample Req'd
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 34" X 42", 2.0 MIL, 200/CS, 38.10 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
13		Item #: 35191 CAN LINERS, 42" X 48", 2.0 MIL, 100/CS	1 - 100.0000 Each Case	2000		Yes
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 42" X 48", 2.0 MIL, 100/CS, 26.89 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL. FULL CASE SAMPLE REQUIRED BY BID OPENING DATE.				
14		Item #: 32244 CAN LINERS, 38" X 48", 2.0 MIL, 100/CS	1 - 100.0000 Each Case	1500		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 38" X 48", 2.0 MIL, 100/CS, 24.33 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
15		Item #: 32255 CAN LINERS, 36" X 50", 2.0 MIL, 100/CS	1 - 100.0000 Each Case	2000		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 36" X 50", 2.0 MIL, 100/CS, 24.01 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
16		Item #: 32109 CAN LINERS, 36" X 60", 2.0 MIL, 100/CS	1 - 100.0000 Each Case	1700		Yes
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 36" X 60", 2.0 MIL, 100/CS, 28.81 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL. FULL CASE SAMPLE REQUIRED BY BID OPENING DATE.				
17		Item #: 33980 CAN LNRS, 9-3/4" X 8-1/4" X 12-1/2", 1.0 MIL, 1M/CS	1 - 1000.0000 Each Case	25		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITH GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 9-3/4" x 8-1/4" x 12-1/2", 1.0 MIL, 1000/CS, 15 lb/CASE, MOHAWK PLASTICS, SHIELDS OR EQUAL.				
18		Item #: 33985 CAN LINERS, 23" X 9" X 48", 2.5 MIL, 100/CS	1 - 100.0000 Each Case	125		No

Line Number	Lot Code	Item Description	Purchase Unit	Qty Required	Previous Unit Price (\$)	Sample Req'd
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITH GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BUFF. 23" X 9" X 48", 2.5 MIL, 100/CS, 25.62 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
19		Item #: 32256 CAN LINERS, 27" X 24" X 48", 2.0 MIL/100/CS	1 - 100.0000 Each Case	200		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITH GUSSETS, FOLDED OR FLAT BOTTOM SEAL, BLACK, DARK GRAY OR DARK BROWN. 27" x 24" x 48", 2.0 MIL, 100/CS, 32.66 lb/CASE, MOHAWK PLASTICS, SHIELDS OR EQUAL.				
20		Item #: 32260 CAN LINERS, 24" X 33", 1.0 MIL, CLEAR, 500/CS	1 - 500.0000 Each Case	50		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED OR VIRGIN LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, CLEAR. 24" X 33", 1.0 MIL, 500/CS, 18.41 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
21		Item #: 32262 CAN LINERS, 33" X 40", 2.0 MIL, CLEAR, 200/CS	1 - 200.0000 Each Case	50		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED OR VIRGIN LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, CLEAR. 33" X 40", 2.0 MIL, 200/CS, 35.22 lb/CASE, MOHAWK PLASTICS, OR SHIELDS OR EQUAL.				
22		Item #: 32264 CAN LINERS, 43" X 48", 2.0 MIL, CLEAR, 100/CS	1 - 100.0000 Each Case	50		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED OR VIRGIN LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, CLEAR. 43" X 48", 2.0 MIL, 100/CS, 27.54 lb/CASE, MOHAWK PLASTICS OR SHIELDS OR EQUAL.				
23		Item #: 32266 CAN LINERS, 36" X 60", 2.0 MIL, CLEAR, 100/CS	1 - 100.0000 Each Case	35		No
		<b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED OR VIRGIN LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, CLEAR. 36" X 60", 2.0 MIL, 100/CS, 28.81 lb/CASE, MOHAWK PLASTICS, OR SHIELDS OR EQUAL.				
24		Item #: 32125 CAN LINERS, 24" X 23", 1.3 MIL, RED, 500/CS	1 - 500.0000 Each Case	25		No

Line Number	Lot Code	Item Description	Purchase Unit	Qty Required	Previous Unit Price (\$)	Sample Req'd
<p><b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, RED, TO COMPLY WITH THE WISHA BLOODBORNE PATHOGENS STANDARD. 24" X 23", 1.3 MIL, 500/CS, 23.93 lb/CASE, MOHAWK PLASTICS, SHIELDS OR EQUAL.</p>						
25		<p>Item #: 32126 CAN LINERS, 33" X 40", 2.0 MIL, RED, 200/CS</p>	1 - 200.0000 Each Case	25		No
<p><b>Item Notes:</b> CAN LINERS, MADE OF A BLEND OF FIRST GENERATION REPROCESSED LINEAR LOW DENSITY RESIN WITH A MINIMUM OF 60% LINEAR AND A MAXIMUM OF 40% LOW DENSITY; LOW SLIP, CONSTRUCTION GRADE, OR OPEN MARKET REPROCESSED RESIN IS NOT ACCEPTABLE. BOTH RESIN AND CAN LINERS MUST BE MANUFACTURED IN U.S.A. WITHOUT GUSSETS, FOLDED OR FLAT BOTTOM SEAL, RED, TO COMPLY WITH THE WISHA BLOODBORNE PATHOGENS STANDARD. 33" X 40", 2.0 MIL, 200/CS, 35.22 lb/CASE, MOHAWK PLASTICS, SHIELDS OR EQUAL.</p>						