

Identity PJIZ9096, KX-P150	#01301	0 - 258
-------------------------------	--------	---------

SECTION I

Manufacturer's Name FUJICOPIAN CO., LTD.	Emergency Telephone Number (06) 471-7071
Address 8-43, Utajima 4-chome, Nishi Yodogawa-ku, Osaka 555, Japan	Telephone Number for Information (06) 471-7071
	Date Prepared May 18, 1992

SECTION II - Hazardous Ingredients/Identity Information

Hazardous Components	CAS. No	ACGIH TLV	OSHA PEL	EEC	Other Limits	%
Carbon Black	1333-86-4	3.5mg/m ³	3.5mg/m ³	N/A	N/A	4
Mineral Oil (mist)	8012-95-1	5.0mg/m ³	5.0mg/m ³	N/A	N/A	10

Predominant Components	
Coloring Material Oil Additive Nylon 6-6 Fabric APM Fiber	Not Applicable
Impurity	
None	

SECTION III - Hazardous Information

Appearance and Odor Nylon 6-6 fabric and APM fiber impregnated with liquid black ink.	
Incompatibility (Material to Avoid) None	
Hazardous Decomposition or Byproducts None	
Fire and Explosion Hazards None	
Health Hazards Health hazard risks would be extremely small.	
Information on Ecological Effect No data available	
UN-category Not applicable	UN-number Not applicable

01301

SECTION IV - EMERGENCY AND FIRST AID PROCEDURES

Health Hazards (Acute and Chronic)
No data available

01301

Signs and Symptoms of Exposure
No data available

Medical Conditions
Generally Aggravated by Exposure
No data available

Emergency and First Aid Procedures
SKIN : Wash away ink on skin.
EYE : Wash with water and consult a doctor promptly.
INHALATION : Not applicable
OTHERS : No data available

SECTION V - Emergency Action in case of Fire

Extinguishing Media
Water mist, Foam, Dry powder, CO2 gas, others

Special Fire Fighting Procedures
N/A

Unusual Fire and Explosion Hazards
None

SECTION VI - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled
If inadvertently released, rewind ribbon.

Precautions to Be Taken in Handling and Storing
Should be stored in dark and cool place.

Other Precautions
None

SECTION VII - Control Measures

Respiratory Protection (Specify Type)
None

Ventilation	Local Exhaust N/A	Special N/A
	Mechanical(General) N/A	Other N/A

Eye Protection N/A	Hand Protection Desirable in some cases.
-----------------------	---

Other Protective Clothing or Equipment
N/A

Work/Hygienic Practices
None

SECTION VIII - PHYSICAL/ CHEMICAL DATA	
Boiling Point N/A	Melting point N/A 1301
PH value N/A	Specific Gravity N/A
Viscosity N/A	Vapor Pressure N/A
Solubility in Water Negligible	

SECTION IX - Fire and Explosion Hazard Data		
Flash Point >150°C	Ignition Temperature N/A	
Flammable Limits	LEL : N/A	UEL : N/A

SECTION X - Reactivity Data			
Stability	Unstable		Condition to Avoid N/A
	Stable	X	
Hazardous	May Occur		Condition to Avoid N/A
Polymerization	Will Not Occur	X	

SECTION XI - Toxicology Information	
No data available	

SECTION XII - Transport Information	
No special	

SECTION XIII - Waste Disposal Information	
Waste Disposal Method	
Disposal in accordance with local, state and federal regulations.	

SECTION XIV - Labeling	
Danger Category None	
R/S Phrases unnecessary	

FUJICOPIAN CO., LTD.

S. Tada

SHOJI TADA
MANAGER
QUALITY ASSURANCE DEPARTMENT
TOTAL P.04