

25232

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard Must Be
 Consulted for Specific Requirements

Occupational Safety and Health Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

IDENTITY (As Used on Label and List)

NOTE: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that

Dixon Dry Erase Markers

SECTION I

Manufacturer's Name DIXON TICONDEROGA	Emergency Telephone Number (419) 625-9545
Address (Number, Street, City, State, and ZIP) Route 61 Deer Lake, PA 17961	Telephone Number for Information (717) 366-1011
	Date Prepared 10/18/01
	Signature of Preparer (optional)

SECTION II - HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended %Optional
Hazardous Components in Inks:			
Special Industrial Solvent 200 Proof (Mixture)			< 75%
Ethanol (64-17-5)	1000 ppm TWA		< 10%
Isopropyl Alcohol (67-63-0)	500 ppm STEL		< 10%
N-Propanol (71-23-8)	250 ppm STEL		< 10%
Conforms to ASTM D-4236			

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point N/A	Specific Gravity (H2O = 1) N/A
Vapor Pressure (mm Hg) N/A	Melting Point N/A
Vapor Density (Air=1) N/A	Evaporation Rate (Butyl Acetate = 1) N/A
Solubility In Water N/A	
Appearance and Odor Various colors, alcohol odor.	

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media Use approved Water, CO2, or foam spray extinguisher.			
Special Fire Fighting Procedures Containers may be subject to ignition by fire and may release toxic or other irritating gases			
Unusual Fire and Explosion Hazards A self contained breathing apparatus should be used for this exposure.			
(Reproduce Locally)	OSHA 174, SEPT. 1985		

SECTION V - REACTIVITY DATA

Stability	Unstable	Conditions To Avoid NONE
	Stable YES	
Incompatibility (Materials To Avoid)	NONE	
Hazardous Decomposition or Byproducts As with all burning organic matter, Carbon Monoxide and other toxic fumes may be given off.		
Hazardous Polymerization	May Occur	Conditions To Avoid NONE
	Will Not Occur YES	

SECTION VI - HEALTH HAZARD DATA

Route(s) Of Entry:	Inhalation? NO	Skin? YES	Ingestion? YES
Health Hazards (Acute and Chronic)	Conforms to ASTM D-4236		
Carcinogenicity: Page 1	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure	N/A		

25232

Medical Conditions Generally Aggravated by Exposure

N/A

Emergency and First Aid Procedures

Eyes--flush with copious amounts of water and contact a physician
Contact with skin--Wash area with soap and water; ingestion--seek medical attention;

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material Is Released or Spilled

Contain and place in approved containers.

Waste Disposal Method

Dispose of per all Local, State, and Federal Regulations.

Precautions to Be Taken in Handling and Storing

Do not store near heat or open flame.

Other Precautions

None

SECTION VIII - CONTROL MEASURES

Respiratory Protection (specify Type)

N/A

Ventilation

Local Exhaust

OKAY

Special

N/A

Mechanical (General)

OKAY

Other

N/A

Protective Gloves

N/A

Eye Protection

YES

Other Protective Clothing or Equipment

N/A

Work/Hygenic Practices

Contents may stain some fabrics. Use of smocks, gloves, etc to protect personal clothing is suggested. Wash hands and surfaces after use.