

Material Safety Data Sheet

SOLID POWER XL

Section 1. Chemical product and company identification

Trade name : SOLID POWER XL
 Product use : Machine Warewashing Detergent
 Supplier : Ecolab Inc. Institutional Division
 370 N. Wabasha Street
 St. Paul, MN 55102
 1-800-352-5326
 Code : 913472
 Date of issue : 23-December-2009

EMERGENCY HEALTH INFORMATION: 1-800-328-0026
 Outside United States and Canada CALL 1-651-222-5352 (in USA)

Section 2. Hazards identification

Physical state : Solid. [Cast Solid]
 Emergency overview : WARNING !

CAUSES DIGESTIVE TRACT BURNS.
 CAUSES SEVERE EYE AND SKIN IRRITATION.
 Untreated contact may cause severe irritation or chemical burns.
 MAY BE HARMFUL IF SWALLOWED.
 Do not ingest. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling.

Potential acute health effects

Eyes : Severely irritating to eyes. Untreated contact may cause chemical burns.
Skin : Severely irritating to the skin. Untreated contact may cause severe irritation or chemical burns.
Inhalation : No known significant effects or critical hazards.
Ingestion : Causes burns to mouth, throat and stomach. May be harmful if swallowed.

See toxicological information (section 11)

Section 3. Composition/information on ingredients

<u>Name</u>	<u>CAS number</u>	<u>% by weight</u>
SODIUM HYDROXIDE	1310-73-2	62

Section 4. First aid measures

Eye contact : In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention immediately.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Inhalation : If inhaled, remove to fresh air.

Ingestion : If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention immediately.

Section 5. Fire-fighting measures

- Flash point** : > 100°C
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
phosphorus oxides
metal oxide/oxides
- Fire-fighting media and instructions** : Use an extinguishing agent suitable for the surrounding fire.

Dike area of fire to prevent runoff.
No specific fire or explosion hazard.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

- Personal precautions** : Immediately contact emergency personnel. Stop leak if without risk. Use suitable protective equipment. Keep unnecessary personnel away. Do not touch or walk through spilled material.
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- Methods for cleaning up** : If emergency personnel are unavailable, vacuum or carefully scoop up spilled material and place in an appropriate container for disposal.

Section 7. Handling and storage

- Handling** : Do not ingest. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Keep container closed. Use only with adequate ventilation. Wash thoroughly after handling.
- Storage** : Keep out of reach of children. Keep container in a cool, well-ventilated area. Keep container tightly closed.
Store between the following temperatures: -10 and 50°C

Section 8. Exposure controls/personal protection

- Engineering measures** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protection :

- Eyes** : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Hands** : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Skin** : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.
- Respiratory** : Due to the form and packaging of the product, no protective equipment is needed under normal use conditions.

Name

SODIUM HYDROXIDE

Exposure limits

ACGIH TLV (United States, 1/2009).

C: 2 mg/m³

OSHA PEL (United States, 11/2006).

TWA: 2 mg/m³ 8 hour(s).

Section 9. Physical and chemical properties

Physical state	: Solid. [Cast Solid]
Color	: White.
Odor	: Odorless.
pH	: 12.5 [Conc. (% w/w): 1%]

Section 10. Stability and reactivity

Stability	: The product is stable. Under normal conditions of storage and use, hazardous polymerization will not occur.
Reactivity	: Extremely reactive or incompatible with the following materials: acids. Highly reactive or incompatible with the following materials: metals. Reactive or incompatible with the following materials: organic materials.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Hazardous polymerization	: Under normal conditions of storage and use, hazardous polymerization will not occur.

Section 11. Toxicological information

Potential acute health effects

Eyes	: Severely irritating to eyes. Untreated contact may cause chemical burns.
Skin	: Severely irritating to the skin. Untreated contact may cause severe irritation or chemical burns.
Inhalation	: No known significant effects or critical hazards.
Ingestion	: Causes burns to mouth, throat and stomach. May be harmful if swallowed.

Potential chronic health effects

Other adverse effects

Target organs	: Contains material which may cause damage to the following organs: lungs, upper respiratory tract.
---------------	---

Section 12. Ecological information

Ecotoxicity data	: Not reported
------------------	----------------

Section 13. Disposal considerations

Waste disposal	: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.
----------------	--

Consult your local or regional authorities.

Section 14. Transport information

Certain shipping modes or package sizes may have exceptions from the transport regulations. The classification provided may not reflect those exceptions and may not apply to all shipping modes or package sizes.

UN Classification

UN number	UN1823
Proper shipping name	SODIUM HYDROXIDE, SOLID mixture
Class	8
Packing group	II

See shipping documents for specific transportation information.

Section 15. Regulatory information

HCS Classification : Corrosive material
Target organ effects

U.S. Federal regulations

TSCA 8(b) inventory : All components are listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found.

SARA 302/304 emergency planning and notification: No products were found.

California Prop. 65 : No products were found.

Section 16. Other information

**Hazardous Material
Information System (U.S.A.)** :

Health	*	2
Flammability		0
Physical hazards		0

Date of issue : 23-December-2009.

Responsible name : Regulatory Affairs

Date of previous issue : No previous validation.

Notice to reader

The above information is believed to be correct with respect to the formula used to manufacture the product in the country of origin. As data, standards, and regulations change, and conditions of use and handling are beyond our control, NO WARRANTY, EXPRESS OR IMPLIED, IS MADE AS TO THE COMPLETENESS OR CONTINUING ACCURACY OF THIS INFORMATION.