

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910 1200 Standard must be
consulted for specific requirements

Art-Office
School-Craft
Charcoal-Graphite
Pastels-Colored

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No 1218-0072

21250
1 OF 2



IDENTITY (As Used on Label and List)
All wood cased pencil products

Note: Blank spaces are not permitted if any data is not applicable, or no information is available. All spaces must be marked to indicate this.

Section I

Manufacturer Name
GENERAL PENCIL CO.

Emergency Telephone Number
T-800-537-0735

Address (Number, Street, City, State, and ZIP Code)
67 Fleet St. Jersey City N.J 07306

Telephone Number (In NJ)
1-201-653-5351
1-615-369-4889

California--3168 Bay Rd, Box 5311
Redwood City, CA 94063

Use Precedence
Revised 4/15/92
Signature of Preparer (Approved)
James P. ...

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s)) OSHA PEL ACGIH TLV Other Limits Recommended in (ppm)

N/A-----Pencil products bearing the PMA Certification Mark(seal) of the Pencil Makers Assoc. Inc. are not within the scope of the OSHA Hazard Communication Standard. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910 1200 (b)(5)

Pencil products bearing the PMA Certification Mark(seal) are certified in a program of toxicologic evaluation by a medical expert subject to review by the program's Toxicological review Bd. to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans..

No acute or chronic health labeling is required under provision of federal law, the federal hazardous substance act or under ASTM Standard D 4236.

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	N/A	Melting Point	N/A
Vapor Density (Air = 1)	N/A	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A			

Appearance and Odor
Solid Stick form---Cedar fragrance Dk. Grey--Black

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	365° F	Flammable Limits	LEL N/A	UEL N/A
---------------------------	--------	------------------	---------	---------

Extinguishing Media
Foam, Carbon dioxide, dry chemical

Special Fire Fighting Procedures
A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Other Fire and Explosion Hazards
Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gases.

Precedence (local)

21250

21250

207-2

Reactivity Data

Unstable N/A Conditions to Avoid
Stable N/A

Reactivity (Materials to Avoid) N/A

Reactivity (Products) N/A

May Occur N/A Conditions to Avoid

Will Not Occur N/A

Section VI - Health Hazard Data

Respiratory N/A Ingestion? N/A Skin? N/A Ingestion? N/A

Acute Hazards (Acute and Chronic) N/A

Carcinogenicity: N/A NTP? N/A IARC Monographs? N/A OSHA Registered? N/A

Signs and Symptoms of Exposure N/A

Medical Conditions: N/A
Diseases Aggravated by Exposure

Emergency and First Aid Procedures N/A

Section VII - Precautions for Safe Handling and Use N/A

Steps to be Taken in Case Material is Released or Spilled N/A

Safe Disposal Method N/A

Precautions to be Taken in Handling and Storing N/A

Other Precautions N/A

Section VIII - Control Measures N/A

Respiratory Protection (Specify Type) N/A

Hand Protection: N/A
Wash Hands N/A
Special N/A
Mechanical (Gloves) N/A
Other N/A

Use of Gloves N/A Eye Protection N/A

Procedures for Cleaning of Equipment N/A

Emergency Procedures N/A