

Material Safety Data Sheet

U.S. Department of Labor

May be used to comply with
 OSHA's Hazard Communication Standard,
 29 CFR 1910.1200. Standard must be
 consulted for specific requirements.

Occupational Safety and Health
 Administration
 (Non-Mandatory Form)
 Form Approved
 OMB No. 1218-0072

IDENTITY (As Used on Label and List) 30K and 32K Dry Erase Ink Items 412series, 310 series DWseries	Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.
---	---

Section I

Manufacturer's Name: Dri Mark Products Inc.	Emergency Telephone Number 1-516-484-6200
Address (Number, Street, City, State, and ZIP Code)	Telephone Number for Information 1-516-484-6200
15 Harbor Park Dr.	Date Prepared 4/5/05
Pt. Washington, New York 11050	Signature of Preparer (optional) Roberta S. Dobbs

Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%(optional)
Ethyl Alcohol	30-70%			
Isopropanol	10-30%			
Pigments, Resins, and release agents				
Surfactants	20%			
Nibs & Reservoirs	Synthetic Fibers			
Housing	Non Reactive Plastic			

25001-25005, 25007-25009

Section III - Physical/Chemical Characteristics

Boiling Point	78-120°	Specific Gravity (H ₂ O = 1)	0.90
Vapor Pressure (mm Hg.)	N/A	Melting Point	
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	>1.0
Solubility in Water: Soluble in water			
Appearance and Odor : Alcoholic solution of organic pigments and additives.			

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used): 12°C	Flammable Limits: Non-Flammable	LEL 1.4	UEL 15
Extinguishing Media: CO ₂ , Water Spray, Foam, exstinguishing powder			
Special Fire Fighting Procedures: Standard fire fighting equipment, use large amounts of foam, autoignition temperature C: 20.5			
Unusual Fire and Explosion Hazards None			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid: Avoid inhaling, swallowing, exposure to skin and heating up.
	Stable:	X	
Incompatibility (<i>Materials to Avoid</i>) None			
Hazardous Decomposition or Byproducts None			
Hazardous Polymerization	May Occur		Conditions to Avoid: None
	Will Not Occur	X	

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?: N/A	Skin?: N/A	Ingestion? : N/A
Health Hazards (<i>Acute and Chronic</i>) none			
Carcinogenicity: No known effects	NTP?: N/A	IARC Monographs?: N/A	OSHA Regulated?: No
Signs and Symptoms of Exposure: Alcohol vapors may have narcotic effect.			
Medical Conditions Generally Aggravated by Exposure			
Emergency and First Aid Procedures Provide plenty of fresh air, drink plenty of water and induce vomiting, flush eyes with plenty of water. Call a physician.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled: As the product is soaked in a porous reservoir. There is no possibility of spillage.
Waste Disposal Method: Dispose of in accordance with local government requirements.
Precautions to Be taken in Handling and Storing: Store in a cool dry area. Keep container tightly closed
Other Precautions:: Avoid inhaling and contact with skin, eyes .

25001 - 25005
25007 - 25009

Pg 4 of 4

--

Section VIII - Control Measures

Respiratory Protection (<i>Specify Type</i>) Avoid Inhalation, no additional protection required.		
Ventilation	Local Exhaust: No	Special: None
	Mechanical (<i>General</i>): No	Other: None
Protective Gloves: No		Eye Protection: Avoid contact with eyes
Other Protective Clothing or Equipment: None		
Work/Hygienic Practices: Avoid contact with skin and eyes. Wash hands after use.		