

This data is based on our present state of knowledge but does not constitute a guarantee of properties and is strictly private and confidential.

# Material Safety Data Sheet

**SO-SAFE GRAFFITI REMOVER  
(YELLOW LABEL) PAINTED SURFACES**

Identity (Trade Name As Used On Label)

So-Safe Specialty Products Pty. Ltd.

Manufacturer  
50 Chard Road

Address  
Brookvale, N.S.W. 2100 Australia

408-384-0771

Phone Number (For Information)

1-800-444-4066 408-384-0802

Emergency Phone Number FAX

#006

MSDS Number

N/A

CAS Number

March 1, 1992

Date Prepared

*Michael J. Hunt*

Prepared By

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

## SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS - Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
TRADE SECRET IN CONFORMANCE WITH				
C.F.R. TITLE 29 SECTION 1910-1200				
PARAGRAPH 1.				
TOTAL	100			

31732, 31733

## SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	185° centigrade	Specific Gravity (H <sub>2</sub> O = 1)	1.1
Vapor Pressure (mm Hg and Temperature)	20°C < 1m bar	Melting Point	< 0° Celcius
Vapor Density (Air = 1)	< 2	Evaporation Rate (Butyl Acetate = 1)	< 1 very slow
Solubility in Water	INFINITE	Water Reactive	NO
Appearance and Odor	CLEAR LIQUID / ORANGE SCENT		
		% Volatiles by volume	> 98%

## SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method used	66°C IP36	Auto-Ignition Temperature	287 <sup>+</sup> -3°C	Flammability limits in Air % by Volume	LEL N/A	UEL N/A
Extinguisher Media	Water spray (fog) CO <sup>2</sup> , Foam or dry chemical					
Special Fire Fighting Procedures	FIRE FIGHTERS SHOULD BE EQUIPPED WITH SELF CONTAINED BREATHING EQUIPMENT.					
Unusual Fire and Explosion Hazards	LOW WHEN EXPOSED TO HEAT OR FLAMES. CAN REACT WITH OXIDIZING MATERIALS.					

\*Optional

**SECTION 4 - REACTIVITY HAZARD DATA / SO-SAFE GRAFFITI REMOVER YELLOW LABEL**

<b>STABILITY</b> <input type="checkbox"/> Stable <input type="checkbox"/> Unstable	<b>Conditions To Avoid</b> Moisture, heat and flames
<b>Incompatibility (Materials to Avoid)</b> Strong acids and oxidizing agents	
<b>Hazardous Decomposition Products</b> Propionaldehyde, carbon monoxide in limited oxygen and in a fire situation.	
<b>HAZARDOUS POLYMERIZATION</b> <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	<b>Conditions To Avoid</b> N/A

**SECTION 5 - HEALTH HAZARD DATA**

<b>PRIMARY ROUTES OF ENTRY</b>	<input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Ingestion <input type="checkbox"/> Not Hazardous	<b>CARCINOGEN LISTED IN</b>	<input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph	<input type="checkbox"/> OSHA <input checked="" type="checkbox"/> Not Listed
<b>HEALTH HAZARDS</b>	Acute <del>No specific acute or chronic health impact noted but may still have effect on people with pre-existing or latent health prob</del> Chronic				
<b>Signs and Symptoms of Exposure</b>	Headache and dizziness noted when over-exposed. Corneal clouding has been observed. Remove to fresh air & consult a physician.				
<b>Medical Conditions Generally Aggravated by Exposure</b>	IRRITATION OF SKIN AND MUCOUS MEMBRANES				
<b>EMERGENCY FIRST AID PROCEDURES</b> - Seek medical assistance for further treatment, observation and support if necessary.					
<b>Eye Contact</b>	Wash eyes with water for 15 minutes. If irritation continues, consult physician.				
<b>Skin Contact</b>	Wash with soap and water. Remove and launder clothing. If irritation continues, consult a physician.				
<b>Inhalation</b>	Move to fresh air if necessary. Aid in breathing if difficulties continue, consult a physician.				
<b>Ingestion</b>	If swallowed, give lots of water, and induce vomiting. If necessary, consult a physician.				

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

<b>Respiratory protection (Specify Type)</b>	No NIOSH recommendation noted but if heavy spraying is necessary organic vapor respirator is advisable.		
<b>Protective Gloves</b>	Recommended nitrile or neoprene. If spraying, wear chemical goggles.		
<b>VENTILATION TO BE USED</b>	<input type="checkbox"/> Local Exhaust	<input type="checkbox"/> Mechanical (general)	<input type="checkbox"/> Special
	<input checked="" type="checkbox"/> Other (specify) No recommended requirements. If uncomfortable, use organic vapor respirator.		
<b>Other Protective Clothing and Equipment</b>	Coveralls, gloves recommended.		
<b>Hygienic Work Practices</b>	Good personal hygiene.		

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**

<b>Steps To Be Taken if Material Is Spilled Or Released</b>	Absorb excess material, then flush area with water.
<b>Waste Disposal Methods</b>	Incinerate or bury in a licensed facility. This material is not regulated under RCRA or CER CAA or "SUPER FUND".
<b>Precautions To Be Taken In Handling And Storage</b>	Do not store in P.V.C. or plastic container. Use polyethelene only.
<b>Other Precautions And/Or Special Hazards</b>	<del>Avoid excess vapors. Read and follow manufacturers recommendations.</del>