

This data is based on our present state of knowledge but does not constitute a guarantee of properties and is strictly private and confidential.

# Material Safety Data Sheet

**SO-SAFE GRAFFITI REMOVER  
(BLUE LABEL) CONCRETE**

So-Safe Specialty Products Pty. Ltd.  
 Manufacturer  
50 Chard Road  
 Address  
Brookvale, N.S.W. 2100 Australia  
408-384-0771  
 Phone Number (For Information)  
800-444-4066      408-384-0802  
 Emergency Phone Number      FAX

Identity (Trade Name As Used On Label)      #007  
MSDS Number\*      N/A  
CAS Number\*      March 1, 1992  
Date Prepared      *Michael J. Hunt*  
Prepared By  
 Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

## SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS - Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
TRADE SECRET IN CONFORMANCE WITH C.F.R. TITLE 29 SECTION 1910-1200 PARAGRAPH 1.				
<b>TOTAL</b>	100			

31734, 31736

## SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	200° centigrade	Specific Gravity (H <sub>2</sub> O = 1)	1.027
Vapor Pressure (mm Hg and Temperature)	20°C < 1m bar	Melting Point	< 0° Celcius
Vapor Density (Air = 1)	3.4	Evaporation Rate (Butyl Acetate = 1)	< 1 very slow
Solubility in Water	Complete	Water Reactive	No
Appearance and Odor	Clear / Amber liquid / Orange scent		
		% Volatiles by volume	> 98%

## SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method used	95° ccAS2106	Auto-Ignition Temperature	278 <sup>+</sup> -3°C	Flammability limits in Air % by Volume	LEL N/A	UEL N/A
Extinguisher Media	Water spray (fog), CO <sup>2</sup> , Foam or dry chemical					
Special Fire Fighting Procedures	FIRE FIGHTERS SHOULD BE EQUIPPED WITH SELF CONTAINED BREATHING EQUIPMENT.					
Unusual Fire and Explosion Hazards	LOW WHEN EXPOSED TO HEAT OR FLAMES. CAN REACT WITH OXIDIZING MATERIALS.					

\*Optional

**SECTION 4 - REACTIVITY HAZARD DATA / SO-SAFE GRAFFITI REMOVER-BLUE CONCRETE**

<b>STABILITY</b> <input type="checkbox"/> Stable <input type="checkbox"/> Unstable	<b>Conditions To Avoid</b> Moisture-compound is hygroscopic
<b>Incompatibility (Materials to Avoid)</b> Strong acids and oxidizing agents	
<b>Hazardous Decomposition Products</b> CO, CO <sup>2</sup> , NOX	
<b>HAZARDOUS POLYMERIZATION</b> <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	<b>Conditions To Avoid</b> N/A

**SECTION 5 - HEALTH HAZARD DATA**

<b>PRIMARY ROUTES OF ENTRY</b>	<input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Ingestion <input type="checkbox"/> Not Hazardous	<b>CARCINOGEN LISTED IN</b>	<input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph	<input type="checkbox"/> OSHA <input checked="" type="checkbox"/> Not Listed
<b>HEALTH HAZARDS</b>	Acute No specific acute or chronic health impact noted but may still have effect on people w/pre-existing or latent health problem. Chronic Corneal clouding has been observed.				
<b>Signs and Symptoms of Exposure</b>	None noted but may have effect either in general or certain individual.				
<b>Medical Conditions Generally Aggravated by Exposure</b>	IRRITATION OF SKIN AND MUCOUS MEMBRANES.				
<b>EMERGENCY FIRST AID PROCEDURES</b> - Seek medical assistance for further treatment, observation and support if necessary.					
<b>Eye Contact</b>	Wash eyes with water for 15 minutes. If irritation continues, consult a physician.				
<b>Skin Contact</b>	Wash with soap and water. Remove and launder clothing, if irritation occurs, consult a physician.				
<b>Inhalation</b>	Move to fresh air if necessary. Aid in breathing if difficulties continue. Consult a physician.				
<b>Ingestion</b>	If swallowed, drink lots of water and induce vomiting. If necessary, consult a physician.				

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

<b>Respiratory protection (Specify Type)</b>	No NIOSH recommendation noted but if heavy spraying is necessary organic vapor respirator is advisable.				
<b>Protective Gloves Recommended</b>	Recommended nitrile or neoprene				
<b>Eye protection</b>	If spraying, wear chemical goggles.				
<b>VENTILATION TO BE USED</b>	<input type="checkbox"/> Local Exhaust	<input type="checkbox"/> Mechanical (general)	<input type="checkbox"/> Special	<input checked="" type="checkbox"/> Other (specify) No recommended requirements. If uncomfortable, use organic vapor respirator.	
<b>Other Protective Clothing and Equipment</b>	Coveralls, gloves recommended.				
<b>Hygienic Work Practices</b>	Good personal hygiene.				

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**

<b>Steps To Be Taken If Material Is Spilled Or Released</b>	Absorb excess material, then flush area with water.
<b>Waste Disposal Methods</b>	Incinerate or bury in a licensed facility. This material is not regulated under RCRA or CER CAA or "SUPER FUND".
<b>Precautions To Be Taken In Handling And Storage</b>	Do not store in P.V.C. or plastic container. Use polyethelene only.
<b>Other Precautions And/Or Special Hazards</b>	Avoid excess vapors. Read and follow manufacturers recommendations.