

#31754

ATTENTION: SAFETY DIRECTOR

((C))

FROM: ROCHESTER MIDLAND  
P.O. BOX 1515  
ROCHESTER, NY 14603-1515  
TELEPHONE: (716)336-2200

MEDICAL EMERGENCY TELEPHONE  
(716)266-2283

TRADE NAME: RENEW  
DATE ISSUED: 4/12/91 REVISED DATE: 5/25/86

		0 MINIMAL HAZARD
HEALTH:	2	1 SLIGHT HAZARD
FLAMMABILITY:	2	2 MODERATE HAZARD
REACTIVITY:	0	3 SERIOUS HAZARD
PERSONAL PROTECTION:	2	4 SEVERE HAZARD

\*\*\*\*\*  
\*\*\*\*\*

INGREDIENTS

\*\*\*\*\*  
\*\*\*\*\*

INGREDIENT:  
ACRYLIC POLYMER  
CAS REG. NO.: NOT EST                      PERCENTAGE: <10  
TLV: NOT EST

INGREDIENT:  
MONTAN WAX  
CAS REG. NO.: NOT EST                      PERCENTAGE: <10  
TLV: NOT EST

INGREDIENT:  
MINERAL SPIRITS  
CAS REG. NO.: 64741-65-7                      PERCENTAGE: >25  
TLV: 100 PPM (UNION OIL)

INGREDIENT:  
NONYLPHENOXYPOLYETHOXYETHANOL  
CAS REG. NO.: 26027-38-3                      PERCENTAGE: <10  
TLV: NOT EST

\*\*\*\*\*  
\*\*\*\*\*

PHYSICAL DATA

\*\*\*\*\*  
\*\*\*\*\*

BOILING POINT: 212      SPECIFIC GRAVITY: 0.930      VAPOR PRESSURE: NA  
PERCENT VOLATILE BY VOLUME: 93      VAPOR DENSITY: NA  
EVAPORATION RATE:      ETHYL ETHER                      -1 >1  
SOLUBILITY IN WATER: COMPLETE  
APPEARANCE AND ODOR:

NON-VISCOUS OFF-WHITE OPAQUE LIQUID WITH MILD ALMOND ODOR.

\*\*\*\*\*  
\*\*\*\*\*

FIRE AND EXPLOSION HAZARD DATA

\*\*\*\*\*  
\*\*\*\*\*

FLASH POINT: 130 DEGREES F (COC)

31754

31754

FLAMMABLE LIMITS:

LEL: 1.0 UEL: 6.0

EXTINGUISHING MEDIA:

WATER SPRAY, CO2, FOAM, DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES:

NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS:

NONE

\*\*\*\*\*

REACTIVITY DATA

\*\*\*\*\*

STABILITY: STABLE

CONDITIONS TO AVOID:

HEAT, SPARKS, OPEN FLAME.

INCOMPATIBILITY (MATERIALS TO AVOID):

STRONG OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS:

THERMAL-DECOMPOSITION MAY YIELD CARBON MONOXIDE.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID:

NONE

\*\*\*\*\*

HEALTH HAZARD DATA

\*\*\*\*\*

THRESHOLD LIMIT VALUE:

100 PPM

ROUTE(S) OF ENTRY: INHALATION: + SKIN: + INGESTION: +

EFFECTS OF OVEREXPOSURE:

CONTACT WITH EYES OR SKIN MAY CAUSE IRRITATION. INHALATION OF MIST OR VAPOR MAY RESULT IN NAUSEA, HEADACHE OR NARCOSIS. INGESTION MAY BE FATAL.

CARCINOGENICITY: NTP: - IARC MONOGRAPHS: - OSHA REGULATED: -

EMERGENCY FIRST AID PROCEDURES:

FOR SKIN CONTACT, WASH THOROUGHLY WITH SOAP AND WATER. FOR EYE CONTACT, FLUSH WITH CLEAR WATER FOR 15 MINUTES AND CONSULT A PHYSICIAN. IF INHALED, AND RESPIRATORY EFFECTS OCCUR, REMOVE TO FRESH AIR. IF INGESTED, DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.

\*\*\*\*\*

PRECAUTIONS FOR SAFE HANDLING AND USE

\*\*\*\*\*

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

PICK UP LIQUID WITH WET VACUUM. ALTERNATIVELY, ABSORB WITH ABSORBENT MATERIAL. AVOID EXPOSURE TO SPARKS, FIRE OR HOT METAL SURFACES.

WASTE DISPOSAL METHOD:

LANDFILL RECOVERED LIQUID OR CONTAMINATED ABSORBENT MATERIAL IN ACCORDANCE WITH APPROPRIATE LOCAL, STATE, AND FEDERAL REGULATIONS.

RCRA: IGNITABLE (FLASH POINT LESS THAN 140 DEGREES F)

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

KEEP OUT OF REACH OF CHILDREN. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME. USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPEATED CONTACT WITH SKIN.

\*\*\*\*\*  
\*\*\*\*\*

SPECIAL PROTECTION INFORMATION

\*\*\*\*\*

RESPIRATORY PROTECTION (SPECIFY TYPE):

NOT REQUIRED

VENTILATION:

MECHANICAL EXHAUST IS ADEQUATE

PROTECTIVE GLOVES:

RUBBER OR NEOPRENE

EYE PROTECTION:

SPLASHPROOF CHEMICAL SAFETY GOGGLES

OTHER PROTECTIVE EQUIPMENT:

NONE