

ATTENTION: SAFETY DIRECTOR

31876

((C))

FROM: INDUSTRIAL CHEMICAL LAB., INC.
1015 NORTH 14 ST.
OMAHA, NE. 68102
TELEPHONE: (402)342-4248

TRADE NAME: DRI LEMON-LIME AIR FRESHENER
DATE ISSUED: 4/18/91 REVISED DATE: 5/25/86

HEALTH:	0	0 MINIMAL HAZARD
FLAMMABILITY:	0	1 SLIGHT HAZARD
REACTIVITY:	0	2 MODERATE HAZARD
PERSONAL PROTECTION:	0	3 SERIOUS HAZARD
		4 SEVERE HAZARD

INGREDIENTS

INGREDIENT:

ISOBUTANE

CAS REG. NO.: 75-28-5 PERCENTAGE: 48.0

TLV: NOT EST.

INGREDIENT:

PROPANE

CAS REG. NO.: 74-98-6 PERCENTAGE: 44.0EST.

TLV: NOT EST.

INGREDIENT:

METHYLENE CHLORIDE

CAS REG. NO.: 75-09-2 PERCENTAGE: 8.0

TLV: 100 PPM (TWA)

INGREDIENT:

PERFUME

CAS REG. NO.: NOT EST. PERCENTAGE: TRACE

TLV: NOT EST.

PHYSICAL DATA

BOILING POINT: 104 SPECIFIC GRAVITY: 1.32 VAPOR PRESSURE: NA

PERCENT VOLATILE BY VOLUME: 99 VAPOR DENSITY: NA

EVAPORATION RATE: NA -1 NA

SOLUBILITY IN WATER: NEGLIGIBLE

APPEARANCE AND ODOR:

AEROSOL CONTAINER FILLED WITH CLEAR LIQUID WITH FLORAL ODOR.

FIRE AND EXPLOSION HAZARD DATA

FLASH POINT: NONE

31876

31876

FLAMMABLE LIMITS: NA
LEL: NA UEL: NA
EXTINGUISHING MEDIA:

NONE
SPECIAL FIRE FIGHTING PROCEDURES:
NONE

UNUSUAL FIRE AND EXPLOSION HAZARDS:
NONE

REACTIVITY DATA

STABILITY: STABLE
CONDITIONS TO AVOID:
NONE

INCOMPATIBILITY (MATERIALS TO AVOID):
NONE

HAZARDOUS DECOMPOSITION PRODUCTS:
NONE
HAZARDOUS POLYMERIZATION: WILL NOT OCCUR
CONDITIONS TO AVOID:
NONE

HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE:
500 MAC

ROUTE(S) OF ENTRY: INHALATION: + SKIN: + INGESTION: +

EFFECTS OF OVEREXPOSURE:
CONTACT WITH EYES OR SKIN MAY CAUSE IRRITATION. INHALATION OF MIST OR VAPOR
MAY CAUSE RESPIRATORY IRRITATION. INGESTION MAY BE HARMFUL.

CARCINOGENICITY: NTP: - IARC MONOGRAPHS: - OSHA REGULATED: -

EMERGENCY FIRST AID PROCEDURES:
FOR SKIN CONTACT, WASH THOROUGHLY WITH SOAP AND WATER. FOR EYE CONTACT,
FLUSH WITH CLEAR WATER FOR 15 MINUTES. IF INHALED, AND RESPIRATORY EFFECTS
OCCUR, REMOVE TO FRESH AIR. IF INGESTED, OR IF ANY IRRITATION PERSISTS,
CONSULT A PHYSICIAN.

PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
FLUSH MATERIAL WITH WATER OR ABSORB WITH ABSORBENT MATERIAL.

WASTE DISPOSAL METHOD:
FLUSH DILUTED MATERIAL TO SEWER. LANDFILL CONTAMINATED ABSORBENT MATERIAL OR
UNSPENT CONTAINERS IN ACCORDANCE WITH APPROPRIATE LOCAL, STATE AND FEDERAL
REGULATIONS.

RCRA: NON-HAZARDOUS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:
STORE BETWEEN 32 AND 110 DEGREES F. KEEP OUT OF REACH OF CHILDREN. AVOID
EYE AND PROLONGED SKIN CONTACT.

SPECIAL PROTECTION INFORMATION

RESPIRATORY PROTECTION (SPECIFY TYPE):

NOT REQUIRED

VENTILATION:

MECHANICAL EXHAUST IS ADEQUATE

PROTECTIVE GLOVES:

RUBBER, NEOPRENE OR VINYL

EYE PROTECTION:

SPLASHPROOF CHEMICAL SAFETY GOGGLES.

OTHER PROTECTIVE EQUIPMENT:

NA