

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200. Standard must be consulted for specific requirements.

946910

NASHUA CORPORATION

44 FRANKLIN ST., NASHUA, NH 03061

MATERIAL SAFETY DATA SHEET

AP 807 (4/86)

IDENTITY (As Used on Label and List) **FUSER OIL: XEROX FO.**

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that:

Section I

Manufacturer's Name Nashua Corporation	Emergency Telephone Number 1-(603)-880-5555
Address (Number, Street, City, State, and ZIP Code) 44 Franklin Street Nashua, NH 03061	Telephone Number for Information 1-800-258-1370
	Date Prepared 4-15-86 Revised 1-26-87
	Printed Name of Preparer R.L. Sevigny Manufacturing Div. O.P.O.

Section II — Components and Hazardous Information

Components (Specific Chemical Identity; Common Name(s))	PERCENT	OSHA PEL	ACGIH TLV	CAS NO
POLYDIMETHYLSILOXANE	100%	NA	NA	63148-62-3

Section III — Physical/Chemical Characteristics

Boiling Point (°F)	>600°F	Specific Gravity (H ₂ O = 1)	0.98
Vapor Pressure (mm Hg.)	<5MM	Melting Point	NA
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	<1
Solubility in Water	<0.1%		

Appearance and Odor

Clear colorless liquid, very little odor

Section IV — Fire and Explosion Hazard Data

Flash Point (Method Used)	Open Cup 600°F	Flammable Limits	Not determined (NO)	LEL	NO	UEL	NO
---------------------------	-----------------------	------------------	----------------------------	-----	-----------	-----	-----------

Extinguishing Media **Water Fog, CO₂, Dry Chemical, Foam**

Special Fire Fighting Procedures

Self contained breathing apparatus, Protective Clothing.

Unusual Fire and Explosion Hazards

None known

946910

9/11/00 2042

Section V — Reactivity Data

Stability	Unstable		Conditions to Avoid	None known
	Stable	X		

Incompatibility (Materials to Avoid) Oxidizing material can cause a reaction.

Hazardous Decomposition or Byproducts Silicon Dioxide, Carbon Dioxide, Carbon Monoxide

Hazardous Polymerization	May Occur		Conditions to Avoid	None known
	Will Not Occur	X		

Section VI — Health Hazard Data

Routes of Entry:	Inhalation?	Skun?	Ingestion?
			X

Health Hazards (Acute and Chronic) No known chronic or acute health hazards when used as intended.

Carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?
	NA	NA	NA

Signs and Symptoms of Exposure May cause temporary discomfort to eyes. Has a laxative effect upon ingestion.

Medical Conditions Generally Aggravated by Exposure None known

Emergency and First Aid Procedures Remove from exposure, wipe off and wash skin with soap and water; flush eyes for 15 minutes with large amounts of water, drink water if ingested and call Poison Control Center.

Section VII — Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Use absorbent material to collect and control spillage.

Waste Disposal Method Dispose of liquid and absorbent material according to local, state & federal regulations.

Precautions to Be Taken in Handling and Storage Avoid rubbing eyes with hands while using this material.

Other Precautions Clean up spills completely as residue is slippery.

Upon eye contact remove and clean contact lenses prior to reuse.

Section VIII — Control Measures

Respiratory Protection (Specify Type) None required

Ventilation	Local Exhaust	None required	Special	None required
	Mechanical (General)	None required	Other	None required
		None required		

Protective Gloves None required Eye Protection Use proper protection - safety glasses

Other Protective Clothing or Equipment None required

Work/Hygenic Practices Good industrial hygiene should be practiced.