
MATERIAL SAFETY DATA SHEET

(Complies with OSHA Communication Standard 29CFR 1910.1200 Dept. of Labor.)



CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

TM4963 Flying Insect Killer - lemon scented (EPA Reg. 1021-1588)

Revision Date:

04/27/2000

MANUFACTURER/SUPPLIER'S/NAME:

Hi-Port Aerosol, 9150 Valley View Road, Macedonia, OH 44056 - (330) 467-4195

COMPOSITION/INFORMATION ON INGREDIENTS						
PRODUCT	COMPOSITION/	ACGIH TLV		OSHA PEL		
CAS REG NO.	WGT %	TWA	STEL	AWT	STEL	UNITS
Deionized Water						
7732-18-5	60-70	NA	NE	NA	NE	NA
Propane\Isobutane\n-But	tane					
68476-86-8	20-30	1000	Asphyxiant	1000	Asphyxiant	ppm
Aliphatic Hydrocarbon						
68551-17-7	1-10	NE				
Active Ingredients						
MIXTURE	1-5	NE				

Additional Component Information:

Active Ingredients include: Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]; 3-phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate; inert ingredients.

HAZARDS IDENTIFICATION

HEALTH HAZARD DATA (ACUTE AND CHRONIC)

May cause dizziness or narcosis in high vapor concentrations. Will cause defatting of skin. Effects are reversible. Long term exposure (years) to high concentrations of vapor may cause lung, liver or kidney damage. The solvents listed have been reported to affect the central nervous system. Aspiration hazard if swallowed. Eye and skin irritant. May irritate respiratory tract. Deliberately concentrating and inhaling the vapor of the contents may be harmful or fatal. OTHER:

None.

CARCINOGENICITY:

NA

FIRST AID

Give oxygen. Do not induce vomiting. Wash eyes and skin with water for 15 minutes. Get medical help.

ROUTES OF ENTRY

Ingestion, Inhalation, Skin

SIGNS AND SYMPTOMS OF OVEREXPOSURE

Inhalation - Difficulty in breathing. Skin - redness. Ingestion - vomiting.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Heart Disease, Respiratory Disorders

PHYSICAL AND CHEMICAL PROPERTIES Boiling Point -7.1F to 408F Vapor Pressure at 70F 74 VAPOR DENSITY (AIR=1) 4.0 EVAP. RATE(BUTYL ACETATE=1) SPECIFIC GRAVITY (WATER=1) Solubility Partial Appearance Milky Odor Lemon PH: Not Applicable

STABILITY AND REACTIVITY

STABILITY:

STABLE

INCOMPATIBILITY:-

Strong oxidizers acidic and alkaline conditions

HAZARDOUS THERMAL DECOMPOSITION/COMBUSTION PRODUCTS:- Carbon dioxide.

HAZARDOUS POLYMERIZATION:

WILL NOT OCCUR

REGULATORY INFORMATION

CALIFORNIA PROPOSITION 65:

NONE

Ozone Depleting Substances:

None

FLAMMABILITY 4, REACTIVITY 0, HEALTH 1

FLAMMABILITY 4, REACTIVITY 0, HEALTH 1

SARA 313 TITLE III - TOXIC CHEMICALS LIST:

None

DOT Shipping Name:

Consumer Commodity, ORM-D

CONTROL MEASURES

Respiratory Protection Equipment

Use NIOSH approved respirator if TLV limit is exceeded.

VENTILATION:

Local exhaust - yes

PROTECTIVE GLOVES:

None required if spraying.

EYE AND FACE PROTECTION:

Safety glasses.

OTHER PROTECTIVE EQUIPMENT:

Long Sleeves and Long pants

SAFE HANDLING

Do not smoke while using. Wash hands after use.

PRECAUTIONS FOR SAFE HANDLING AND USE

Flash Point -156F

LOWER EXPLOSION LIMIT : 1.9

UPPER EXPLOSION LIMIT : 9.5

EXTINGUISHING MEDIA:-

Water fog, carbon dioxide, foam, dry chemical

UNUSUAL FIRE AND EXPLOSION HAZARDS:-Heated cans may burst.

SPECIAL FIRE FIGHTING PROCEDURES Keep containers cool. Use equipment or shielding required to protect against bursting or venting containers.

SPILL PROCEDURES: Use absorbent sweeping compound to soak up material. Put into container. Dispose as hazardous waste.

WASTE DISPOSAL METHODS: Dispose as hazardous waste in accordance with EPA RCRA.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Keep away from heat, sparks, or open flame. Store at

temperatures below 120F.

OTHER INFORMATION: When spraying more than one half can continuously or more than one can consecutively, use NIOSH

approved respirator.

NFPA 30B Level: