## SAFETY DATA SHEET

Date of Issue

: March 1, 2017

SDS No. Version : AI-001 : 002



# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

This product is a writing instrument to be recognized as Article.

1.1. Identification of the substance or mixture

Product name

: FRIXION ball CLICKER

Product code

: BLRTFR5-BL-B/R/L/G/V/P/LB-A

BLRT-FR5-S7N(A)

BLRTFR7-BL-B/R/L/G/V/P/LB/BB-A

BLRT-FR7-S7N(A) BLRTFR7W-NPBL-B/L

BLS-FR5-BL-B/L

BLS-FR7-BL-B/R/L/V/P/BB

BLS-FR7-BL-LB-A BLSFR7BL-B/L-S3-A

Mixture name

: FXP-B/R/L/G(A)/V/P/LB(A)/BB

1.2. Use of the mixture

: Ink for writing instrument

1.3. Company identification e-mail address

Name of manufacture

: PILOT Corporation

/supplier

Address

: 6-21, Kyobashi 2-chome, Chuo-ku, Tokyo, 104-8304, Japan

Telephone number

: 03-3538-3700

Working hours (from 09.00am to 05.30pm)

Facsimile number

: 03-3538-3909

E-mail address

: international@pilot.co.jp

## 2. HAZARDS IDENTIFICATION

2.1. GHS Classification of the substance or mixture

Health hazards

Skin corrosion/irritation

: Category 2

Eye damage/irritation

: Category 2

Sensitization - skin

: Category 1

2.2. GHS label elements

Hazard pictograms

Signal word

: Warning

Hazard statements

H315

: Causes skin irritation

H319

: Causes serious eye irritation

H317

: May cause an allergic skin reaction

Product name: FRIXION ball CLICKER SDS No.: AI-001 Page 2/5

#### Precautionary statements

Prevention

P280 : Wear protective gloves/eye protection/face protection.
P264 : Wash hands and face thoroughly after handling.

P261 : Avoid breathing mist/vapors.

P272 : Contaminated work clothing should not be allowed out of the

workplace.

Response

P302+P352 : IF ON SKIN: Wash with plenty of soap and water.

P333+P313 : If skin irritation or rash occurs: Get medical advice/attention.
P362+P364 : Take off contaminated clothing and wash it before reuse.
P305+P351+P338 : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P337+P313 : If eye irritation persists: Get medical advice/attention.

Disposal

P501 : Dispose of contents/container in accordance with

local/regional/national/international regulations.

2.3. Other hazards : None

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance or mixture

: Mixture

Ingredients and composition

Ingredients	CAS Number	Weight %	Component
Triethanolamine	102-71-6	1.0 %	All Colors
Surfactant	Non public	1.0 %	All Colors

### 4. FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation : Remove subject to ventilated fresh air. Consult physician if necessary.

Ingestion : Refer for medical attention.

Skin contact : Wash the affected area under tepid running water using a mild soap.

And refer for medical attention if irritation continues.

Eye contact : Gently rinse the affected eyes with clean water for at least 15 minutes.

And refer for medical attention if irritation continues.

First aid facilities : Ensure eyewash and water service are available.

4.2. Most important symptoms and effects, both acute and delayed

Ink contact with skin may cause irritation, swelling or redness.

4.3. Indication of any immediate medical attention and special treatment needed In case of skin or eye contamination treat as under First Aid Measures.

## 5. FIRE-FIGHTING MEASURES

#### 5.1. Suitable extinguishing media

: Not classed as flammable.

In case of fire, use water spray, foam, dry chemical powder or carbon dioxide.

Product name: FRIXION ball CLICKER

SDS No.: AI-001

- 5.2. Specifc hazards arising from the substance or mixture
  - : CO<sub>2</sub>, CO, NO<sub>x</sub>, and SO<sub>x</sub>, is produced after combustion.
- 5.3. Special protective equipment and precautions for fire-fighters

: None

## 6. ACCIDENTAL RELEASE MEASURES

- 6.1. Personal precautions, protective equipment and emergency procedures
  - : Use proper ventilation. Use eye and skin protection.
- 6.2. Environmental precautions
  - : Do not dispose of waste to the sewer.
- 6.3. Methods and material for containment and cleaning up
  - : Absorb spill with material (cloth or paper), then place in a chemical waste containers.

## 7. HANDLING AND STORAGE

- 7.1. Precautions for safe handling
  - : Avoid rough handling or dropping.

Wear protective gloves/protective clothing/eye protection/face protection.

- 7.2. Conditions for safe storage, including any incompatibilities
  - : Store in a dry, cool, well-ventilated location.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits

-	Threshold limit values	
Component	ACGIH	
Triethanolamine	TLV-TWA 5 mg/m <sup>3</sup>	

- 8.2. Appropriate engineering controls
  - : No special controls are needed.
- 8.3. Individual protection measures, such as personal protective equipment.
  - : Wear protective gloves/protective clothing/eye protection/face protection.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

(a) Appearance : Viscosity Liquid

[Color] Black, Red, Blue, Green, Violet, Pink,

Light Blue, Blue Black

(b) Odor : Slight characteristic

(c) Odor threshold : No data
(d) pH : 7.7-8.7
(e) Melting point/freezing point : No data

(f) Initial boiling point/boiling range
 (g) Flash point
 : About 100 degrees Celsius
 : Boils without flashing

(h) Evaporation rate : No data
 (i) Flammability (solid, gas) : None
 (j) Upper/lower flammability or : No data

explosive limits

Page 4/5 SDS No.: AI-001 Product name: FRIXION ball CLICKER

: No data (k) Vapor pressure : No data (1) Vapor density

: 1.0-1.1 (at 20 degrees Celsius) (m) Relative density

: Not applicable (n) Solubility : Not available (o) Partition coefficient:

n-octanol/water

: No data Auto-ignition temperature (p) Decomposition temperature : No data (q)

: 620-900 mPa·s (at 20 degrees Celsius) (r) Viscosity

None 9.2. Other information

## 10. STABILITY AND REACTIVITY

: This material is stable. 10.1. Reactivity This material is stable. 10.2. Chemical stability : This material is stable. 10.3. Possibility of hazardous reactions

: This material is stable. 10.4. Conditions to avoid

: Strong oxidizing agents and reducing agents. 10.5. Incompatible materials

: No data 10.6. Hazardous decomposition products

## 11. TOXICOLOGICAL INFORMATION

There is no data available on the mixture itself.

Information on toxicological effects

Surfactant : Category 1 Skin corrosion/irritation

: Triethanolamine : Category 2

: Category 1 : Surfactant Eye damage/irritation

: Category 2 : Triethanolamine : Category 1 : Triethanolamine

Sensitization - skin : Category 3 : Triethanolamine Specific target organ toxicity (single exposure)

### 12. ECOLOGICAL INFORMATION

There is no data available on the mixture itself.

12.1. Ecotoxicity

: Not applicable 12.1.1. Hazardous to the aquatic environment,

short·term (acute)

: Not applicable 12.1.2. Hazardous to the aquatic environment,

long-term (chronic)

: No data available 12.2. Persistence and degradability : No data available 12.3. Bioaccumulative potential : No data available

12.4. Mobility in soil

None 12.5. Other adverse effects

## 13. DISPOSAL CONSIDERATIONS

- 13.1. Waste treatment methods
  - · Follow all regulations in your country.

Product name: FRIXION ball CLICKER SDS No.: AI-001 Page 5/5

## 14. TRANSPORT INFORMATION

14.1. UN number: Not applicable14.2. UN proper shipping name: Not applicable14.3. Transport hazard class(es): Not applicable

14.4. Packing group : Not applicable

14.5. Environmental hazards : Not applicable

14.6. Transport in bulk according to Annex II : Not applicable of MARPOL 73/78 and the IBC Code

14.7. Special precautions for user : None

## 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

· Follow all regulations in your country.

## 16. OTHER INFORMATION

International GHS conformity.

The information here is given in good faith, but no warranty, express or implied, is made.

Final determination of suitability of any material is the sole responsibility of the user.

End of SDS