Maxim

Safety Data Sheet Sections

SECTION 1: IDENTIFICATION
SECTION 2: HAZARD IDENTIFICATION
PRECAUTIONARY STATEMENTS Error! Bookmark not defined.
SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
SECTION 4: FIRST-AID MEASURES
SECTION 5: FIRE-FIGHTING MEASURES
SECTION 6: ACCIDENTAL RELEASE MEASURES
SECTION 7: HANDLING AND STORAGE
SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION
EXPOSURE LIMITS:
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT5
SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES
SECTION 10: STABILITY AND REACTIVITY
SECTION 11: TOXICOLOGICAL INFORMATION
SECTION 12: ECOLOGICAL INFORMATION
SECTION 13: DISPOSAL CONSIDERATIONS
SECTION 14: TRANSPORT INFORMATION
SECTION 15: REGULATORY INFORMATION
SECTION 16: OTHER INFORMATION
ACRONYM LIST

MAXIM LIQUID DISH

SECTION 1: IDENTIFICATION		
Product Trade Name:	Maxim Liquid Dish	
Product Code:	1100310	
Recommended Use:	Manual dish detergent	
Restrictions on Use:	For Food Plant, Industrial and Institutional use only	
Manufacturer Name:	Project Clean Inc.	
Manufacturer Address:	1607 Derwent Way, Delta, B.C. Canada V3M 6K8	
Manufacturer Phone Number:	800-663-9925	
Email Address of Competent Person Responsible for the SDS:	regulatory@projectclean.com	
Emergency Phone Number/	For Transportation Emergencies: Canutec <u>613-996-6666</u> Emergency Response Services: Chemtrec 800-424-9300	
24-Hour Number:	Lineigency response services. Cheminet 000-424-9500	

SECTION 2: HAZARD IDENTIFICATION		
Physical Hazards:	NONE	
Health Hazards:	SKIN CORROSION/ IRRITAITON – Category 2	
	EYE DAMAGE/ IRRITATION – Category 1	
	CARCINOGENICITY – Category 2	
	SENSITIZATION – SKIN – Category 1	
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) – Category 3	
Symbol:		
Signal word:	DANGER	
Hazard Statement:	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	
	H351 Suspected of causing cancer.	
	H317 May cause an allergic skin reaction.	
	H335 May cause respiratory irritation.	
PRECAUTIONARY STATEMENTS		
Prevention:	P203 Obtain, read and follow all safety instructions before use.	
	P264 Wash and rinse skin thoroughly after handling.	

SECTION 2: HAZARD IDENTIFICATION		
	P272 Contaminated work clothing should not be allowed out of the workplace.	
	P280 Wear eye protection/ face protection.	
	P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.	
	P270 Use only outdoors or in a well-ventilated area.	
Responses:	P318 IF exposed or concerned, get medical advice.	
	P302 + P352 IF ON SKIN: Wash with plenty water.	
	P333 + P317 If skin irritation or rash occur: Get medical help.	
	P321 Specific treatment (see supplemental first aid information on this label)	
	P305 + P354 + P338 + P317 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help.	
	P362 + P364 Take off contaminated clothing and wash it before reuse.	
	P304 + P340 + P319 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical help if you feel unwell.	
Storage:	P405 Store locked up.	
	P403 + P233 Store in a well-ventilated place. Keep container tightly closed.	
Disposal:	P501 Dispose of contents/ container to an approved waste disposal plant.	

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS			
Ingredient	Approx. Wt.%	CAS Number	
Coconut Diethanolamide	1-5	68603-42-9	
Dodecyl Benzenesulfonic Acid, Sodium Salt	1-5	25155-30-0	
Dodecyl Benzenesulfonic Acid, DEA Salt	1-5	26545-53-9	
Diethanolamine	0.1-1	111-42-2	
Perfume	0.1-1	Mixture	

SECTION 4: FIRST-AID MEASURES		
General Information:	Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.	

SECTION 4: FIRST-AID MEASURES		
Inhalation:	Immediately remove the affected victim to fresh air. If symptoms persist, obtain medical attention.	
Skin Contact:	Rinse skin. If irritation persists, obtain medical attention.	
Eye Contact:	Immediately flush with warm running water for at least 15 minutes, holding eyelids open during flushing. Remove contact lenses, if present and easy to do. If irritation persists, repeat flushing and obtain medical attention immediately.	
Ingestion:	Do not induce vomiting. If the victim is fully conscious, give plenty of clean water to drink to dilute product. Never give anything by mouth if victim is unconscious, is rapidly losing consciousness, or is convulsing. Call a Physician.	
Self-Protection of the First Aider:	Remove all sources of ignition. Ensure that first aid personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.	
Most Important Symptoms/ Effects, Acute and Delayed:	Ingestion: None reasonably foreseeable. Inhalation: May cause respiratory irritation. Eyes and skin: Corrosive to eyes. Repeated or prolonged skin contact may cause defatting and drying of skin which may result in skin irritation and dermatitis.	
If irritation occurs or persists, get medical attention.		

SECTION 5: FIRE-FIGHTING MEASURES		
Suitable Extinguishing Media:	Water fog, alcohol foam, dry chemical.	
Unsuitable Extinguishing Media:	None known.	
Flammability:	Not flammable.	
Flash Point:	Not flammable.	
Special Firefighting Procedures:	Directing a solid stream of water into a hot burning liquid can cause frothing and spread the fire. Wear NIOSH/MSHA approved, self-contained breathing apparatus for firefighting situation. Use water spray to cool all nearby fire exposed surfaces.	
Unusual Fire / Explosion Hazards:	None known.	
Hazardous Decomposition Products:	Carbon oxides, metal oxide fume, sulphuric oxides.	

SECTION 6: ACCIDENTAL RELEASE MEASURES		
Environmental Protection Precautions:	Do not release to the environment or water source.	
Steps to be Taken in Case Material is Released or Spilled:	Wear protective equipment. Soak up spills with absorbents, then dispose of in an appropriate waste container. Keep material away from sewers.	

PREPARED BY: Regulatory Division Project Clean Inc. (formerly Maxim Chemical International Inc.)

SECTION 6: ACCIDENTAL RELEASE MEASURES		
	Reuse if possible. Otherwise dispose recovered material in accordance	
	with all local, Provincial or Federal regulations.	

SECTION 7: HANDLING AND STORAGE		
Precautions to be Taken in Handling and Storage:	Use good industrial hygiene. Do not get in eyes, on skin or on clothing. Store in a cool, dry place away from incompatibles. Keep container closed when not in use. Do not mix with any other chemicals. Keep out of reach of children. Store at temperatures below 30°C (86°F) and keep from freezing. Do not store in metal or galvanized containers.	

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION			
EXPOSURE LIMITS:			
OSHA (PEL): N/A	ACGIH TLV: N/A Other exposure limit: N/A		
INDIVIDUAL PROTECTION MEASURES / PERSONAL PROTECTIVE EQUIPMENT			
Appropriate Engineering Controls:	Good general ventilation.		
Skin Protection:	Hand Protection: Non-permeable gloves (rubber, nitrile) recommended.		
	Other Skin Protection: Not required under normal use condition.		
Eye and Face Protection:	Safety glasses if eye contact may occur.		
Respiratory Protection:	Not required under normal use condition.		
Other Protective Equipment:	Eye wash, safety shower and full protective clothing recommended in the immediate work area.		

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Appearance:	Clear, green liquid.
Odour:	Citrus scent.
Odour threshold:	N/A
pH:	5.5-6.5
Melting point/Freezing point:	N/A
Initial boiling point and boiling range:	N/A
Flash Point:	> 100°C
Evaporation Rate (Water=1):	N/A
Flammability:	Not flammable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
Upper/Lower flammability or explosive limits:	None
Vapour pressure:	N/A
Vapour density:	N/A
Relative density/Specific gravity (Water = 1):	1.03 @ 20°C
Solubility(ies):	Soluble in water
Partition coefficient: n-octanol/water:	N/A
Auto-ignition temperature:	Not flammable
Decomposition temperature:	N/A
Viscosity:	Thin like water
VOCs:	N/A

SECTION 10: STABILITY AND REACTIVITY	
Reactivity:	N/A
Chemical stability:	Stable under normal storage conditions.
Possibility of hazardous reactions:	None known.
Conditions to avoid:	Temperatures above 30°C (86°F) and below 5°C (41°F).
Incompatibility:	Strong oxidizers, flammable liquid, explosive, pyrophoric substances, ammonium nitrate, organic peroxides.
Hazardous Decomposition Products:	Carbon oxides, metal oxide fume, sulphuric oxides.


SECTION 11: TOXICOLOGICAL INFORMATION	
Likely routes of exposure:	Ingestion, skin and eye contact.
Symptoms:	Causes serious eye damage. Prolonged skin contact may cause irritation.
Acute Toxicity Estimates:	LD ₅₀ Oral ATE > 2000 mg/kg
	LD ₅₀ Dermal ATE > 2000 mg/kg
	LD ₅₀ Inhalation ATE: N/A
Skin Sensitization:	0.21% of the ingredients are classified as a skin sensitizer.
Germinal Cell Mutagenicity:	Data available on components indicates no potential germinal cell mutagenicity.
Reproductive Toxicity:	Data available on components indicates no potential reproductive toxicity.

SECTION 11: TOXICOLOGICAL INFORMATION	
Carcinogenicity:	Coconut Diethanolamide (CAS#68603-42-9) is listed as Group 2B carcinogen by IARC.
	Diethanolamine (CAS# 111-42-2) is listed as Group 2B carcinogen by IARC. Group 2B – Possibly carcinogenic to humans.
Aspiration Hazard:	0.2 % of the ingredients are classified as an aspiration hazard.

SECTION 12: ECOLOGICAL INFORMATION	
Toxicity to Fresh Water Algae:	N/A
Toxicity to Fish Species:	N/A
Toxicity to Aquatic Invertebrates:	N/A
Persistence and degradability:	N/A

SECTION 13: DISPOSAL CONSIDERATIONS	
Recommended Waste Disposal	Reuse if possible. Otherwise dispose recovered material in
Methods:	accordance with all local, Provincial or Federal regulations.

SECTION 14: TRANSPORT INFORMATION	
Canadian TDG UN Number:	Not regulated.
UN Proper Shipping Name:	Not regulated.
Transport Hazard Class(es):	Not regulated.
Packing Group:	Not regulated.
Environmental Hazards:	Not available.
Special Precautions for User:	Not available.
Additional Information:	Not available.



PREPARED BY: Regulatory Division Project Clean Inc. (formerly Maxim Chemical International Inc.) LAST UPDATE: 2020-03-09

SECTION 15: REGULATORY INFORMATION	
	B Personal protection B = Safety glasses + Gloves
HMIS Protection Group B	
All pertinent hazard information has been provided in this SDS, per the requirements of the U.S. Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalent Standards, and the Canadian Workplace Hazardous Materials Identification System Standards (CPR 4).	

	SECTION 16: OTHER INFORMATION	
	ACRONYM LIST	
ACGIH	American Conference of Governmental Industrial Hygienists	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service	
CFR	Code of Federal Regulations	
DSL/NDSL	Domestic Substances List/ Non-domestic Substance List	
EC ₅₀	Half maximal effective concentration	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	
LC ₅₀	Lethal concentration, 50%	
LD ₅₀	Lethal dose, 50%	
MSHA	Mine Safety and Health Administration	
N/A	Not Available	
NIOSH	The National Institute for Occupational Safety and Health	
N.O.S.	Not Otherwise Specified	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
PEL	Permissible Exposure Limit	
PNOC	Particulates not otherwise classified	

SECTION 16: OTHER INFORMATION	
РММСС	Pensky-Martens Closed Cup
Pow	Partition Coefficient Octanol: Water
SDS	Safety Data Sheets
STOT – SE	Specific Target Organ Toxicity – Single Exposure
STOT – RE	Specific Target Organ Toxicity – Repeated Exposure
TDG	Transportation of Dangerous Goods
TLV	Threshold Limit Value
UN	United Nations
VOCs	Volatile Organic Compounds
WEL	Workplace Exposure Limit
WHMIS	Workplace Hazardous Materials Information System

It is the responsibility of the user to provide a safe workplace, using the health and safety information contained herein as a guide. Project Clean Inc. (formerly Maxim Chemical International Inc.) will accept no liability for damages or loss incurred from the improper handling and use of this product.

The information provided in the Safety Data Sheet has been obtained from current sources and is believed to be reliable.