

1. Chemical product and company identification Important information *** This Safety Data Sheet is only authorised for use by HP for HP Original products. Any unauthorised use of this Safety Data Sheet is strictly prohibited and may result in legal action being taken by HP. *** A. Product name C6615 Series Not available. Other means of identification B. Recommended use and Limitations on use **Recommended use** Inkjet printing C. Supplier information HP Korea House 23-6 Yoido-dona Youngdeungpo-gu Seoul 150-742, Korea Telephone (02) 2199-0114 HP Inc. health effects line 1-800-457-4209 (Toll-free within the US) 1-760-710-0048 (Direct) HP Inc. Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com 2. Hazards identification A. Hazard category/Classification **Physical hazards** Not classified. **Health hazards** Not classified. **Environmental hazards** Not classified. B. Warning label items including precautionary statement Pictogram None. Signal word None. Hazard statement None. Precautionary statement None C. Other hazards not included Complete toxicity data are not available for this specific formulation. in the hazard category criteria Potential routes of overexposure to this product are skin and eye contact. Inhalation of vapor and (e.g. dust explosion hazard) ingestion are not expected to be significant routes of exposure for this product under normal use conditions. Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. 2-pyrrolidone: Specific Concentration Limits, Reproductive toxicity Category 1B, fertility or the Supplemental information unborn child 3%. Mixture classification threshold based on data related to developmental toxicity in animals. No adverse effects on sexual function or damage to fertility have been observed in an

3. Composition/information on ingredients **Chemical identity** Common and CAS number **ID** number Content in percent alternative names (%) 7732-18-5 Water 75-85 KE-35400 2-pyrrolidone 616-45-5 KE-29978 <3

animal study. See Section 11.

Chemical identity	Common and alternative names	CAS number	ID number	Content in percent (%)
Isopropyl alcohol		67-63-0	KE-29363	<2.5
Composition comments	related to developme	c Concentration Limit 3%. ntal toxicity in animals. No served in an animal study.	o adverse effects on s	h threshold based on data exual function or damage to
	This ink supply conta	ins an aqueous ink formul	ation.	
	Carbon black is prese	ent only in a bound form ir	n this preparation.	
4. First aid measures				
A. In case of eye contact				n water (low pressure) for at t medical attention.
B. In case of skin contact		least 15 minutes or until particles are removed. If irritation persists get medical attention. Wash affected areas thoroughly with mild soap and water. If irritation persists get medical attention.		
C. In case of inhalation	Move to fresh air. If s	ymptoms persist, get med	lical attention.	
D. In case of swallowing	If ingestion of a large	amount does occur, seek	medical attention.	
E. Note to physician	Not available.			
Most important symptoms/effects, acute and delayed		l eyes may result in irritation	on.	
5. Fire-fighting measure	es			
A. Suitable (and unsuitable) of Suitable extinguishing media	extinguishing media CO2, water, dry chen	nical, or foam		
Unsuitable extinguishing media	None known.			
B. Specific hazards arising from the chemical (example: hazardous combustion products)	Not available.			
C. Specific methods of fire-fig	ahtina			
Special protective equipment for firefighter	None established.			
General fire hazards	Contact with skin and	l eyes may result in irritation	on.	
Specific methods	None established.			
6. Accidental release m	easures			
A. Personal precautions, protective equipment and emergency measures		sonal protective equipme	nt.	
B. Environmental precaution	s Do not let product en	ter drains. Do not flush int	o surface water or sar	nitary sewer system.
C. Methods and materials for containment and cleaning up	Dike the spilled mate or diatomaceous earl the material into a ba	rial, where this is possible	. Absorb with inert abs or recover using pumps er.	sorbent such as dry clay, sar s. Slowly vacuum or sweep
7. Handling and storage	9			
A. Precautions for safe handling	Avoid contact with sk	in, eyes and clothing.		
B. Conditions for safe storag (including any incompatibilities)	e Keep out of the reach	n of children. Keep away fi	rom excessive heat or	cold.
8. Exposure controls/p	ersonal protection			
A. Exposure limit values, bio	-			

Components	Туре	Value	
Isopropyl alcohol (CAS 67-63-0)	STEL	980 mg/m3	

		уре		lue	
				0 ppm	
	Т	WA		0 mg/m3	
			20	0 ppm	
US. ACGIH Threshold Limit	t Values				
Components	т	уре	Va	lue	
Isopropyl alcohol (CAS	S	TEL	40) ppm	
67-63-0)					
	Т	WA	20) ppm	
ological limit values					
ACGIH Biological Exposure					
Components	Value	Determinant	Specimen	Sampling Time	
67-63-0)	40 mg/l	Acetone	Urine	*	
* - For sampling details, pleas					
posure guidelines		have not been establis	shed for this proc	uct.	
Appropriate engineering	Use in a well ve	ntilated area.			
ntrols					
Personal protective equipme	ent Not available.				
Respiratory protection	Not available.				
Eye protection Hand protection		aloves: Nitrile 4 mil mi	nimum thicknoss		
Hand protection Body protection		gloves: Nitrile 4 mil mi otective equipment to			
Body protection					
giene measures		dance with good indus	unai nygiene and	salely placifie.	
Physical and chemical	properties				
Appearance					
Physical state	Liquid.				
Form	Not available.				
Color	Black.				
Odor	Not available.				
Odor Odor threshold					
	Not available.				
Odor threshold	Not available. Not available.				
Odor threshold pH	Not available. Not available. 7.8 - 8.4	2)			
Odor threshold pH Melting point/freezing point Boiling point, initial boiling	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C	C) (55.0 - 57.8 °C) Pens	ky-Martens Close	əd Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C		ky-Martens Close	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F		ky-Martens Close	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available.	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Clos	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate Flammability (solid, gas)	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available.	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Close	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Close	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower (%) Flammability limit - upper	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive Not available.	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Clos	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower (%) Flammability limit - upper (%)	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive Not available. Not available.	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Clos	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%)	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive Not available. Not available.	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Clos	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Vapor pressure	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive Not available. Not available. Not available. Not available.	⁻ (55.0 - 57.8 °C) Pens	ky-Martens Close	əd Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%)	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive Not available. Not available. Not available. Not available.	[™] (55.0 - 57.8 °C) Pens limits	ky-Martens Clos	ed Cup	
Odor threshold pH Melting point/freezing point Boiling point, initial boiling int, and boiling range Flash point Evaporation rate Flammability (solid, gas) Upper/lower limit on flammal Flammability limit - lower (%) Flammability limit - upper (%) Explosive limit - lower (%) Explosive limit - upper (%) Vapor pressure Solubility	Not available. Not available. 7.8 - 8.4 Not available. 200 °F (93.33 °C 131.0 - 136.0 °F Not determined Not available. bility or explosive Not available. Not available. Not available. Not available. Not available. Not available.	[™] (55.0 - 57.8 °C) Pens limits	ky-Martens Clos	ed Cup	

Korea. OELs. Standards for Exposure to Chemical Substances and Physically Hazardous Factors Components Type Value

O. n-octanol/water partition coefficient	Not determined
P. Auto-ignition temperature	Not available.
Q. Decomposition temperature	Not available.
R. Viscosity	> 2 cp
S. Molecular weight	Not available.
Other data	
Bulk density	1 - 1.2 gm/ml
Oxidizing properties	Not determined
VOC	< 116.6 g/l

10. Stability and reactivity

A. Stability and hazardous reaction potential

Stability	Stable under recommended storage conditions.
Hazardous reaction potential	Will not occur.
B. Conditions to avoid (e.g. static discharge, shock or vibration, etc)	Not available.
C. Incompatible materials	Incompatible with strong bases and oxidizing agents.
D. Hazardous decomposition products	Upon decomposition, this product may yield gaseous nitrogen oxides, carbon monoxide, carbon dioxide and/or low molecular weight hydrocarbons.

11. Toxicological information

A. Information on likely routes of exposure

~ . '	mormation on intery routes of	on poor o			
	 Respiratory organs 	Under normal conditions of intended use, this mate	rial is not expected to be an inhalation hazard.		
	• Skin	Contact with skin may result in mild irritation.			
	• Eyes	Contact with eyes may result in mild irritation.			
	• Mouth	Health injuries are not known or expected under normal use.			
B . I	nformation on health hazards	-			
	 Acute toxicity (list all possible routes of exposure) 	Based on available data, the classification criteria are not met.			
	Components	Species Test Results			
	2-pyrrolidone (CAS 616-45-5)				
	Acute				
	Oral				
	LD50	Rat	> 5000 mg/kg		
	• Corrosivity or irritation to the skin	Based on available data, the classification criteria a	re not met.		
	 Serious eye damage/eye irritation 	Not classified as an irritant according to, OECD 405. Based on available data, the classificati criteria are not met.			
	 Respiratory sensitization 	Based on available data, the classification criteria a	re not met.		
	 Skin sensitization 	Based on available data, the classification criteria a	re not met.		
	 Carcinogenic properties /Carcinogenicity 	Based on available data, the classification criteria are not met.			
		Carbon black is classified as a carcinogen by the IA 2B) and by the State of California under Proposition organizations indicate that exposure to carbon blac bound within a product matrix, specifically, rubber, it bound form in this preparation.	n 65. In their evaluations of carbon black, both k, per se, does not occur when it remains		
	 Mutagenic properties /Mutagenicity 	Based on available data, the classification criteria a	re not met.		
	 Reproductive toxicity 	Based on available data, the classification criteria a	re not met.		
		2-pyrrolidone: This component showed development pregnant test animals (OECD Testing Guideline 41). Uptake by people of small doses is not expected to has not caused adverse effects on sexual function of Testing Guideline 443: Extended One-Generation F	4: Prenatal Developmental Toxicity Study). cause developmental toxicity. This component or damage to fertility in an animal study (OECD		

 Specific target organ toxicity - single exposure 	Based on available data, the classification criteria are not met.		
 Specific target organ toxicity - repeated exposure 	Based on available data, the classification criteria are not met.		
 Aspiration hazard 	Based on available data, the classification criteria are not met.		
12. Ecological information	on		
A. Ecotoxicity			
Product		Species	Test Results
C6615 Series			
Aquatic			
Acute			
Fish	LC50	Fathead minnow (Pimephales promelas)	-
Components	- \	Species	Test Results
2-pyrrolidone (CAS 616-45-5))		
Aquatic Crustacea	EC50	Water flea (Daphnia pulex)	13.21 mg/l, 48 hours
Isopropyl alcohol (CAS 67-6			13.2 T High, 40 Hours
Aquatic	3-0)		
Acute			
Algae	EC50	Algae	> 1000 mg/l, 72 hours
Crustacea	EC50	Daphnia	13299 mg/l, 48 hours
Fish	LC50	· Fathead minnow (Pimephales promelas)	9460 mg/l, 96 hours
Aquatic toxicity	Not expec	ted to be harmful to aquatic organisms.	
B. Persistence/degradability		available on the degradability of this product.	
C. Bioaccumulative potential		available on the degradability of this product.	
Octanol/water partition coe	officient log k	Kow	
2-pyrrolidone Isopropyl alcohol	sinclent log i	-0.85 0.05	
D. Mobility in soil	Not availa	ble.	
E. Other adverse effects	Not availa	ble.	
13. Disposal consideration	ons		
A. Method of disposal		ow this material to drain into sewers/water supp f waste material according to Local, State, Fed ns.	
	of HP orig	et Partners (trademark) supplies recycling prog inal inkjet and LaserJet supplies. For more in e in your location, please visit http://www.hp.co	formation and to determine if this service
B. Disposal considerations		I precautions.	
(including disposal of contaminated containers or packaging)			
14. Transport information	n		
DOT			
Not regulated as dangerous	goods.		
IATA Not regulated as dangerous	aoods		
IMDG Not regulated as dangerous	-		
ADR Not regulated as dangerous	-		
Further information	•	gerous good under DOT, IATA, ADR, IMDG, oi	r RID.
	No ignitior prescribed	n, sustained combustion, or flashing detected, u I in the UN Manual of Tests and Criteria, Part I gulations Section 3.3.1.3.	using the Sustained Combustibility Test

15. Regulatory information	n
A. Restrictions under the Indust	
Harmful Substances Prohibi	-
Not regulated.	
	ing Permission for Manufacture or Use
Not regulated.	
Controlled Hazardous Subs	
Isopropyl alcohol (CAS 6 Harmful Substances Requir	7-63-0) ing Special Medical Examination
Isopropyl alcohol (CAS 67 Workplace Environmental M	
lsopropyl alcohol (CAS 6 Occupational Exposure Lim	,
Isopropyl alcohol (CAS 67	7-63-0)
B. Restrictions under the Chemi	cals Control Law (Previously Toxic Chemicals Control Law)
Accidental Release Preventi	ion Substances
Not regulated.	
Act on the Registration and	
Banned Toxic Chemical	S
Not regulated.	emicals Subject to Registration (PEC) (MoE No. 2015-92)
Not listed. Restricted Chemical Su	
Not regulated.	DStances
Toxic Chemicals	
Not regulated.	
C. Restrictions under the Dange	rous Substance Safety Management Act
D. Restrictions under the Waste	s Control Act
Halogenated Materials in Wa	aste Organic Solvents
Not regulated.	-
Hazardous Substances	
Not regulated.	
E. Restrictions under other forei	gn or domestic laws
Clean Air Conservation Act	
Air Pollutants	
	Procedure for Certain Hazardous Chemicals and Pesticides (Rules on PIC, MoE No. Standards for Pesticides, RDA No. 2014-26), as amended
Not listed. Specific Air Pollutants	
Not regulated.	
Regulatory information	All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.
16. Other information	
A. Source of information	Not available.
B. Issue date	31-Mar-2015
C. Number of revisions and date of most recent revision	10-Mar-2021 (11 revision)
D. Other	Not available.

Disclaimer	This safety data sheet is meant to convey information about HP inks (toners) provided in HP Original ink (toner) supplies. If our Safety Data Sheet has been provided to you with a refilled, remanufactured, compatible or other non-HP Original supply please be aware that the information contained herein was not meant to convey information about such products and there could be considerable differences from information in this document and the safety information for the product you purchased. Please contact the seller of the refilled, remanufactured or compatible supplies for applicable information, including information on personal protective equipment, exposure risks and safe handling guidance. HP does not accept refilled, remanufactured or compatible supplies in our recycling programs. This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries.
Revision information	 Product and Company Identification: Alternate Trade Names Composition / Information on Ingredients: Disclosure Overrides HazReg Data: Pacific Rim GHS: Classification

Explanation of abbreviations

ACGIH	American Conference of Governmental Industrial Hygienists
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response Compensation and Liability Act
CFR	Code of Federal Regulations
COC	Cleveland Open Cup
DOT	Department of Transportation
EPCRA	Emergency Planning and Community Right-to-Know Act (aka SARA)
IARC	International Agency for Research on Cancer
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
RCRA	Resource Conservation and Recovery Act
REC	Recommended
REL	Recommended Exposure Limit
SARA	Superfund Amendments and Reauthorization Act of 1986
STEL	Short-Term Exposure Limit
TCLP	Toxicity Characteristics Leaching Procedure
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
VOC	Volatile Organic Compounds