

SAFETY DATA SHEET

1. Identification

| Product identifier Other means of identification Recommended use | HP Color LaserJet CB540A-AD Black Print Cartridge Not available. This product is a black toner preparation that is used in HP Color LaserJet CP1515, CP1518, CP1215 and CM1312 MFP series printers. |
|--|---|
| Recommended restrictions | None known. |
| Company identification | HP 1501 Page Mill Road Palo Alto, CA 94304-1112 United States Telephone 650-857-5020 HP health effects line (Toll-free within the US) 1-800-457-4209 (Direct) 1-760-710-0048 HP Customer Care Line (Toll-free within the US) 1-800-474-6836 (Direct) 1-208-323-2551 Email: hpcustomer.inquiries@hp.com |

2. Hazard(s) identification

| Physical hazards | Not classified. |
|--|---|
| Health hazards | Not classified. |
| Environmental hazards | Not classified. |
| OSHA defined hazards | Not classified. |
| Label elements | |
| Hazard symbol | None. |
| Signal word | None. |
| Hazard statement | Not available. |
| Precautionary statement | |
| Prevention | Not available. |
| Response | Not available. |
| Storage | Not available. |
| Disposal | Not available. |
| Hazard(s) not otherwise classified (HNOC) | Carbon black is classified by the IARC as a Group 2B carcinogen (the substance is possibly carcinogenic to humans). Carbon black in this preparation, due to its bound form, does not present this carcinogenic risk. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. |
| Supplemental information | This product is not classified as hazardous according to OSHA CFR 1910.1200 (HazCom 2012). |
| | |

3. Composition/information on ingredients

Mixtures

| Chemical name | Common name and synonyms | CAS number | % |
|----------------------------|--------------------------|--------------|-----|
| Styrene acrylate copolymer | | Trade Secret | <85 |
| Wax Wax | | Trade Secret | <10 |
| Carbon black | | 1333-86-4 | <6 |
| Amorphous silica | Amorphous silica | 7631-86-9 | <2 |

| 4. First-aid measures | |
|--|--|
| Inhalation | Move person to fresh air immediately. If irritation persists, consult a physician. |
| Skin contact | Wash affected areas thoroughly with mild soap and water. Get medical attention if irritation develops or persists. |
| Eye contact | Do not rub eyes. Immediately flush with large amounts of clean, warm water (low pressure) for at least 15 minutes or until particles are removed. If irritation persists, consult a physician. |
| Ingestion | Rinse mouth out with water. Drink one to two glasses of water. If symptoms occur, consult a physician. |
| Most important symptoms/effects, acute and delayed | Not available. |

5. Fire-fighting measures

| 5 5 | |
|---|--|
| Suitable extinguishing media | CO2, water, or dry chemical |
| Unsuitable extinguishing media | None known. |
| Specific hazards arising from the chemical | Not applicable. |
| Special protective equipment and precautions for firefighters | Not available. |
| Fire-fighting equipment/instructions | If fire occurs in the printer, treat as an electrical fire. |
| Specific methods | None established. |
| 6. Accidental release me | asures |
| Personal precautions, protective equipment and emergency procedures | Minimize dust generation and accumulation. |
| Methods and materials for containment and cleaning up | Not available. |
| Environmental precautions | Do not flush into surface water or sanitary sewer system. See also section 13 Disposal considerations. |
| 7. Handling and storage | |
| Precautions for safe handling | Keep out of the reach of children. Avoid inhalation of dust and contact with skin and eyes. Use with adequate ventilation. Keep away from excessive heat, sparks, and open flames. |
| Constitutions for an for shore and | Keen autofille was de of dellaren. Keen biskile de ord and des Oleve al was been was been of the |

| Conditions for safe storage, | Keep out of the reach of children. Keep tightly closed and dry. Store at room temperature. Store |
|------------------------------------|--|
| including any incompatibilities | away from strong oxidizers. |
| | |

8. Exposure controls/personal protection

Occupational exposure limits

| US. OSHA Table Z-1 Limits for Components | Air Contaminants (29 CFR 1910.1000) Type | Value | |
|---|---|-----------|---------------------|
| Carbon black (CAS 1333-86-4) | PEL | 3.5 mg/m3 | |
| US. ACGIH Threshold Limit Va Components | lues Type | Value | Form |
| Carbon black (CAS 1333-86-4) | TWA | 3 mg/m3 | Inhalable fraction. |
| US. NIOSH: Pocket Guide to C Components | hemical Hazards Type | Value | |
| Amorphous silica (CAS 7631-86-9) | TWA | 6 mg/m3 | |
| Carbon black (CAS 1333-86-4) | TWA | 0.1 mg/m3 | |

| Biological limit values | No biological exposure limits noted for the ingredient(s). | | | |
|--|--|--|--|--|
| Exposure guidelines | USA OSHA (TWA/PEL): 15 mg/m3 (Total Dust), 5 mg/m3 (Respirable Fraction) | | | |
| | ACGIH (TWA/TLV): 10 mg/m3 (Inhalable Particulate), 3 mg/m3 (Respirable Particulate) | | | |
| | Amorphous silica: USA OSHA (TWA/PEL): 20 mppcf 80 (mg/m3)/%SiO2, ACGIH (TWA/TLV): 10 mg/m3 | | | |
| | TRGS 900 (Luftgrenzwert) - 10 mg/m3 (Einatembare partikel), 3 mg/m3 (Alveolengängige fraktion) | | | |
| | UK WEL: 10 mg/m3 (Respirable Dust), 5 mg/m3 (Inhalable Dust) | | | |
| Appropriate engineering controls | Use in a well ventilated area. | | | |
| Individual protection measure | es, such as personal protective equipment | | | |
| Eye/face protection | Not available. | | | |
| Skin protection | | | | |
| Hand protection | Not available. | | | |
| Other | Not available. | | | |
| Respiratory protection | Not available. | | | |
| Thermal hazards | Not available. | | | |
| 9. Physical and chemical | properties | | | |
| Appearance | Fine powder | | | |
| Physical state | Solid. | | | |
| Color | Black. | | | |
| Odor | Slight plastic odor | | | |
| Odor threshold | Not available. | | | |
| рН | Not applicable | | | |
| Melting point/freezing point | Not available. | | | |
| Initial boiling point and boiling range | Not applicable | | | |
| Flash point | Not applicable | | | |
| Evaporation rate | Not applicable | | | |
| Flammability (solid, gas) | Not available. | | | |
| Upper/lower flammability or e | explosive limits | | | |
| Flammability limit - lower (%) | • | | | |
| | | | | |

| (%) | |
|--|---|
| Flammability limit - upper (%) | Not available. |
| Explosive limit - lower (%) | Not available. |
| Explosive limit - upper (%) | Not available. |
| Vapor pressure | Not applicable |
| Solubility(ies) | |
| Solubility (water) | Negligible in water. Partially soluble in toluene and xylene. |
| Partition coefficient (n-octanol/water) | Not available. |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not available. |
| Viscosity | Not applicable |
| Other information | |
| Percent volatile | 0 % estimated |
| Softening point | 176 - 266 °F (80 - 130 °C) |

Material name: CB540A-AD

Specific gravity 1 - 1.2

10. Stability and reactivity

| Reactivity | Not available. |
|---------------------------------------|---|
| Chemical stability | Stable under normal storage conditions. |
| Possibility of hazardous reactions | Will not occur. |
| Conditions to avoid | Imaging Drum: Exposure to light |
| Incompatible materials | Strong oxidizers |
| Hazardous decomposition products | Carbon monoxide and carbon dioxide. |

11. Toxicological information

Symptoms related to the Not av physical, chemical and toxicological characteristics

Not available.

Information on toxicological effects

| Acute toxicity | Based on available data, the classification criteria are not met. |
|--------------------------------------|---|
| Skin corrosion/irritation | Based on available data, the classification criteria are not met. |
| Serious eye damage/eye irritation | Based on available data, the classification criteria are not met. |
| Respiratory or skin sensitization | on |
| Respiratory sensitization | Based on available data, the classification criteria are not met. |
| Skin sensitization | Based on available data, the classification criteria are not met. |
| Germ cell mutagenicity | Negative, does not indicate mutagenic potential (Ames Test: Salmonella typhimurium) Based on available data, the classification criteria are not met. |
| Carcinogenicity | Based on available data, the classification criteria are not met. |
| | Carbon black is classified as a carcinogen by the IARC (possibly carcinogenic to humans, Group 2B) and by the State of California under Proposition 65. In their evaluations of carbon black, both organizations indicate that exposure to carbon black, per se, does not occur when it remains bound within a product matrix, specifically, rubber, ink, or paint. Carbon black is present only in a bound form in this preparation. None of the other ingredients in this preparation are classified as carcinogens according to ACGIH, EU, IARC, MAK, NTP or OSHA. |

IARC Monographs. Overall Evaluation of Carcinogenicity

| Carbon black (CAS 1333- Reproductive toxicity | • | 2B Possibly carcinogenic to humans. ne classification criteria are not met. | |
|---|-----------------------------|--|--|
| Specific target organ toxicity - single exposure | | ne classification criteria are not met. | |
| Specific target organ toxicity - repeated exposure | Based on available data, th | ne classification criteria are not met. | |
| Aspiration hazard | Based on available data, th | ne classification criteria are not met. | |
| Further information | · · · · | not available for this specific formulation ential health effects and Section 4 for first aid measures. | |
| Componente | Species | Test Desults | |

| Components | Species | Test Results | |
|--------------------------|----------|---------------|--|
| Amorphous silica (CAS 76 | 31-86-9) | | |
| Acute | | | |
| Oral | | | |
| LD50 | Mouse | > 15000 mg/kg | |
| | Rat | > 22500 mg/kg | |
| Carbon black (CAS 1333-8 | 36-4) | | |
| Acute | | | |
| Oral | | | |
| LD50 | Rat | > 8000 mg/kg | |
| | | | |

| Ecotoxicity | | | | |
|---|--|---|---|--|
| | | | | |
| Product | | Species | Test Results | |
| CB540A-AD | | | | |
| Aquatic | | | | |
| Fish | LL50 | Rainbow Trout | > 1000 mg/l, 96 Hours | |
| Persistence and degradability | Not available | | | |
| Bioaccumulative potential | Not available | | | |
| Mobility in soil | Not available | | | |
| Other adverse effects | Not available | <u>.</u> | | |
| 13. Disposal consideration | ons | | | |
| Disposal instructions | Do not shred toner cartridge, unless dust-explosion prevention measures are taken. Finely dispersed particles may form explosive mixtures in air. Dispose of in compliance with federal, state, and local regulations. | | | |
| | HP original in | | s recycling program enables simple, convenient recycling c For more information and to determine if this service is p://www.hp.com/recycle. | |
| 14. Transport informatio | on | | | |
| Further information | Not a danger | rous good under DOT, IATA, | ADR, IMDG, or RID. | |
| 15. Regulatory informati | ion | | | |
| US federal regulations | US EPA TSCA under TSCA. | A Inventory: All chemical su | bstances in this product comply with all rules or orders | |
| SARA 304 Emergency relea | ase notification | on | | |
| Not regulated. OSHA Specifically Regulat | ed Substance | es (29 CFR 1910.1001-10 | 50) | |
| OSHA Specifically Regulat Not listed. | | - | 50) | |
| OSHA Specifically Regulat | | on Act of 1986 (SARA) lazard - No ard - No No vard - No | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R | Reauthorizatic Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha | on Act of 1986 (SARA) lazard - No ard - No No card - No izard - No | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories | Reauthorizatic Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha | on Act of 1986 (SARA) lazard - No ard - No No card - No izard - No | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza | Reauthorizatic Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha | on Act of 1986 (SARA) lazard - No ard - No No card - No izard - No | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical | Reauthorizatio Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha rdous substan | on Act of 1986 (SARA) lazard - No ard - No No card - No lazard - No nce | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) | Reauthorizatic Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha Indous substan | on Act of 1986 (SARA) lazard - No ard - No No card - No lazard - No nce | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) | Reauthorizatio Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha Indous substan No No | hazard - No lazard - No ard - No No rard - No rzard - No nce | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S Carbon black (CAS 1333- | Reauthorizatic Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha Indous substan No Not regulated Substance List 86-4) | bn Act of 1986 (SARA) lazard - No ard - No rard - No azard - No nce | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S Carbon black (CAS 1333- US. New Jersey Worker an Carbon black (CAS 1333- | Reauthorizatio Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha Indous substan No Not regulated Substance List 86-4) Ind Community 86-4) | hazard - No ard - No ard - No ard - No arard - No azard - No hazard - No hce d. | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S Carbon black (CAS 1333- US. New Jersey Worker an Carbon black (CAS 1333- US. Pennsylvania Worker and | Reauthorizatio Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha rdous substan No Not regulated Substance List 86-4) nd Community 86-4) and Communi | hazard - No ard - No ard - No ard - No arard - No azard - No hazard - No hce d. | 50) | |
| OSHA Specifically Regulat Not listed. Superfund Amendments and R Hazard categories SARA 302 Extremely haza Not listed. SARA 311/312 Hazardous chemical Other federal regulations Safe Drinking Water Act (SDWA) US state regulations US. Massachusetts RTK - S Carbon black (CAS 1333- US. New Jersey Worker an Carbon black (CAS 1333- | Reauthorizatio Immediate H Delayed Haza Fire Hazard - Pressure Haz Reactivity Ha rdous substan No Not regulated Substance List 86-4) nd Community 86-4) and Communi | hazard - No ard - No ard - No ard - No arard - No azard - No hazard - No hce d. | 50) | |

US. California Proposition 65

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

CARBON BLACK (AIRBORNE, UNBOUND PARTICLES Listed: February 21, 2003 OF RESPIRABLE SIZE [<= 10 MICROMETERS]) (CAS 1333-86-4)

Regulatory information

All chemical substances in this HP product have been notified or are exempt from notification under chemical substances notification laws in the following countries: US (TSCA), EU (EINECS/ELINCS), Switzerland, Canada (DSL/NDSL), Australia, Japan, Philippines, South Korea, New Zealand, and China.

16. Other information, including date of preparation or last revision

| Issue date | 16-Apr-2015 |
|-----------------------------|---|
| Revision date | 21-Sep-2015 |
| Version # | 03 |
| Disclaimer | This Safety Data Sheet document is provided without charge to customers of HP. Data is the most current known to HP at the time of preparation of this document and is believed to be accurate. It should not be construed as guaranteeing specific properties of the products as described or suitability for a particular application. This document was prepared to the requirements of the jurisdiction specified in Section 1 above and may not meet regulatory requirements in other countries. |
| Revision Information | Other information, including date of preparation or last revision: Disclaimer |
| Manufacturer information | HP 11311 Chinden Boulevard Boise, ID 83714 USA (Direct) 1-503-494-7199 (Toll-free within the US) 1-800-457-4209 |

Explanation of abbreviations

| ACGIH | American Conference of Governmental Industrial Hygienists |
|--------|---|
| CAS | Chemical Abstracts Service |
| CERCLA | Comprehensive Environmental Response Compensation and Liability Act |
| CFR | Code of Federal Regulations |
| COC | Cleveland Open Cup |
| DOT | Department of Transportation |
| EPCRA | Emergency Planning and Community Right-to-Know Act (aka SARA) |
| IARC | International Agency for Research on Cancer |
| NIOSH | National Institute for Occupational Safety and Health |
| NTP | National Toxicology Program |
| OSHA | Occupational Safety and Health Administration |
| PEL | Permissible Exposure Limit |
| RCRA | Resource Conservation and Recovery Act |
| REC | Recommended |
| REL | Recommended Exposure Limit |
| SARA | Superfund Amendments and Reauthorization Act of 1986 |
| STEL | Short-Term Exposure Limit |
| TCLP | Toxicity Characteristics Leaching Procedure |
| TLV | Threshold Limit Value |
| TSCA | Toxic Substances Control Act |
| VOC | Volatile Organic Compounds |