



INVITATION FOR BID

AEPA IFB #016 –I INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEES, EQUIPMENT & INSTALLATION

PART C – BID FORMS

TABLE OF CONTENTS

Bid Submittal Instructions	1
FORM: Bid Proposal Table of Contents.....	2
FORM A: Bid Affidavit	3
FORM B: Acceptance of Bid and Contract Award	4
FORM C: Service Questionnaire for Bidder	5
FORM D: Company Information	9
FORM E: Exceptions to Terms and Conditions	14
FORM F.1: Compliance	15
FORM F.2: Deviations	26
FORM G: Pricing Schedule Submittal Instructions	27

BID SUBMITTAL INSTRUCTIONS

1. Bid submission instructions can be found in Part A: Terms and Conditions, Section II, F: Bid Submission of this solicitation. Bidders are reminded that failure to follow, comply with, and adhere to these instructions of this solicitation may result in their response being deemed non-responsive.
2. It is the bidder’s responsibility to ascertain that all documents submitted have been saved completely and appropriately to the CD or flashdrive. Bidders should test both of the CDs or flashdrives on computers independent from the system on which they were created to make sure the documents can be opened. Electronic media that cannot be opened by the bid committee may result in the rejection of the proposal.
3. AEPA, its member agencies, affiliate agencies and authorized representatives are not responsible for bid proposals that are incomplete, unreadable or received after the deadline.

AEPA IFB #016-I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

Bid Proposal Table of Contents

Bidder _____

Name of Authorized Representative _____

Office Address _____

Time Zone: Eastern Central Mountain Pacific

Telephone _____ **Fax** _____

Email _____ **Website** _____

Instructions: Please complete the table below with the information for the documents included in this bid proposal. The bidder is reminded that two identical copies of this material on electronic media, either two (2) CDs or two (2) flash drives, are required.

Form	Folder	Document Title on CD or Flashdrive	Format (i.e., Word, PDF, Excel)	Notes
Table of Contents	A		PDF	
FORM A Bid Affidavit	A		PDF and hard copy	Signature and notarization required.
FORM B Acceptance of Bid & Contract Award	A		PDF and hard copy	Signature required.
FORM C Questionnaire	A		PDF	Signature required
FORM D Company Info	A		PDF	Signature required
Letter of Line of Credit or Annual Report	A		PDF	
FORM E Exceptions	A		PDF	Signature required
FORM F.1 Compliance	A		PDF	Signature required
FORM F.2 Deviation	A		PDF	Signature required
State Specific Required Forms (See Part A)	A		PDF	
FORM G Discount & Pricing Schedules	B		PDF	Signature required
Excel Workbook- FORM G Discount & Pricing Schedules	B		Excel	
G.5 Warranties, Additional Services	B		PDF	
G.6 Additional Discounts (Optional)	B		PDF	
Catalogs/price lists	B		PDF	

AEPA BID FORM A: BID AFFIDAVIT

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

Instructions: This form must be signed by the bidder’s authorized representative and notarized below. The completed document must be scanned to a PDF format and saved to Folder A, and a **completed and signed paper version must be included in the package**. If awarded, the bidder is required to produce a copy of this document for each of the member agencies with which it contracts.

1. The undersigned, duly authorized to represent the persons, firms and corporations joining and participating in the submission of the foregoing bid (such persons, firms and corporations hereinafter being referred to as the bidder), being duly sworn, on his/her oath, states that to the best of his/her belief and knowledge no person, firm or corporation, nor any person duly representing the same joining and participating in the submission of the foregoing bid, has directly or indirectly entered into any agreement or arrangement with any other bidders, or with any official of the **Member Agency**, or any employee thereof, or any person, firm or corporation under contract with the **Member Agency** whereby the bidder, in order to induce the acceptance of the foregoing bid by the **Member Agency**, has paid or is to pay to any other bidder or to any of the aforementioned persons anything of value whatever, and that the bidder has not, directly nor indirectly entered into any arrangement or agreement with any other bidder or bidders which tends to or does lessen or destroy free competition in the letting of the contract sought for by the foregoing bid.
2. This is to certify that the bidder, or any person on his/her behalf, has not agreed, connived, or colluded to produce a deceptive show of competition in the manner of the bidding or award of the referenced contract.
3. This is to certify that neither I, nor to the best of my knowledge, information and belief, the bidder, nor any officer, director, partner, member or associate of the bidder, nor any of its employees directly involved in obtaining contracts with the State of **Member Agency, Member Agency**, or any subdivision of the state has been convicted of false pretenses, attempted false pretenses, or conspiracy to commit false pretenses, bribery, attempted bribery or conspiracy to bribe under the laws of any state or federal government for acts or omissions after January 1, 1985.
4. This is to certify that the bidder or any person on his behalf has examined and understands the terms, conditions, scope of work and specifications, and other documents of this solicitation and that any and all exceptions have been noted in writing and have been included with the bid submittal.
5. This is to certify that if awarded a contract, the bidder will provide the equipment, commodities, and/or services to members and affiliate members of the Agency in accordance with the terms, conditions, scope of work and specifications and other documents of this solicitation in the following pages of this bid.
6. This is to certify that the bidder is authorized by the manufacturer(s) to sell all proposed products on a national basis.
7. This is to certify that we have completed, reviewed, approved and have included all information that is required in Sections C, D, E, F and G of these bid forms.

Authorized Representative (Please print or type)

Mailing Address

Title (Please print or type)

City, State, Zip

Signature of Authorized Representative

Date Phone

Subscribed and sworn to before me this _____ day of _____

Notary Public in and for County of _____ State of _____

My commission expires:Signature:_____

AEPA FORM B: ACCEPTANCE OF BID AND CONTRACT AWARD

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

INSTRUCTIONS: PART I of this form is to be completed by the Bidder and signed by its Authorized Representative. PART II will be completed by the AEPA Member Agency only upon the occasion of the bid award. The completed document must be scanned to a PDF format and saved to Folder A, and a **completed and signed paper version must be included in the package**. If approved by AEPA, the bidder is required to produce a copy of the document for each of the AEPA Member Agency with which it contracts.

PART I: BIDDER

In compliance with the Invitation For Bid (IFB), the undersigned warrants that I/we have examined the Instructions to Bidders, associated documents, and being familiar with all of the conditions surrounding the proposed projects, hereby offer and agree to furnish all labor, materials, supplies and equipment incurred in compliance with all terms, conditions, specifications and amendments associated with this IFB and any written exceptions to the bid. Signature also certifies understanding and compliance with the certification requirements of the AEPA Member Agency's Terms and Conditions and/or Special Terms and Conditions. The undersigned understands that their competence, ability, capacity and obligations to offer and provide the proposed tangible personal property, professional services, construction services and other services on behalf of the Vendor Partner as well as other factors of interest to the AEPA Member Agency as stated in the evaluation section, will be a consideration in making the award.

Company Name _____ Date _____

Company Address _____ City _____ State _____ Zip _____

Contact Person _____ Title _____

Authorized Signature (ink only) _____ Title _____

Email Address _____ Phone _____

PART II: AWARDING MEMBER AGENCY

Your bid response for the above identified bid is hereby accepted. As a Vendor Partner you are now bound to offer and provide the products and services identified within this IFB, your response and approved by AEPA, including all terms, conditions, specifications, exceptions and amendments. As Vendor Partner, you are hereby not to commence any billable work or provide any products or services under this contract until an executed purchase order is received from the AEPA Member Agency or Participating Entities. The intent of this contract is to constitute the final and complete agreement between the AEPA Member Agency and Vendor Partner, and no other agreements, oral or otherwise, regarding the subject matter of this contract, shall bind any of the parties hereto. No change or modification of this contract shall be valid unless in writing and signed by both parties to this contract. If any provision of this contract is deemed invalid or illegal by any appropriate court of law, the remainder of this contract shall not be affected thereby. The initial term of this contract shall be for up to fifteen (15) months and will commence on the date indicated below and continue until February 28, 2017 unless terminated, canceled or extended. By mutual written agreement as warranted, the contract may be extended month by month up to six (6) months or for three (3) additional 12-month periods.

Awarding Agency _____

Agency Executive _____

Awarded this _____ day of _____ Contract Number _____

Contract to commence (Member Agency to select): _____ (Enter date) _____ or March 1, 2016

AEPA FORM C: SERVICE QUESTIONNAIRE FOR BIDDER

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

Instructions: Please respond to Yes/No and choice questions by using an (X). If a text reply is required, respond in the space below. Scan this form and any attachment pages into a single document and convert to a PDF file. Follow the instructions for titling the file and file organization under Part A, Section II Bid Procedures, F. Bid Submission, 2. Format of Bid Submittal.

Note: As part of evaluating the Bidder’s qualifications, the following is being requested and the Bidder is forewarned failure to respond and/or meet the minimum specifications in these areas, may deem their response as non-responsive.

- The following chart indicates which AEPA Member States intend to participate in this bid category. Please place an “X” in response to questions in the last three (3) columns. *Note: A Bidder must be willing and able to deliver the proposed products and/or services to ninety (90%) of the participating AEPA Member States.*

AEPA Member States	Participate in this bid category?	Has your company sold these products/services in these states for the PAST THREE YEARS?	If awarded a contract, which states does your company PROPOSE TO SELL IN?	Indicate which states your company has sales reps, distributors or dealers in.
California	Yes			
Colorado	Yes			
Connecticut	Yes			
Florida	Yes			
Indiana	Yes			
Iowa	Yes			
Kansas	Yes			
Kentucky	Yes			
Massachusetts	Yes			
Michigan	Yes			
Minnesota	Yes			
Missouri	Yes			
Montana	Yes			
Nebraska	Yes			
New Jersey	Yes			
New Mexico	Yes			
North Dakota	Yes			
Ohio	Yes			
Oregon	Yes			
Pennsylvania	Yes			
Texas	Yes			
Virginia	Yes			
Washington	No			
West Virginia	Yes			
Wisconsin	Yes			
Wyoming	Yes			

2. **e-commerce:** Does this company have an e-commerce website? _____ YES _____ NO

If YES, what is the website? _____

3. **Customer and Support Service:** It is understood depending on the type, kind and level of products and/or services being proposed in response to this bid will impact and determine the type and level of services required and these are identified in Part B Bid Specifications of this IFB.

a. Does this company have online customer support option? _____ YES _____ NO

b. Does this company have a toll-free customer support phone option? _____ YES _____ NO

c. Does this company offer local customer and support service options? _____ YES _____ NO

d. Describe the type, level, available and location(s) of your customer and support service options, including number of dedicated customer/support staff and hours of operation.

4. **Training:** If applicable, does this company offer customer training for the products and services sold?

_____ YES _____ NO

If YES, describe what types/kinds of training you offer, the venues where training occurs and the location(s) of your trainers, include number of staff dedicated to training and their qualifications and hours of operation.

5. **Pricing:**

a. Is your pricing methodology guaranteed for the term of the contract? _____ YES _____ NO

b. Will you offer customized price lists to Participating Entities as required per the Pricing terms of Part A?
_____ YES _____ NO

c. Will you offer hot list pricing (optional) as described in the Pricing terms of Part A?
_____ YES _____ NO

d. Will you offer Volume Price Discounts as described in the Pricing terms of Part A?
_____ YES _____ NO

6. **Competitiveness:** In order for your bid to be considered, your company must offer AEPA prices that are equal to or lower than what your company offers to individual customers and/or cooperatives with equal to or lower volume. Is the pricing that is proposed to AEPA equal to or lower than pricing offered to individual customers and/or cooperatives with equal to or lower volume? _____ YES _____ NO

Indicate which of the following apply and the **level of competitive range** you are offering in response to this IFB.

____ Pricing offered to AEPA is EQUAL TO pricing offered to individual customer and/or cooperatives.

____ Pricing is LESS THAN individual customer and/or cooperatives. Lower by _____ %

7. **Cooperative Contracts:** Does your company currently have contracts with other cooperatives (local, regional, state, national)? _____ YES _____ NO

If YES, identify which cooperatives and the respective expiration date(s).

If YES and your company is awarded an AEPA Contract, which contract will you lead with in marketing and sales representative presentations (sales calls)?

8. **Administrative Fee:** Which of the following best reflects how your pricing includes the individual AEPA Members' administrative fee.

- a. _____ The pricing for the products and/or services are the same for each AEPA Member Agency, shipping, handling administrative fee and other specific state costs are added to arrive at total price offered to the Individual AEPA Member Agency.
- b. _____ The pricing for the products and/or services is inclusive of the administrative fee and therefore the pricing is the same for all AEPA Member Agencies. Shipping, handling and other state specific costs are added to adjusted the AEPA Member Agency's price.
- c. _____ The pricing for the products and/or services includes all (shipping, handling, administrative fee, other) costs to arrive at a single price for all AEPA Member Agencies.

9. **Shipping & Handling:**

Orders that are \$50.00 or more shall include free shipping and handling. What is the flat rate your company will charge, regardless of where shipped in the continental United States, for orders less than \$50.00?

\$ _____

10. **Product Returns:** Does your company have a return policy? _____ **YES** _____ **NO**

If **YES**, describe your return policy and if you charge a restocking fee, what is it? (AEPA allows up to 15% for supplies and up to 25% for equipment).

11. **Payment Terms:** Will you offer AEPA Buyer's a quick pay discount? _____ **YES** _____ **NO**

If **YES**, what is the discount? _____ % Net _____

12. **Leasing:** Do you offer leasing or other alternative payment arrangements under this bid? _____ **YES** _____ **NO**

If **YES**, remember to indicate the rate factor and other cost factors on the Pricing spreadsheet(s).

13. **If an AEPA contract is approved and awarded by the Member Agencies, as a Vendor Partner, I agree to:**

No.	Responsibilities of an AEPA Vendor Partner	Yes	No
1	Designate and assign a dedicated senior-level contract manager (one authorized to make decisions) to each of the Member Agency accounts. This employee will have a complete copy and must have working knowledge of the contract.		
2	Train and educate sales staff on what the AEPA cooperative contract is including pricing, who can order from the contract (by state), terms/conditions of the contract and the respective ordering procedures for each state. It is expected that Vendor Partners will lead with AEPA contracts.		
3	Develop a marketing plan to support the AEPA contract in collaboration with respective AEPA Member Agencies. Plan should include, but not be limited to, a website presence, electronic mailings, sales flyers, brochures, mailings, catalogs, etc.		
4	Create an AEPA-specific sell sheet with a space to add a Member Agency logo and contact information for use by the Member Agencies and the Vendor		

	Partner's local sales representatives to market within each state.		
5	On a quarterly basis, complete the sales and administrative fee report (see attached PDF example) and submit to each Member Agency along with the respective administrative fees to be paid. If there are no sales, a \$0 report is required.		
6	Have ongoing communication with the Bid Oversight Chairperson, AEPA Member Agencies and the Member Agencies Participating Entities.		
7	Attend two (2) AEPA meetings each year (see page 9 in Part A)		
8	Participate in national and local conference trade shows to promote the AEPA contracts including, but not limited to the Association of School Business Officials (ASBO), the National Institute of Governmental Purchasing (NIGP), and the National Association of Educational Procurement (NAEP).		
9	Increase sales over the term of the contract with all participating AEPA Member Agencies.		

Signature _____
Must be same signature as on Bid Affidavit Signature and Acceptance Forms

AEPA FORM D: COMPANY INFORMATION

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

COMPANY CONTACT INFORMATION

Company Name: _____ Website: _____

Company Address: _____

City: _____ State: _____ Zip: _____

Contact Person: _____ Title: _____

Contact Phone: _____ Contact Email: _____

BACKGROUND

Note: Generally, AEPA will not accept an offer from a business that is less than five (5) years old or which fails to demonstrate and/or establish a proven record of business. If the bidder has recently purchased an established business or has proof of prior success in either this business or a closely related business, provide written documentation and verification in response to the questions below. AEPA reserves the right to accept or reject newly formed companies based on information provided in this response and from its own investigation of the company.

This business is a public company privately owned company.

In what year was this business started under its present name? _____

Under what other or former name(s) has your business operated? _____

Is this business a corporation? No Yes. If yes, please complete the following:

Date of incorporation: _____ State of incorporation: _____

Name of President: _____

Name(s) of Vice President(s): _____

Name of Secretary: _____

Name of Treasurer: _____

Is this business a partnership? No Yes. If yes, please complete the following:

Date of organization: _____ State founded: _____

Type of partnership, if applicable: _____

Name(s) of general partner(s): _____

Is this organization individually owned? No Yes. If yes, please complete the following:

Date of organization: _____ State founded: _____

Name of owner: _____

This organization is a form other than those identified above. No Yes.

IF THE ANSWER IS YES, describe the company's format, year and state of origin, and names and titles of the principals.

COMPANY HEADQUARTER LOCATION

Company Address: _____
City: _____ State: _____ Zip: _____
Main Phone Number: _____ How long at this address? _____

COMPANY BRANCH LOCATIONS

Branch Address: _____
City: _____ State: _____ Zip: _____
Branch Address: _____
City: _____ State: _____ Zip: _____
Branch Address: _____
City: _____ State: _____ Zip: _____
Branch Address: _____
City: _____ State: _____ Zip: _____

If more branch locations, insert information here or add another sheet with above information.

SALES HISTORY

Provide your company’s annual sales for 2012, 2013 and 2014 YTD in the United States by the various public segments:

	2012	2013	2014 YTD
K-12 (public & private), Educational Service Agencies	\$	\$	\$
Higher Education Institutions	\$	\$	\$
Counties, Cities, Townships, Villages	\$	\$	\$
States	\$	\$	\$
Other Public Sector & Non-profits	\$	\$	\$
Private Sector	\$	\$	\$
TOTAL	\$	\$	\$

WORK FORCE

1. **Key Contacts and Providers:** Provide a list of the individuals, titles, and contact information for the individuals who will provide the following services on a national and/or local basis:

Function	Name	Title	Phone	Email
Contract Manager				
Sales Manager				
Customer & Support Manager				

Function	Name	Title	Phone	Email
Distributors, Dealers, Installers, Sales Reps				
Consultants & Trainers				
Technical, Maintenance & Support Services				
Quotes, Invoicing & Payments				
Warranty & After the Sale				
Financial Manager				

2. **Sales Force:** Provide total number and location of salespersons employed by your company in the United States by completing the following: *(To insert more rows, hit the tab key from the last field in the State column.)*

Number of Sales Reps	City	State

3. **Service/Support and Distribution Centers:** Provide the type (service/support or distribution) and location of centers that support the United States by completing the following: *(To insert more rows, hit the tab key from the last field in the State column.)*

Center Type	City	State

4. **In-house Resources:** Describe the business's current in-house workforce, equipment and facilities available to perform under this solicitation.

MARKETING

1. **Key Marketing Contact(s):** List the name(s), title(s) and contact information of the business's key national and regional marketing office(s). *(To insert more rows, hit the tab key from the last field in the State column.)*

Name	Title	Phone	Email

2. **Marketing Activities:** Describe how this company marketed its products and services to schools and other public sector audiences in Fiscal Year 2013 – 2014 (July 1 – June 30). List all conventions, conferences and other events at which this company exhibited.
-
-

3. **Cooperative Marketing:** Describe ways in which this business can collaborate with Member Agencies in marketing the bid.
-
-

4. **Sales Training:** Explain how your company will education your sales staff on the AEPA contract including timing, methods, etc.
-
-

ENVIRONMENTAL INITIATIVES

1. Describe how your products and/or services support environmental goals.
-
-

2. Describe the company’s “green” objectives (i.e. LEED, reducing footprint, etc.).
-

INDEPENDENT SUBCONTRACTORS, DISTRIBUTORS, INSTALLERS, ETC.

If the Bidder is not the sole provider of all goods and services provided under this contract, the following must be answered:

1. **Selection Criteria for Independent Providers:** Describe the criteria and process by which the business selects, certifies and approves subcontractors, distributors, installers and other independent services.
2. **Current Subcontractors, Distributors, Installers, Etc.:** Provide a list of current subcontractors, distributors, installers and other independent service providers who are contracted to perform the type of work outlined in this bid in the member agency states (listed in Part A of this IFB). Include, if applicable, contractor license information and the state(s) wherein they are eligible to provide services on behalf of this business.

DISCLOSURES

1. **Letter of Line of Credit or Annual Financial Report (REQUIRED):** Attach a letter from the business’s chief financial institution indicating the current line of credit available in its name and evidence of financial stability for the past three calendar years (2012, 2013 and 2014). This letter should state the line of credit as a range (ie., “credit in the low six figures” or “a credit line exceeding five figures”). If company is a publicly traded company a complete Annual Financial Report is required in place of Line of Credit Letter.
2. **Legal:** Does this business have actions currently filed against it? No Yes.

IF YES, AN ATTACHMENT IS REQUIRED: List and explain current actions such as Federal Debarment (on US General Services Administration’s “Excluded Parties List”), appearance on any state or federal delinquent taxpayer list, or claims filed against the retainage and/or payment bond for projects.

REFERENCES

Provide contact information of your company's ten largest public agency customers:

Agency	Name	Title	Phone Number	Email
1.				
2.				
3.				
4.				
5.				
6.				
7.				
8.				
9.				
10.				

Signature _____

Must be same signature that appears on the Bid Affidavit Signature and Acceptance Form

AEPA FORM E: EXCEPTIONS TO TERMS AND CONDITIONS

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

INSTRUCTIONS:

- 1. If “no” is checked below, complete this form by signing it at the bottom.
- 2. If “yes” is checked below, either insert answers into this form or create a facsimile in a Microsoft Word table format to provide narrative explanations of exceptions. If creating a facsimile, the bidder is reminded to use the heading above, and include the bidder name and signature at the end.
- 3. If adding pages, the bidder’s name and identifying information as to which item the response refers must appear on each page.
- 4. Scan this form plus any attachments into a single PDF document.
- 5. Title the file as per the instructions under Part C (this section), page 2, and save to Folder A.
- 6. Exceptions to local, state or federal laws cannot be accepted under this bid.

- NO**, this bidder does not have exceptions to the Terms and Conditions incorporated in Parts A or B of this IFB.
- YES**, this bidder has the following exceptions to the Terms and Conditions incorporated in Parts A and/or B of this IFB.

IFB Section and Page	Outline Number	Term or Condition	Exception

Signature _____
Must be same signature that appears on Bid Affidavit and Acceptance Forms

AEPA FORM F.1: COMPLIANCE

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

INSTRUCTIONS:

1. This form is eight (8) pages long. The bidder's authorized representative must sign the form at the end.
2. The criteria listed below are derived from the Part B: Bid Specifications this IFB. Other than industry requirements established in federal, state or local statutes, exceptions/deviations may be proposed as long as they are expressly noted below and clarified on Form F.2., which follows. Please understand that the stated specifications represent the most desirable attributes of the products and services sought by AEPA and its AEPA Member Agencies.
3. AEPA understands that not all bidders provide all commodities indicated in the specifications. Bidders may propose specific, similar and/or alternative manufacturer's product lines and/or services without prejudice as long as the proposed products and services meet or exceed the specifications in Part B: Bid Specifications of this IFB.
4. For each criterion below, check either "Comply" if it aligns with the company's ability to provide products and services or "Deviate" if it does not.
5. If there are no deviations to the specifications, indicate that by checking the appropriate box on Form F.2 and sign it.
6. Scan the completed form to a PDF file and title as instructed in Part C (this section), page 2, #5.

Item	Description	Comply	Deviate
6.1	The Vendor Partner will have access to a full inventory of the awarded product line.		
6.2	The Vendor Partner shall maintain a minimum monthly overall average fill rate of 95% or above. Line items that are reordered, backordered, or partially filled are not considered filled line items when calculating this service level.		
6.3	Orders must be shipped within 48 hours after receipt of an order 90% of the time. The Vendor Partner will notify the Buyer if product ordered cannot be shipped within this time period to provide the opportunity to secure product elsewhere.		
6.4	Vendor Partners must be a manufacturer's authorized sales and service dealer for all proposed equipment/software. An authorized sales and service dealer is defined in this solicitation as one purchasing their products for resell directly from the manufacturer(s) or the manufacturer's approved channels. Products that result from new authorized sales and service dealer arrangements between the Vendor Partner and the manufacturer during the term of this contract may be added and offered through the AEPA contract.		
6.5	All charges and components necessary for performance of the contract shall be clearly identified even if such are not specifically addressed in any paragraph or sub-paragraph or form that is a part of this request.		
6.6	If the Vendor Partner intends to utilize independent agents/distributors, subcontractors and/or third-party agents to perform and/or provide any part of the products and services offered herein, the Vendor Partner must identify all providers and any and all associated costs with these providers.		
6.7	Optional services must be identified separately, and must include clear descriptions of proposed services.		

Item	Description	Comply	Deviate
6.8	Vendor Partners must provide a product or mix of products in a manner that will allow Buyers to migrate to emerging technologies/services and between legacy technologies with no penalty charge associated with maintaining the most appropriate selections of goods and services throughout the life of the contract.		
6.9	Vendor Partners must be able to supply paper catalogs where requested. The catalog shall have a cover label indicating that the catalog's contents are available through the participating Member Agency and the AEPA contract. The label shall identify the agency's contract number, discount level(s) and any special ordering instructions.		
6.10	Packing slips shall accompany all deliveries and shall contain Buyer's purchase order number, vendor name and name of article. Cartons shall be identified by purchase order number and vendor name.		
6.11	Orders not filled and partials shall be indicated on the packing list. Vendor Partner shall inform member of anticipated availability date for unfilled and partial orders.		
6.12	All products sold by the Vendor Partner must be new. Only the newest versions of software and equipment will be bid. Older versions will only be sold, if specifically requested. Vendor Partner may offer reconditioned products as a Voluntary Alternate; such items shall be marketed and labeled as being reconditioned.		
6.13	Products that have a 30/60/90 day money back guarantee will be clearly identified in the catalog and on the web site (if applicable).		
6.14	Vendor Partner has the option to offer private label products. Vendor Partner shall maintain the same manufacturer specifications for private label products throughout the term of contract. Any change of manufacturers for a private label shall result in offerings equal to or superior to the originally approved manufacturer at a price equal to or lower than the original offering.		
6.15	Vendor Partner must maintain a toll free technical support line open 8 a.m. Eastern Time zone until 5 p.m., Pacific Time zone, Monday through Friday. Calls must be answered by a live US technician.		
6.16	Vendor Partner must have a 24-hour toll-free order fax line.		
6.17	If the Vendor Partner makes an error in pricing (typographical or photographic error, for example), the Buyer reserves the right to return the product. The Vendor Partner agrees to pay for cost of any returned product due to a pricing error.		
6.18	Vendor Partner shall provide a Safety Data Sheet (SDS) for all items sold, if required. A separate sheet shall be provided for each individual item when purchase is made.		
6.19	Orders that are \$50.00 or more shall include free shipping. Vendor Partner shall bid a flat rate for all orders that are less than \$50.00 regardless of where to be shipped in the continental United States.		

CATEGORY SPECIFICATIONS		Comply	Deviate
<p>7.1 General</p>	<p>a. A variety of scoreboard and marquee solutions must be offered and equipped with the necessary control systems, displays and indicators required to communicate scores and information to both the participants of the event and the community in attendance for the sport or event being conducted at the facility, that is, football, basketball, baseball, hockey, track, volleyball and multipurpose uses is desired.</p> <p>b. The offeror must be willing and able to provide a complete line of either scoreboards or marquees, or both, that possess the capabilities and captions required to meet the individual AEPA member's needs and requirements.</p> <p>c. Product lines of scoreboards and marquees that display a variety of captions and messaging capabilities are desired and must include all related accessories normally associated such as ad/sponsor panels, scorer's tables, truss or other decorative accents, sound systems, identification panels, and marketing services related to equipment.</p> <p>d. The product line of indoor and outdoor devices must meet and/or exceed governmental codes and industry performance and operational standards relating to their designated purpose and application with in the members site conditions and environment.</p> <p>e. All materials shall be guaranteed to be installed and perform in accordance with the manufacturer's specifications.</p> <p>f. Current display technology, that is, light emitting diode (LED) of colors Red, Amber, Blue, White in monochrome and RGB.</p> <p>g. Product cabinets shall be constructed of aluminum and include all necessary mounting brackets required.</p> <p>h. Products shall be available in a variety of standard colors in order to meet institution's color scheme. Custom colors can be offered.</p> <p>i. Product lines offered shall include a variety of shapes and sizes to allow for the diversity of individual member's needs and requirements.</p> <p>j. Scoreboards and marquees offered shall be shipped assembled and ready to be installed. If this is not the case, the offeror must clearly identify and state the assembly required.</p> <p>k. A variety of numeral, alpha character and three object sizes must be available.</p> <p>l. Multi-purpose products that can be used for multiple activities and events are requested. Four-sided models for large gyms are desired.</p> <p>m. Products offered shall be UL or ETL listed.</p> <p>n. Products offered for both indoor and outdoor shall have built-in protection against damage from lightning.</p> <p>o. Products with advertising space are desired.</p> <p>p. Products with both conventional wire and remote access or radio control are desired.</p> <p>q. All materials and equipment must be new and unused. All materials and equipment offered under this category will be from manufacturers regularly engaged in the manufacture of indoor and outdoor sports equipment, and shall be the latest standard designs current at the time of delivery.</p> <p>r. Offeror must be willing and able to warrant products offered and their installation against defects in materials and/or workmanship for a minimum period of five (5) years from date of acceptance.</p>		
<p>7.2 BASKETBALL</p>	<p>a. Scoreboard</p> <ol style="list-style-type: none"> 1) Basketball scoreboard shall be direct wired to stand-alone control console or a wireless control system. 2) Display shall include minutes, seconds, and scores for two teams, as well as period, possession, bonus and double 		

	<p>bonus for each team on the top section; team fouls for two teams and player number with personal fouls on the bottom section.</p> <ol style="list-style-type: none"> 3) Scoreboard can also score volleyball, wrestling and any sport requiring a clock, score and period function. 4) Provide with changeable captions for volleyball and wrestling on the bottom section. 5) Game clock shall have a lit colon or decimal to indicate display of either minutes and seconds or seconds and tenths of seconds. 6) Equipment to be solid-state electronic technology. <p>b. Cabinet</p> <ol style="list-style-type: none"> 1) Cabinet to be constructed of aluminum and include mounting brackets and constructed of aluminum. 2) Cabinet and trim colors shall be as selected from manufacturer's standard colors. Custom colors are available. 3) Cabinet to be shipped assembled and constructed for wall mounting. 4) Digits shall be made up of seven bar-type segments evenly illuminated by epoxy encapsulated LEDs. Digits shall be colored amber for game clock; red and green for other information and protected by an acrylic faceplate. Digit colors shall be determined exclusively by LED light to maximize color saturation. Non-illuminated areas on faceplate shall be screened with black, non-reflective paint to provide maximum contrast. 5) Game clock shall have a display capacity up to "99:59", team scores to "199", period to "9", team fouls to "99", personal fouls to "9", player number to "99". Bonus or double bonus shall be indicated by two arrows for each team. 6) Captions shall be adhesive backed white vinyl permanently attached to the cabinet. Changeable captions for volleyball and wrestling shall be the same vinyl on aluminum plaques. 7) Electronics to be packaged in a low voltage, plug-in processor accessible from front of cabinet. 8) Power to be 120 watts maximum 120 VAC, 60 Hz. 9) Provide electronic horn rated at 100dB at 10'0". <p>c. Control</p> <ol style="list-style-type: none"> 1) Remote Control Cable. <ol style="list-style-type: none"> (a). Control console can also be available in wire or radio configuration with functionality to allow scoreboard to auto-detect simultaneous wire or radio data transmission and utilize the strongest signal strength. 2) Furnish one length of two wire-shielded cables to connect from the control receptacle junction box to the scoreboard cabinet. 3) Provide a carrying case. <p>d. Limited Warranty</p> <ol style="list-style-type: none"> 1) Warranty provides a minimum of 5 years of no cost parts exchange including standard shipping for electronic parts including radios due to manufacturing defects. Provide toll-free service coordination and technical online and phone support during business hours. <p>e. Optional Equipment</p>		
--	--	--	--

	<ol style="list-style-type: none"> 1) Provide shot timers. 2) Provide one clock hand switch or sideline hand switch for second operator. 3) Provide one duplicate control allowing independent operation of a two scoreboard system and providing a backup unit. 4) Provide player line-up panels, one to be mounted on each side of scoreboard cabinet, accommodating up to 15 players' names and numbers. Furnish with a steel suspension and lowering assembly and a font of 1,125 snap-in letters and numbers. 5) Provide foul indicator panels to be used in conjunction with player line-up panels. 6) Provide six-line announcement panel to be permanently attached to the bottom of the scoreboard cabinet. 7) Provide wireless or battery-powered control operation for above equipment. 		
<p>7.3 FOOTBALL</p>	<ol style="list-style-type: none"> a. Scoreboard. <ol style="list-style-type: none"> 1) Shall be direct wired to stand-alone control console or a wireless control system. 2) Display shall include minutes, seconds, tenths of seconds and score for two teams, as well as quarter, ball possession, timeouts left for each team, down, yards to go and ball on. 3) Equipment to be solid-state electronic technology. b. Cabinet <ol style="list-style-type: none"> 1) To include mounting brackets and constructed of aluminum. Cabinet to be shipped assembled and constructed for two-column mounting with two steel mounting brackets built into the cabinet. 2) Cabinet and trim colors shall be as selected from manufacturer's standard colors. Custom colors are available. c. Display <ol style="list-style-type: none"> 1) Display digits and indicators shall be made up of 2.3 inch by 2.3 inch circuit card mounted pixels. Each pixel shall be individually replaceable and contain nine LEDs. LEDs shall be amber in color. 2) Pixels shall be environmentally sealed with a Dow-Corning potting mixture to protect the electronics from moisture. A neoprene gasket shall seal each circuit card to the cabinet, preventing moisture from entering the cabinet. 3) At a minimum the digit height shall be 30" for clock; 24" for team score, quarter, down, yards to go and ball on; 18" for timeouts left. Possession indicators shall be 10" high. 4) At a minimum the Game clock shall have a display capacity up to "99:59.9", team score to "99", quarter to "9", timeouts left to "9", down to "9", to go to "99" and ball on to "99". 5) At a minimum the digits shall consist of the following number of pixels: 30", 34 pixels; 24", 27 pixels; 18", 20 pixels. Each possession indicator shall consist of eight (8) pixels arranged in the shape of a football. 6) Captions shall be adhesive backed vinyl permanently attached to the cabinet. Home and visitor shall be on painted white backgrounds with black lettering. 7) Electronics to be packaged in a low voltage plug-in processor accessible from front of cabinet. 8) Power to be 120VAC, 60 Hz 		

	<p>d. Control</p> <ol style="list-style-type: none"> 1) Remote Control Cable. <ol style="list-style-type: none"> (a). Control console available in wire or radio configuration with functionality to allow scoreboard to auto-detect simultaneous wire or radio data transmission and utilize the strongest signal strength. 2) Furnish one length of two wire-shielded cables to connect from the control receptacle junction box to the scoreboard cabinet. 3) Provide a carrying case. <p>e. Limited Warranty</p> <ol style="list-style-type: none"> 1) Warranty provides a minimum of 5 years of no cost parts exchange including standard shipping on electronic parts and radios due to manufacturing defects. Provide toll-free service coordination and technical online and phone support during business hours. <p>f. Provide electronic team name message centers</p> <ol style="list-style-type: none"> 1) Provide one clock handswitch or sideline handswitch for second operator. 2) Provide wireless or battery-powered control operation for above equipment. <p>g. Optional Equipment.</p> <ol style="list-style-type: none"> 1) Provide a horn. 		
<p>7.4 ONE-SIDED LED MARQUEE</p>	<p>a. General</p> <ol style="list-style-type: none"> 1) Shall be ETL/CETL listed. 2) Marquee shall be direct wired to control or operated via data radio or wireless from the control point. 3) Marquee shall display user-programmed messages on a 16 x 80 or a 48 x 100 matrix. 4) Equipment to be solid-state electronic technology. <p>b. Cabinet</p> <ol style="list-style-type: none"> 1) Cabinet shall be constructed of aluminum including mounting brackets. Product to be shipped assembled and constructed for two-pole mounting. 2) Cabinet color shall be as selected from manufacturer's standard colors. 3) Display shall be made up of circuit card mounted LEDs. Pixel spacing shall be no greater than 1.25" with a minimum of four (4) LEDs per pixel. Character color shall be amber. Two-line display shall feature characters a minimum of 8.75" in height per line. Average number of characters per line shall be 14-15. 4) Electronics to be packaged in a low voltage plug-in processor accessible from front of cabinet. 5) Power to be 280 watts maximum 120 VAC, 60 Hz. <p>c. Control</p> <ol style="list-style-type: none"> 1) Requires 120 VAC, 60 Hz. 2) Provide 4-conductor data cable OR be via Wi-Fi ready mobile phone or tablet through a web browser. <p>d. Warranty</p> <ol style="list-style-type: none"> 1) Warranty provided for a period of five (5) years from the date of invoice against defects in workmanship or material. Defective components will be repaired or replaced on a 		

factory exchange basis. Exclusions include, but are not limited to accident, neglect, abuse, misuse or natural disasters.

e. Optional Equipment

- 1) Provide controller with ISE Play interface and 2-conductor shielded cable.
- 2) Provide direct controller with coaxial cable or dial-up modem connection or wireless connection.
- 3) Provide red LED characters.

f. Control System

- 1) Construction shall be an aluminum case with four (4) rubber slide-resistant feet.
- 2) Operating features shall include a two-line LCD readout showing information as sent to the scoreboard display, constant display of time remaining or time lapsed, jump clock capability, changeable color-coded keypad to allow key identification change by sport, numeric key pad, plus and minus keys for quick sequential data entry, push-type horn button and a positive action rocker switch for the time in/time out function.
- 3) Electronic features shall include a program mode allowing change in sport controlled or accommodation of a sport rules change, a memory circuit to retain information if power interrupted and electronic foul memory.
- 4) Power to be 12 watts maximum 120 VAC, 60Hz.
- 5) Furnished with an 8' power and 10' data cable cord to connect to power source and control receptacle junction box.

g. Options

- 1) FCC Certified Wireless System.
- 2) Furnished with factory-installed transmitter and antenna.
- 3) Each display shall be furnished with factory-installed receiver and antenna.
- 4) System shall allow for synchronized operation of two or more scoreboards from one control operating on the same channel.
- 5) System shall allow for multiple displays to be operated from a single control to show the scores of one game or for multiple displays to be controlled by multiple controls to show scores from different games simultaneously in progress. These two modes of operation shall be user selectable at the control with no access to the displays required.
- 6) System shall not interfere with wireless LANs and personal computing devices that use the 2.4GHz ISM band.
- 7) System shall operate normally in the presence of cell phones, pagers and their transmission towers.
- 8) System shall utilize spread spectrum technology that redundantly transmits the same data at least 16 times.
- 9) Radio-link indicator light shall indicate when transmission link is operational.
- 10) System shall refresh display with new data no less than 10 times per second for smooth and accurate operation of game and shot clocks, including 1/10 second timing.
- 11) System shall have a transmission range of at least 300' indoors and 1,000' outdoors.MP-70 Battery Operation.

	<p>h. Battery Operation</p> <ol style="list-style-type: none"> 1) Furnished with control specific Nickel Metal Hydride (Ni-MH) battery and charger. 2) Control shall feature a battery charger connection port in place of a power cord. 3) Audio-visual warning shall alert user when battery has been discharged to an extremely low level. 4) Battery shall generate a minimum of eight (8) hours of power before requiring recharge. 5) Battery charger shall be capable of powering the MP-70 if the battery's charge is too low to do so. 6) Charger requires 120 VAC power source. 7) Optional Equipment. 8) Furnish padded carrying case. 9) Furnish additional overlays. 10) Furnish spare battery. 		
<p>7.5 OUTDOOR MARQUEES (1 OR 2 SIDED)</p>	<p>a. General Requirements</p> <ol style="list-style-type: none"> 1) Contract vendor shall work directly with Member's staff to perform a comprehensive site survey prior to design, recommendation, or installation of an outdoor marquee. 2) One set of as-built drawings shall be provided to the Member as part of the cost of the marquee. The drawings shall include site conditions and marquee construction. 3) Onsite training for Member's designated employees shall be provided on the proper operation and maintenance of the installed marquee. 4) All marquees shall meet all applicable exposure guidelines specified by ASTM standards and state and local codes. 5) Overall marquee design and construction shall allow for adequate wind load resistance, up to 120 mph. <p>b. Cabinet Requirements</p> <ol style="list-style-type: none"> 1) A variety of cabinet heights and widths, constructed of heavy-duty extruded aluminum, with radius or squared corners, and also designed in a portrait or landscape format. 2) Cabinet structure shall use rigid, heavy-gauge aluminum extrusions that are mitered, reinforced and welded. Cabinet structure shall also use a fully galvanized steel internal column and base plate. 3) Cabinet shall have a thermally cured enamel paint finish, available in a variety of standard colors, two-tone designs and custom colors. 4) Added accessories, such as cowling and trim packages, shall be painted to match the cabinet. 5) Vandal/graffiti resistant coating for the cabinet shall be available as an option. 6) Cabinet shall allow for the placement of the facility name, logo, and appropriate graphics in a variety of sizes, colors and styles, using a scotch print, thermo printed vinyl material or similar process that will provide photo-realistic high UV resistant graphics. 7) As an option, the cabinet may be designed as a sign without changeable copy, allowing for the placement of the facility name, logo, and appropriate graphics only. 8) Cabinets shall be made available in a non-illuminated or illuminated design. Illuminated cabinets shall be lit internally with high output, energy-efficient florescent fixtures, with instant start ballast. All writing and internal components shall meet applicable UL standards. The design 		

	<p>will allow for the easy changing of burnt out bulbs, and for the addition of photoelectric control timer control and/or simple on/off control.</p> <p>9) Illumination levels on sign surfaces shall be in the 100 to 300 lux range (10 to 30 foot-candles) and shall be uniform over sign surface.</p> <p>10) Cabinets shall be available in a freestanding, low profile, angle bracket mounted, tower mounted, wall mounted, or pole mounted configurations.</p> <p>11) Cabinets shall use tamper proof carriage bolts and nuts.</p> <p>12) Cabinets shall use thermal cured, solar grade co-extruded lexan, or similar materials for the sign face and/or cover doors. The material shall provide face rigidity, depth dimension, high impact strength, flame retardancy, thermo formability, light transmittance, and UV resistance.</p> <p>13) Cabinet cover doors shall be hinged with either single or double doors.</p> <p>14) Vandal covers shall be available as an option. Vandal covers shall use thermally cured, solar grade co-extruded lexan, or similar material. Vandal covers shall be fabricated with an extruded aluminum frame, with mechanical props (with no seals) recessed into the sign face, and secured with a three-point keyed locking mechanism.</p> <p>15) Signs shall use a zip track, available in a variety of sizes including, but not limited to, 3", 4", 6", 8", 10", etc. Zip track shall be available in single or multiple line configurations and shall be riveted every 3 1/2" to assure permanent attachment.</p> <p>16) As part of the signs design and the development of the project's scope of work, an assortment of letters, numbers and symbols (available in a variety of fonts, colors, and sizes), sorting boxes, letter wands, and changer poles (available in a variety of sizes) shall also be available.</p> <p>c. Control via Windows based software (standard). Software to allow for creating, editing, scheduling, running, and deleting messages. Display software allow for importing of standard video format, including avi, mpg, mp4, and mov. Display capable of displaying time, temperature, RSS feeds, and xml data. <u>Owner to provide windows based computer.</u></p> <p>d. Limited Warranty provides for a minimum period of five (5) years from the</p> <p>e. Date of invoice against defects in workmanship or material. Defective components will be repaired or replaced on a factory exchange basis. Exclusions include, but are not limited to accident, neglect, abuse, misuse or natural disasters.</p>		
<p>7.6 OPTIONAL FEATURES</p>	<p>a. FCC Certified Wireless System.</p> <p>b. Furnished with factory-installed transmitter and antenna.</p> <p>c. Each display shall be furnished with factory-installed receiver and antenna.</p> <p>d. System shall allow for synchronized operation of two or more scoreboards from one control operating on the same channel.</p> <p>e. System shall allow for multiple displays to be operated from a single control to show the scores of one game or for multiple displays to be controlled by multiple controls to show scores from different games simultaneously in progress. These two modes of operation shall be user selectable at the control with no access to the displays required.</p> <p>f. System shall not interfere with wireless LANs and personal</p>		

	<p>computing devices that use the 2.4GHz ISM band.</p> <ul style="list-style-type: none"> g. System shall operate normally in the presence of cell phones, pagers and their transmission towers. h. System shall utilize spread spectrum technology that redundantly transmits the same data at least 16 times. i. Radio-link indicator light shall indicate when transmission link is operational. j. System shall refresh display with new data no less than 10 times per second for smooth and accurate operation of game and shot clocks, including 1/10 second timing. k. System shall have a transmission range of at least 300' indoors and 1,000' outdoors.MP-70 Battery Operation. 		
<p>7.7 SOFTWARE SYSTEM REQUIREMENTS</p>	<ul style="list-style-type: none"> a. Control via Windows based software (standard). Software to allow for creating, editing, scheduling, running, and deleting messages. Display software allow for importing of standard video format, including avi, mpg, mp4, and mov. Display capable of displaying time, temperature, RSS feeds, and xml data. <u>Owner to provide windows based computer.</u> b. Scheduling will be made in 12 or 24-hour formats. c. Scheduler shall reside within the LED display cabinet as an onboard processor and not require a PC to operate the messaging schedule. d. Screen helps will provide excerpts from the Owner's Manual. e. Function to prevent unacceptable words to be displayed. f. Library of words is password protected. g. Library is fully editable for adding or deleting words. h. Menu guided control. i. Simultaneous display and edit capability. j. Automatic Rebooting of system disk after power outage; system clock and calendar shall continue to function during power failure. k. Password protection capability. l. Flexibility shall be achieved through system software and program sequence and schedules, which can be stored on floppy disk or fixed disk. m. All operating software will be provided to Owner along with required usage licenses and software updates. n. Various Text Modules with scalable fonts and traveling text. o. Remote or on-site programming with the appropriate connection. p. User-friendly menu and icon-based software. q. Scheduling can be pre-programmed more than 1 year in advance. r. Message display holds memory for up to 60 days without external power. 		
<p>7.8 POWER SUPPLIES</p>	<ul style="list-style-type: none"> a. The electronic switching power supplies shall be short circuit protected. The electronic switching power supplies shall also be protected by an overload allowance ranging from 105% up to 150%. b. The LED display shall be powered by multiple solid-state electronic switching power supplies. c. A separate power supply for the CPU shall be used to isolate the processor power from the LED drive power. 		
<p>7.9 INFORMATION TRANSMISSION METHOD OPTIONS</p>	<ul style="list-style-type: none"> a. LED display shall be compatible with the following Transmission Methods: <ul style="list-style-type: none"> 1) Each method shall have specific requirements and shall be reviewed and decided upon prior to manufacturing. 		

<p>7.10 Network Connection</p>	<ul style="list-style-type: none"> a. Direct Data Line using type CAT6 cable. b. LAN connection utilizing either CAT6 cable or Fiber Optics. c. Wireless LAN or RF Modem. d. Direct Laptop PC connection. e. Data Line – Run a 1” conduit with pull string per Division 16 specifications from the closest data hub to the sign location. f. Install data cable as per manufacturer’s requirements. 		
<p>7.11 Support Structure for Outdoor Applications</p>	<ul style="list-style-type: none"> a. Entire Sign and Footing to be engineered to withstand 120 mph, Exposure B. b. Fabricate items of structural steel in accordance with AISC specifications. c. Columns: Cold-formed steel tubing, ASTM A-500, Grade B. Powder-coated prior to assembly. d. Cowling: Galvanized steel panels applied to front and back of support columns. Powder coating shall be applied prior to assembly. e. Base Plates: Cold-rolled plate, ASTM A-36. Steel base plates welded to column and fastened to footer with anchor bolts. Plates to contain welded steel gusset plates, as required. f. Anchor Bolts, Lock Nuts & Washers: Hot-dipped galvanized steel, ASTM A-36. g. Unfinished Treated Fasteners: Grade A, Regular low carbon stainless steel bolts and nuts. ASTM A-307. Provide hexagonal bolts and nuts. h. Shop Finish – polyester powder coat finish to achieve 2.0 – 3.0 mils. i. Reinforcement Bars, Ties & Stirrups: Grade 60, ASTM A-615. Attach to anchor bolts to create unitized anchoring system. j. Cast-in Place Concrete: Engineered footing at adequate size and depth for sign support/wind loads. Mix Design shall be 3000 p.s.i. (Minimum at 28 days, 5 sacks of cement per cu. Yard of concrete (min.) 6.5 gallons of water per sack (94 lbs.) of cement (max.). Use CRSI “Manual of Standard Practice”. k. Portland Cement: Type I or IA, ASTM C-150S. 		

AEPA FORM F.2: DEVIATIONS

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

INSTRUCTIONS:

1. If “no” is checked below, complete this form by signing it at the bottom.
2. If “yes” is checked below, either insert answers into this form or create a facsimile in a Microsoft Word table format to provide narrative explanations of exceptions. If creating a facsimile, the bidder is reminded to use the heading above, and include the bidder name and signature at the end.
3. If adding pages, the bidder’s name and identifying information as to which item the response refers must appear on each page.
4. Scan this form plus any attachments into a single PDF document.
5. Title the file as per the instructions and save to Folder A.
6. Exceptions to local, state or federal laws cannot be accepted under this bid.

- NO**, this bidder does not have deviations (exceptions or alternates) to the specifications listed in Part A, Form F.
- YES**, this bidder has the following deviations to the specifications listed in Part A, Form F.

Outline Number from Form F	Specification (describe)	Details of Deviation

Signature _____
Must be same signature that appears on Bid Affidavit and Acceptance Forms

AEPA BID FORM G: PRICING SCHEDULE SUBMITTAL INSTRUCTIONS

AEPA IFB #016 – I

INTERIOR AND EXTERIOR LED SCOREBOARDS, MARQUEE, EQUIPMENT & INSTALLATION

NAME OF BIDDER _____

INSTRUCTIONS: *Bidders are reminded as they prepare the discount pricing schedule that they are responsible for administrative fees on purchases to be remitted to Member Agencies. (See Part A of this IFB, Pricing.)*

1. There is one (1) Excel Workbook provided for Bidders to complete with your discounts, pricing, etc. Please note that there are several tabs in the Workbook that should be completed. You must use the provided Excel Workbooks. Pricing must be submitted in the Excel Workbook format with the file name “*Bidder Name Form G—Pricing - Description.*”
2. In addition to the provided Excel Workbooks, copies of the bidder’s most recent catalog or pricelist showing the products available under this bid should be included as PDF documents.
3. Save all documents to Folder B.

These forms are provided on *individual tabs* on the Excel Workbook provided on the AEPA website:

G.1. Catalog Discount for Items in a Commercially Available (REQUIRED)

Complete a form for each catalog bid, reset the ‘print area’ if lines were added, and save the file according to directions. If bidding multiple catalogs, a separate form **MUST** be submitted for each catalog. Copy the original tab and change the tab name to identify the different catalogs bid.

G.2A Core Items Price Schedule (REQUIRED)

Use this tab of the workbook to provide the Bid Discount Percentage and item information for all of the listed core items. Be sure to complete Form G.2B for non-core item pricing and item information.

G.2B Non-Core Price Schedule (REQUIRED)

Use this tab of the workbook to provide the item information and the Net Effective Bid Price for all non-core items in your catalog. If bidding multiple catalogs, a separate form **MUST** be submitted for each catalog. Copy the original tab and change the tab name to identify the different catalogs bid. The information may be downloaded from your computer system, but must comply with our format.

G.3 Services Price Schedule (OPTIONAL)

If your company provides any design, installation, training or support services to support the items you are bidding, use this form to provide your bid prices.

G.4 Volume Discounts Schedule (OPTIONAL)

Use this form if your company is offering additional discounts off of the base discounts bid for one time purchases **AND** for public agencies that group their requirements together (based on their estimated total annual spend for commodity). Each Bidder must specify the dollar ranges required in order for the agency (ies) to receive the additional discount.

Use this tab of the workbook to provide the item information and the Net Effective Bid Price for ALL ITEMS

Additional Forms that may be provided by Bidder:

- G.5. (Not Provided – Bidder Created) Warranties, Additional Services or Incidental Price Schedule:** Provide a price schedule for any and all extended warranties, additional or incidental services, products, equipment and/or supplies.
- G.6. (Not Provided – Bidder Created) Additional Discounts:** If additional discounts/bonuses are available to AEPA members based on a dollar volume, sizes of orders or other criteria, state the formula for arriving at these discounts:

Signature _____

Must be same signature as on Bid Affidavit Signature and Acceptance Form