

Revision Date: 07/28/2015

# SAFETY DATA SHEET

#### 1. Identification

Material name: THERMGLASS PREMIUM TYPE VI

Material: 014120 503M

Recommended use and restriction on use

Recommended use: Article Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

WATERPROOFING TECHNOLOGIES INC.

3735 Green road CLEVELAND OH 44124

US

Contact person:

EH&S Department

Telephone:

Emergency telephone number:

1-800-424-9300 (US); 1-613-996-6666 (Canada)

# 2. Hazard(s) identification

#### **Hazard Classification**

# Health Hazards

Carcinogenicity

Category 1B

# **Unknown toxicity - Health**

Acute toxicity, oral 6 %
Acute toxicity, dermal 28 %
Acute toxicity, inhalation, vapor 100 %
Acute toxicity, inhalation, dust or mist 100 %

# **Unknown toxicity - Environment**

Acute hazards to the aquatic 100 % environment Chronic hazards to the aquatic 100 % environment

# **Label Elements**

# **Hazard Symbol:**



Signal Word:

Danger

**Hazard Statement:** 

May cause cancer.

Precautionary Statement:



Revision Date: 07/28/2015

Prevention:

Obtain special instructions before use. Do not handle until all safety

precautions have been read and understood. Use personal protective

equipment as required.

Response:

If exposed or concerned: Get medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical Identity	CAS number	Content in percent (%)*
Asphalt	8052-42-4	60 - 100%
Fibrous Glass	65997-17-3	15 - 40%
Talc	14807-96-6	5 - 10%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

## 4. First-aid measures

Ingestion:

Call a POISON CENTER/doctor/.../if you feel unwell. Rinse mouth.

Inhalation:

Move to fresh air.

Skin Contact:

Wash skin thoroughly with soap and water. Get medical attention if

symptoms occur.

Eye contact:

Any material that contacts the eye should be washed out immediately with

water. If easy to do, remove contact lenses. If eye irritation persists: Get

medical advice/attention.

Most important symptoms/effects, acute and delayed

Symptoms:

May cause skin and eye irritation.

Indication of immediate medical attention and special treatment needed

Treatment:

Symptoms may be delayed.

# 5. Fire-fighting measures

**General Fire Hazards:** 

No unusual fire or explosion hazards noted.



Revision Date: 07/28/2015

# Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media:

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

During fire, gases hazardous to health may be formed.

the chemical:

Special protective equipment and precautions for firefighters

Special fire fighting procedures:

No data available.

Special protective equipment

for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

# 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

No data available.

Methods and material for containment and cleaning up:

Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

**Notification Procedures:** 

In the event of a spill or accidental release, notify relevant authorities in

accordance with all applicable regulations.

**Environmental Precautions:** 

Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

## 7. Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Ventilate well, avoid breathing vapors. Use approved respirator if air contamination is above accepted level. Use mechanical ventilation in case of handling which causes formation of dust.

Conditions for safe storage, including any

incompatibilities:


Store locked up.

# 8. Exposure controls/personal protection

#### **Control Parameters**

**Occupational Exposure Limits** 

Chemical Identity	type	Exposure Limit Values	Source
Chemical identity	type	Exposure Limit values	Source





Revision Date: 07/28/2015

Asphalt - Inhalable fraction as benzene solubles	TWA	0.5 mg/m3	US. ACGIH Threshold Limit Values (2011)
Fibrous Glass - Inhalable fraction,	TWA	5 mg/m3	US. ACGIH Threshold Limit Values (03 2014)
Fibrous Glass - Fiber.	TWA	1 fibers/cm3	US. ACGIH Threshold Limit Values (03 2014)
	TWA	1 fibers/cm3	US. ACGIH Threshold Limit Values (03 2014)
	TWA	1 fibers/cm3	US. ACGIH Threshold Limit Values (03 2014)
	TWA	1 fibers/cm3	US. ACGIH Threshold Limit Values (03 2014)
	TWA	1 fibers/cm3	US. ACGIH Threshold Limit Values (03 2014)
	TWA	0.2 fibers/cm3	US. ACGIH Threshold Limit Values (03 2014)
Talc - Respirable fraction.	TWA	2 mg/m3	US. ACGIH Threshold Limit Values (2011)
Talc	TWA	20 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Talc - Respirable.	TWA	2.4 millions of particles per cubic foot of air	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
	TWA	0.1 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)
Talc - Total dust.	TWA	0.3 mg/m3	US. OSHA Table Z-3 (29 CFR 1910.1000) (2000)

Chemical name	type	Exposure Limit Values	Source
Asphalt - Aerosol, inhalable as benzene solubles	TWA	0.5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Asphalt - Inhalable fraction as benzene solubles	TWAEV	0.5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Asphalt - Fume,	TWA	5 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Fibrous Glass - Fiber.	TWA	0.2 fibers/cm3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	fibers/cm3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97,



Revision Date: 07/28/2015

			as amended) (07 2007)
Fibrous Glass - Inhalable fibers.	TWA	5 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Fibrous Glass - Inhalable	TWAEV	5 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Fibrous Glass - Respirable fibers.	TWAEV	1 fibers/mL	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Fibrous Glass - Fiber.	TWAEV	0.2 fibers/mL	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Fibrous Glass - Total dust.	TWA	10 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Fibrous Glass - Fiber	TWA	fibres/cm3 (non- asbestos fibres) size restriction s apply	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
H. A.	TWA	2 fibres/cm3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Talc - Respirable.	TWA	2 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97 as amended) (07 2007)
Talc - Respirable particles.	TWAEV	2 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Talc	TWAEV	2 fibers/mL	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Talc - Respirable dust.	TWA	3 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

# Appropriate Engineering Controls

TREMCO.

Mechanical ventilation or local exhaust ventilation may be required. Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of dust.



Revision Date: 07/28/2015

#### Individual protection measures, such as personal protective equipment

General information: Good general ventilation (typically 10 air changes per hour) should be used.

Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists,

mechanical generation of dusts, drying of solids, etc.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: Use suitable protective gloves if risk of skin contact.

Other: Wear suitable protective clothing.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product.

# 9. Physical and chemical properties

**Appearance** 

Physical state: solid
Form: solid

Color: Black

Odor: Slight

Odor threshold: No data available.

pH: No data available.

Melting point/freezing point:
Initial bolling point and boiling range:
No data available.
No data available.

Flash Point: No data available.

**Evaporation rate:** No data available.

Flammability (solid, gas):

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%):

Explosive limit - upper (%):

No data available.

No data available.

Explosive limit - lower (%):

Vapor pressure:

No data available.

Vapor density:

No data available.

Relative density: 1.1

Solubility(ies)

Solubility in water: Insoluble in water

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.



Revision Date: 07/28/2015

Viscosity:

No data available.

10. Stability and reactivity

Reactivity:

No data available.

**Chemical Stability:** 

Material is stable under normal conditions.

**Possibility of Hazardous** 

Reactions:

No data available.

**Conditions to Avoid:** 

Avoid heat or contamination.

Incompatible Materials:

No data available.

**Hazardous Decomposition** 

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

# 11. Toxicological information

Information on likely routes of exposure

Ingestion:

May be ingested by accident. Ingestion may cause irritation and malaise.

Inhalation:

In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

**Skin Contact:** 

May be harmful in contact with skin.

Eye contact:

Eye contact is possible and should be avoided.

#### Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

**Product:** 

No data available.

Dermal

Product:

ATEmix: 2,000 mg/kg

Inhalation

Product:

No data available.

Specified substance(s):

Asphalt

LC 50 (Rat): > 94.4 mg/m3

Repeated dose toxicity

**Product:** 

No data available.

Skin Corrosion/Irritation

Product:

No data available.



Revision Date: 07/28/2015

Serious Eye Damage/Eye Irritation

**Product:** 

No data available.

Specified substance(s):

Asphalt

in vivo (Rabbit, 24 hrs): Not irritating

Respiratory or Skin Sensitization

Product:

No data available.

Carcinogenicity

Product:

May cause cancer.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

Asphalt

Overall evaluation: Possibly carcinogenic to humans.

Fibrous Glass

Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall

evaluation: Not classifiable as to carcinogenicity to humans. Overall evaluation: Possibly carcinogenic to humans. Overall evaluation: Possibly

carcinogenic to humans.

Talc

Overall evaluation: Not classifiable as to carcinogenicity to humans. Overall

evaluation: Possibly carcinogenic to humans.

**US. National Toxicology Program (NTP) Report on Carcinogens:** 

Fibrous Glass

Reasonably Anticipated to be a Human Carcinogen. Reasonably Anticipated

to be a Human Carcinogen.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

**Germ Cell Mutagenicity** 

In vitro

Product:

No data available.

In vivo

**Product:** 

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

**Product:** 

No data available.

**Specific Target Organ Toxicity - Repeated Exposure** 

Product:

No data available.

**Aspiration Hazard** 

Product:

No data available.



Revision Date: 07/28/2015

Other effects:

No data available.

# 12. Ecological information

# **Ecotoxicity:**

Acute hazards to the aquatic environment:

Fish

**Product:** 

No data available.

**Aquatic Invertebrates** 

**Product:** 

No data available.

Chronic hazards to the aquatic environment:

Fish

**Product:** 

No data available.

Specified substance(s):

**Asphalt** 

NOAEL (Oncorhynchus mykiss, 28 d): >= 1,000 mg/l interpreted

**Aquatic Invertebrates** 

**Product:** 

No data available.

**Toxicity to Aquatic Plants** 

**Product:** 

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

**BOD/COD Ratio** 

Product:

No data available.

**Bioaccumulative Potential** 

**Bioconcentration Factor (BCF)** 

**Product:** 

No data available.

Partition Coefficient n-octanol / water (log Kow)

**Product:** 

No data available.

Mobility in Soil:

No data available.



Revision Date: 07/28/2015

Other Adverse Effects:

No data available.

#### 13. Disposal considerations

**Disposal instructions:** 

Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging:

No data available.

# 14. Transport information

TDG:

Not Regulated

CFR / DOT:

Not Regulated

IMDG:

Not Regulated

# 15. Regulatory information

# **US Federal Regulations**

# TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

# CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

Reportable quantity

Asphalt

100 lbs.

# Superfund Amendments and Reauthorization Act of 1986 (SARA)

# **Hazard categories**

Delayed (Chronic) Health Hazard

#### SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

## **SARA 304 Emergency Release Notification**

**Chemical Identity** 

Reportable quantity

Asphalt

100 lbs.



Revision Date: 07/28/2015

# SARA 311/312 Hazardous Chemical

**Chemical Identity** 

**Threshold Planning Quantity** 

Asphalt

500 lbs

Fibrous Glass

500 lbs

Talc

500 lbs

## SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

# Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

# Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

#### **US State Regulations**

#### **US. California Proposition 65**

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

# US. New Jersey Worker and Community Right-to-Know Act

## **Chemical Identity**

Asphalt

Fibrous Glass

Talc

#### US. Massachusetts RTK - Substance List

#### **Chemical Identity**

Asphalt

Fibrous Glass

Talc

# US. Pennsylvania RTK - Hazardous Substances

## **Chemical Identity**

Asphalt

Fibrous Glass

Talc

# US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

## Other Regulations:

# **Inventory Status:**

Australia AICS:

All components in this product are listed on or

exempt from the Inventory.

Canada DSL Inventory List:

All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP:

All components in this product are listed on or

exempt from the Inventory.



Revision Date: 07/28/2015

Japan (ENCS) List:

One or more components in this product are

not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances: All components in this product are listed on or

exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI): All components in this product are listed on or

exempt from the Inventory.

Canada NDSL Inventory:

One or more components in this product are

not listed on or exempt from the Inventory.

Philippines PICCS:

All components in this product are listed on or

exempt from the Inventory.

US TSCA Inventory: All components in this product are listed on or

exempt from the Inventory.

New Zealand Inventory of Chemicals:

All components in this product are listed on or

exempt from the Inventory.

Japan ISHL Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

Japan Pharmacopoeia Listing:

One or more components in this product are

not listed on or exempt from the Inventory.

# 16.Other information, including date of preparation or last revision

Revision Date:

07/28/2015

Version #:

1.0

**Further Information:** 

No data available.

Disclaimer:

For Industrial Use Only. Keep out of Reach of Children. The hazard

information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.