



POWERPLY HE BASE POWERPLY HE BASE

Version 1.1

Print Date 04/02/2010

REVISION DATE: 09/01/2006

Page 1 of 5

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : POWERPLY HE BASE POWERPLY HE BASE
 Product code : 036HEBAS 601

COMPANY : Tremco Incorporated
 3735 Green Road
 Cleveland, OH 44122

Telephone : (216) 292-5000 8:30 - 5:00 EST
 Emergency Phone: : (216) 765-6727 8:30 - 5:00 EST
 After Hours: Chemtrec 1-800-424-9300

Product use : Roof Sheeting

RECEIVED
10 APR - 6 AM 10:52

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Black. Solid ply rolls. Not applicable under normal conditions of use. Generally not required under normal conditions of use.

Acute Potential Health Effects/ Routes of Entry

Inhalation : Not applicable under normal conditions of use.
 Eyes : Not applicable under normal conditions of use.
 Ingestion : Not applicable under normal conditions of use.
 Skin : May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

This product contains granular materials which may cause mechanical skin, eye or respiratory irritation. Inhalation of crystalline silica (quartz) can cause cancer based on animal data, and IARC concludes sufficient evidence in humans (Group 1). Prolonged and repeated overexposure to free crystalline silica dust above the TLV level may cause scarring of the lungs with cough and shortness of breath. A delayed lung injury, silicosis may result from breathing free silica. Prolonged and repeated exposure to excessive airborne concentrations of talc can result in scarring of the lungs (pneumoconiosis) or the covering of the lungs (pleural thickening).

Target Organs: Skin, Eye, Lung

SECTION 3 - PRODUCT COMPOSITION

| Chemical Name | CAS-No. | Weight % |
|---|-------------------------|-------------|
| Asphalt | 8052-42-4 | > 60.0 |
| Talc | 14807-96-6 | 15.0 - 40.0 |
| Styrene-butadiene copolymers | NJ TSRN# 51721300-5132P | 10.0 - 30.0 |
| Crystalline Silica (Quartz)/Silica Sand | 14808-60-7 | 3.0 - 7.0 |
| Polyester mat | 25038-59-9 | 3.0 - 7.0 |



POWERPLY HE BASE POWERPLY HE BASE

Version 1.1

Print Date 04/02/2010

REVISION DATE: 09/01/2006

Page 2 of 5

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

- Inhalation : Generally not required under normal conditions of use.
- Eye contact : Generally not required under normal conditions of use.
- Skin contact : Clean area of contact thoroughly using soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
- Ingestion : Not applicable under normal conditions of use.
- Notes to physician : Not applicable.

SECTION 5 - FIRE FIGHTING MEASURES

- Flash point : Not available.
- Method : Not available.
- Lower explosion limit : Not available.
- Upper explosion limit : Not available.
- Autoignition temperature : Not available.
- Hazardous combustion products : Hydrogen sulfide and hydrocarbon fractions.
- Protective equipment for firefighters : Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Scrape up and transfer to appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

- Respiratory protection : Not required under normal conditions of use.
- Hand protection : Use suitable impervious leather gloves and protective apparel to reduce exposure.
- Eye protection : Wear appropriate eye protection.
- Skin and body protection : Not required.
- Protective measures : Other equipment not normally required.
- Engineering measures : General ventilation is sufficient.

Exposure Limits

POWERPLY HE BASE POWERPLY HE BASE

Version 1.1

Print Date 04/02/2010

REVISION DATE: 09/01/2006

Page 3 of 5

| Chemical Name | CAS Number | Regulation | Limit | Form |
|--|------------|--|--|---|
| Asphalt | 8052-42-4 | ACGIH TWA: benzene solubles | 0.5 mg/m3 | Inhalable fraction.as |
| Talc | 14807-96-6 | ACGIH TWA: OSHA TWA: OSHA TWA: OSHA PEL: OSHA PEL: | 2 mg/m3 0.1 mg/m3 0.3 mg/m3 15 mg/m3 5 mg/m3 | Respirable fraction. Respirable. Total dust. Total dust. Respirable fraction. |
| Crystalline Silica (Quartz)/Silica Sand | 14808-60-7 | ACGIH TWA: OSHA TWA: OSHA TWA: | 0.05 mg/m3 0.1 mg/m3 0.3 mg/m3 | Respirable fraction. Respirable. Total dust. |

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form : Solid ply rolls
 Color : Black
 Odor : None
 pH : Not available.
 Vapour pressure : Not available.
 Vapor density : Not available.
 Melting point/range : Not available.
 Freezing point : Not available.
 Boiling point/range : Not available.
 Water solubility : Not available.
 Specific Gravity : 1
 % Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

Stability : Material is stable under normal storage, handling, and use.
 Hazardous polymerization : Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

No Data Available



POWERPLY HE BASE POWERPLY HE BASE

Version 1.1

REVISION DATE: 09/01/2006

Print Date 04/02/2010

Page 4 of 5

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : As purchased, this product, when discarded, is not a listed or characteristic hazardous waste according to Federal regulations (40 CFR 261). Check local, regional, state or provincial regulations for applicable requirements for disposal. Any processing, using, alteration or chemical additions to the product, as purchased, may alter the disposal requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste. Empty containers may retain product residue. Do not reuse.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

TDG / DOT Shipping Description:
NOT REGULATED

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : None present or none present in regulated quantities.

SARA 311/312 Hazards : Acute Health Hazard
Chronic Health Hazard

OSHA Hazardous Components :

| | |
|---|------------|
| Asphalt | 8052-42-4 |
| Talc | 14807-96-6 |
| Crystalline Silica (Quartz)/Silica Sand | 14808-60-7 |

OSHA Status: Considered : Irritant
hazardous based on the : Carcinogen
following criteria:

OSHA Flammability : Not Regulated

Regulatory VOC (less water and : 0 g/l
exempt solvent)

VOC Method 310 : 0 %

Chemical is listed as an IARC, NTP, OSHA, or ACGIH Carcinogen:
Crystalline Silica (Quartz)/Silica Sand 14808-60-7



POWERPLY HE BASE POWERPLY HE BASE

Version 1.1

REVISION DATE: 09/01/2006

Print Date 04/02/2010

Page 5 of 5

U.S. State Regulations:

| | | | |
|---------------------|---|---|-------------------------|
| MASS RTK Components | : | Asphalt | 8052-42-4 |
| | | Talc | 14807-96-6 |
| | | Crystalline Silica (Quartz)/Silica Sand | 14808-60-7 |
| Penn RTK Components | : | Asphalt | 8052-42-4 |
| | | Talc | 14807-96-6 |
| | | Styrene-butadiene copolymers | NJ TSRN# 51721300-5132P |
| | | Crystalline Silica (Quartz)/Silica Sand | 14808-60-7 |
| | | Polyester mat | 25038-59-9 |
| NJ RTK Components | : | Asphalt | 8052-42-4 |
| | | Talc | 14807-96-6 |
| | | Styrene-butadiene copolymers | NJ TSRN# 51721300-5132P |
| | | Crystalline Silica (Quartz)/Silica Sand | 14808-60-7 |
| | | Polyester mat | 25038-59-9 |

Chemicals known to the State of California to cause cancer birth defects and/or other reproductive harm:
 8052-42-4 Asphalt
 14808-60-7 Crystalline Silica (Quartz)/Silica Sand

SECTION 16 - OTHER INFORMATION

HMIS Rating :

| | |
|--------------|---|
| Health | 1 |
| Flammability | 0 |
| Reactivity | 0 |
| PPE | |

- 0 = Minimum
- 1 = Slight
- 2 = Moderate
- 3 = Serious
- 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

- | | |
|--|--|
| ACGIH - American Conference of Governmental Hygienists | PEL - Permissible Exposure Limit |
| CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act | RCRA - Resource Conservation and Recovery Act |
| DOT - Department of Transportation | RTK - Right To Know |
| DSL - Domestic Substance List | SARA - Superfund Amendments and Reauthorization Act |
| EPA - Environmental Protection Agency | STEL - Short Term Exposure Limit |
| HMIS - Hazardous Materials Information System | TLV - Threshold Limit Value |
| IARC - International Agency for Research on Cancer | TSCA - Toxic Substances Control Act |
| MSHA - Mine Safety Health Administration | TWA - Time Weighted Average |
| NDSL - Non-Domestic Substance List | V - Volume |
| NIOSH - National Institute for Occupational Safety and Health | VOC - Volatile Organic Compound |
| NTP - National Toxicology Program | WHMIS - Workplace Hazardous Materials Information System |
| OSHA - Occupational Safety and Health Administration | |