

Revision Date: 09/28/2015

SAFETY DATA SHEET

1. Identification

Material name: DECKTITE WDS EQUIP CLEANER 1 GL

Material: 094200 801

Recommended use and restriction on use

Recommended use: Coatings Restrictions on use: Not known.

Manufacturer/Importer/Supplier/Distributor Information

WATERPROOFING TECHNOLOGIES INC.

3735 Green road Beachwood OH 44122 US

Contact person:

EH&S Department

Telephone:

Emergency telephone number:

1-800-424-9300 (US); 1-613-996-6666 (Canada)

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable liquids

Category 1

Health Hazards

Carcinogenicity

Category 1A

Aspiration Hazard

Category 1

Unknown toxicity - Health

Acute toxicity, oral

0 %

Acute toxicity, dermal

0 %

Acute toxicity, inhalation, vapor

100 %

Acute toxicity, inhalation, dust or mist

100 %

Unknown toxicity - Environment

Acute hazards to the aquatic

2 %

environment

Chronic hazards to the aquatic

100 %

environment

Label Elements

Hazard Symbol:



Signal Word:

Danger



Revision Date: 09/28/2015

Hazard Statement:

Extremely flammable liquid and vapor.

May cause cancer.

May be fatal if swallowed and enters airways.

Precautionary Statement: Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Keep container tightly closed. Ground and bond

container and receiving equipment. Use explosion-proof

electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been

read and understood. Use personal protective equipment as required.

Response:

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. If exposed or concerned: Get medical advice/attention. In case of fire: Use ... to extinguish.

Storage:

Store in well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Other hazards which do not result in GHS classification:

Static accumulating flammable liquid can become electrostatically charged even in bonded and grounded equipment. Sparks may ignite liquid and

vapor. May cause flash fire or explosion.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*	
2-Propanol	67-63-0	40 - 70%	
Methanol	67-56-1	40 - 70%	

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:

Call a physician or poison control center immediately. Rinse mouth, Never

give liquid to an unconscious person. If vomiting occurs, keep head low so

that stomach content doesn't get into the lungs.

Inhalation:

Move to fresh air.

Skin Contact:

Get medical attention if symptoms occur. Take off immediately all

contaminated clothing. Rinse skin with water/shower.

Eye contact:

Rinse immediately with plenty of water.

Most important symptoms/effects, acute and delayed



Revision Date: 09/28/2015

Symptoms:

Respiratory tract irritation.

Indication of immediate medical attention and special treatment needed

Treatment:

Symptoms may be delayed.

5. Fire-fighting measures

General Fire Hazards:

Use water spray to keep fire-exposed containers cool. Water may be ineffective in fighting the fire. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media:

Avoid water in straight hose stream; will scatter and spread fire.

Specific hazards arising from the chemical:

Vapors may travel considerable distance to a source of ignition and flash back. Vapors may cause a flash fire or ignite explosively. Prevent buildup of vapors or gases to explosive concentrations.

Special protective equipment and precautions for firefighters

Special fire fighting procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up:

Dam and absorb spillages with sand, earth or other non-combustible material. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

Notification Procedures:

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations.

Environmental Precautions:

Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so.



Revision Date: 09/28/2015

7. Handling and storage

Precautions for safe handling:

Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Take precautionary measures against static discharges. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities:

Store locked up. Store in a well-ventilated place. Store in a cool place.

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	emical Identity type Exposure Limit Values		Source		
Methanol	TWA	200 ppm		US. ACGIH Threshold Limit Values (2011)	
	STEL	250 ppm		US. ACGIH Threshold Limit Values (2011)	
	PEL	200 ppm	260 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	
2-Propanol	TWA	200 ppm		US. ACGIH Threshold Limit Values (2011)	
	STEL	400 ppm		US. ACGIH Threshold Limit Values (2011)	
	PEL	400 ppm	980 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)	

Chemical name	type	Exposure Limit Values	Source
Methanol	STEL	250 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	200 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Methanol	STEL	250 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	TWAEV	200 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)



Revision Date: 09/28/2015

Methanol	TWA	200 ppm	262 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	STEL	250 ppm	328 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
2-Propanol	STEL	400 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	200 ppm	*:	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
2-Propanol	TWAEV	200 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
	STEL	400 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
2-Propanol	TWA	400 ppm	983 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
	STEL	500 ppm	1,230 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)

Biological Limit Values

nological Littit values		
Chemical Identity	Exposure Limit Values	Source
Methanol (methanol: Sampling time: End of shift.)	15 mg/l (Urine)	ACGIH BEL (03 2013)
2-Propanol (acetone: Sampling time: End of shift at end of work week.)	40 mg/l (Urine)	ACGIH BEL (03 2013)

Appropriate Engineering Controls

Observe good industrial hygiene practices. Observe occupational exposure limits and minimize the risk of inhalation of vapors and mist. Mechanical ventilation or local exhaust ventilation may be required.



Revision Date: 09/28/2015

Individual protection measures, such as personal protective equipment

General information: Use explosion-proof ventilation equipment. Good general ventilation

> (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been

established, maintain airborne levels to an acceptable level.

Eye/face protection:

Wear goggles/face shield.

Skin Protection

Hand Protection:

Use suitable protective gloves if risk of skin contact.

Other:

No data available.

Respiratory Protection:

In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures:

Observe good industrial hygiene practices. Wash hands before breaks and

immediately after handling the product. When using do not smoke.

9. Physical and chemical properties

Appearance

Physical state:

liquid

Form:

liquid

Color:

Colorless

Odor: Odor threshold:

Mild petroleum/solvent No data available.

pH:

No data available.

Melting point/freezing point:

No data available.

Initial boiling point and boiling range:

No data available.

Flash Point:

11 °C 52 °F(Tag closed cup)

Evaporation rate:

Slower than Ether

Flammability (solid, gas):

Nο

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%):

12.00 %(V)

2.00 %(V)

Flammability limit - lower (%):

No data available.

Explosive limit - upper (%): Explosive limit - lower (%):

No data available.

Vapor pressure:

96 hPa

Vapor density:

Vapors are heavier than air and may travel along the floor and

in the bottom of containers.

Relative density:

0.791

Solubility(ies)

Solubility in water:

Practically Insoluble

Solubility (other):

No data available.

Partition coefficient (n-octanol/water):

No data available.

Auto-ignition temperature:



Revision Date: 09/28/2015

Decomposition temperature:

Viscosity:

No data available.

< 20.5 mm2/s (40 °C 104 °F)

10. Stability and reactivity

Reactivity:

No data available.

Chemical Stability:

Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid:

Heat, sparks, flames.

Incompatible Materials:

Strong acids. Avoid contact with oxidizing agents (e.g. nitric acid, peroxides

and chromates). Strong bases.

Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological information

Information on likely routes of exposure

Ingestion:

May be ingested by accident. Ingestion may cause irritation and malaise.

Inhalation:

In high concentrations, vapors, fumes or mists may irritate nose, throat and

mucus membranes.

Skin Contact:

Moderately irritating to skin with prolonged exposure.

Eye contact:

Eye contact is possible and should be avoided.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:

No data available.

Dermal

Product:

No data available.

Inhalation

Product:

No data available.

Specified substance(s):

2-Propanol

LC 50 (Rat, 6 h): > 10000 ppm

Methanol

LC 50 (Rat, 4 h): 64000 ppm

Repeated dose toxicity

Product:



Revision Date: 09/28/2015

Skin Corrosion/Irritation

Product:

No data available.

Serious Eye Damage/Eye Irritation

Product:

No data available.

Specified substance(s):

2-Propanol

in vivo (Rabbit, 24 hrs): Category 2: Causes serious eye irritation

Methanol

in vivo (Rabbit, 24 hrs): Not irritating

Respiratory or Skin Sensitization

Product:

No data available.

Carcinogenicity

Product:

No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

2-Propanol

Overall evaluation: Carcinogenic to humans. Overall evaluation: Not

classifiable as to carcinogenicity to humans.

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product:

No data available.

In vivo

Product:

No data available.

Reproductive toxicity

Product:

No data available.

Specific Target Organ Toxicity - Single Exposure

Product:

No data available.

Specific Target Organ Toxicity - Repeated Exposure

Product:

No data available.

Aspiration Hazard

Product:

May be fatal if swallowed and enters airways.

Other effects:



Revision Date: 09/28/2015

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

2-Propanol

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 11,130 mg/l Mortality

Methanol

LC 50 (Fathead minnow (Pimephales promelas), 96 h): 28,200 mg/l Mortality

Aquatic Invertebrates

Product:

No data available.

Specified substance(s):

2-Propanol

LC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Mortality LC 50 (Brine shrimp (Artemia salina), 24 h): > 10,000 mg/l Mortality

Methanol

LC 50 (Water flea (Daphnia magna), 24 h): 3,616 - 6,414 mg/l Mortality EC 50 (Water flea (Daphnia magna), 48 h): > 10,000 mg/l Intoxication EC 50 (Water flea (Daphnia magna), 24 h): > 10,000 mg/l Intoxication LC 50 (Water flea (Daphnia magna), 96 h): > 100 mg/l Mortality LC 50 (Oligochaete, worm (Lumbriculus variegatus), 96 h): > 100 mg/l

Mortality

Chronic hazards to the aquatic environment:

Fish

Product:

No data available.

Specified substance(s):

Methanol

NOAEL (Oryzias latipes, 200 h): 11,850 mg/l experimental result

Aquatic Invertebrates

Product:

No data available.

Toxicity to Aquatic Plants

Product:

No data available.

Persistence and Degradability

Biodegradation

Product:

No data available.

BOD/COD Ratio

Product:



Revision Date: 09/28/2015

Bioaccumulative Potential

Bioconcentration Factor (BCF)

Product:

No data available.

Specified substance(s):

Methanol

Green algae (Chlorella fusca vacuolata), Bioconcentration Factor (BCF):

28,400 (Static)

Partition Coefficient n-octanol / water (log Kow)

Product:

No data available.

Specified substance(s):

2-Propanol

Log Kow: 0.05

Methanol

Log Kow: -0.77

Mobility in Soil:

No data available.

Other Adverse Effects:

No data available.

13. Disposal considerations

Disposal instructions:

Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal.

Contaminated Packaging:

No data available.

14. Transport information

TDG:

UN1987, ALCOHOLS, N.O.S. (Isopropyl Alcohol, Methanol), 3, PG II

CFR / DOT:

UN1987, Alcohols, n.o.s. (Isopropyl Alcohol, Methanol), 3, PG II

IMDG:

UN1987, ALCOHOLS, N.O.S. (Isopropyl Alcohol, Methanol), 3, PG II

Further Information:

The above shipping description may not be accurate for all container sizes and all modes of transportation. Please refer to Bill of Lading.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

None present or none present in regulated quantities.



Revision Date: 09/28/2015

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity

Reportable quantity

Methanol 2-Propanol 5000 lbs.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Delayed (Chronic) Health Hazard

Immediate (Acute) Health Hazards

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.

SARA 304 Emergency Release Notification

Chemical Identity

Reportable quantity

Methanol

5000 lbs.

2-Propanol

100 lbs.

SARA 311/312 Hazardous Chemical

Chemical Identity

Threshold Planning Quantity

2-Propanol Methanol 500 lbs

SARA 313 (TRI Reporting)

Chemical Identity

Methanol

2-Propanol

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US State Regulations

US. California Proposition 65

This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm.

US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

Methanol

2-Propanol

US. Massachusetts RTK - Substance List

Chemical Identity

Methanol

2-Propanol



Revision Date: 09/28/2015

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Methanol 2-Propanol

US. Rhode Island RTK

Chemical Identity

Methanol 2-Propanol

Other Regulations:

Regulatory VOC (less water

654 g/l

and exempt solvent):

VOC Method 310:

49.00 %

Inventory Status:

Australia AICS:

One or more components in this product are not listed on or exempt from the Inventory.

Canada DSL Inventory List:

All components in this product are listed on or

exempt from the Inventory.

EINECS, ELINCS or NLP:

One or more components in this product are not listed on or exempt from the Inventory.

Japan (ENCS) List:

One or more components in this product are not listed on or exempt from the Inventory.

China Inv. Existing Chemical Substances:

One or more components in this product are not listed on or exempt from the Inventory.

Korea Existing Chemicals Inv. (KECI):

One or more components in this product are not listed on or exempt from the Inventory.

Canada NDSL Inventory:

One or more components in this product are not listed on or exempt from the Inventory.

Philippines PICCS:

One or more components in this product are not listed on or exempt from the Inventory.

US TSCA Inventory:

All components in this product are listed on or exempt from the Inventory.

New Zealand Inventory of Chemicals:

One or more components in this product are not listed on or exempt from the Inventory.

Japan ISHL Listing:

One or more components in this product are not listed on or exempt from the Inventory.



Revision Date: 09/28/2015

Japan Pharmacopoeia Listing:

One or more components in this product are not listed on or exempt from the Inventory.

16.Other information, including date of preparation or last revision

Revision Date:

09/28/2015

Version #:

1.0

Further Information:

No data available.

Disclaimer:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including

the safe use of the product under every foreseeable condition.