



LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"

Version 3.0
 REVISION DATE: 05/01/2013

Print Date 05/31/2013

SECTION 1 - PRODUCT IDENTIFICATION

Trade name : LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"
 Product code : 362300A405
 COMPANY : Tremco Incorporated
 3735 Green Road
 Cleveland, OH 44122
 Telephone : (216) 292-5000 8:30 - 5:00 EST
 Emergency Phone: : (216) 765-6727 8:30 - 5:00 EST
 After Hours: Chemtrec 1-800-424-9300
 Product use : Joint filler

RECEIVED KONA
 19 JUN 10 PM 3:13

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Brown to Black. Liquid solution. Vapor and/or mist may irritate nose and throat. May cause allergic respiratory sensitization. Move to fresh air. If required, artificial respiration or administration of oxygen can be performed by trained personnel. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.

Acute Potential Health Effects/ Routes of Entry

Inhalation : Vapor and/or mist may irritate nose and throat. May cause allergic respiratory sensitization.
 Eyes : Vapor and/or mist may cause eye irritation. May cause sensitization.
 Ingestion : May cause irritation to the mouth, throat and stomach. May cause gastrointestinal irritation, nausea, and vomiting.
 Skin : May cause sensitization resulting in irritation, itching and redness.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

Overexposure may cause dermatitis, asthma, skin and respiratory sensitization and decreased lung function. Diphenylmethane diisocyanate (methylene bisphenyl isocyanate) caused an increased incidence of lung tumors in experimental animals following long term inhalation at concentrations in excess of 100 times the exposure limit. Fillers are encapsulated and not expected to be released from product under normal conditions of use.

Target Organs: Lung, Skin, Eye

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
4,4'-Methylene bis(phenylisocyanate)	101-68-8	40.0 - 70.0
Polymethylene polyphenyl isocyanate	9016-87-9	40.0 - 70.0
Diphenylmethane diisocyanate	26447-40-5	3.0 - 7.0



LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"

Version 3.0

Print Date 05/31/2013

REVISION DATE: 05/01/2013

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

- Inhalation : Move to fresh air. If required, artificial respiration or administration of oxygen can be performed by trained personnel. Leave area to breathe fresh air. Avoid further overexposure. If symptoms persist, get medical attention.
- Eye contact : Flush with water for at least 15 minutes while holding eye lids apart. Get medical attention immediately.
- Skin contact : Wash area of contact thoroughly with hand cleaner followed by soap and water. If irritation, rash or other disorders develop, get medical attention immediately.
- Ingestion : Do not induce vomiting unless advised by a physician. Call nearest Poison Control Center or Physician immediately.

SECTION 5 - FIRE FIGHTING MEASURES

- Flash point : > 350 °F, > 177 °C
- Method : Pensky-Martens Closed Cup
- Lower explosion limit : Not available.
- Upper explosion limit : Not available.
- Autoignition temperature : Not available.
- Extinguishing media : If water fog is ineffective, use carbon dioxide, dry chemical or foam.
- Hazardous combustion products : Carbon monoxide and carbon dioxide can form. Smoke, fumes. Hydrocyanic acid and nitrogen oxides can form.
- Protective equipment for firefighters : Use accepted fire fighting techniques. Wear full firefighting protective clothing, including self-contained breathing apparatus (SCBA).
- Fire and explosion conditions : This product not expected to ignite under normal conditions of use.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Use appropriate protective equipment. Avoid contact with material. Absorb spill in sand, earth or other suitable material. Transfer to appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions. Change soiled work clothes frequently. Clean hands thoroughly after handling. Prevent inhalation of vapor, ingestion, and contact with skin eyes and clothing. Keep container closed when not in use. Precautions also apply to emptied containers.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment



LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"

Version 3.0

Print Date 05/31/2013

REVISION DATE: 05/01/2013

- Respiratory protection : Use full engineering controls before relying on personal protective equipment. Wear appropriate, properly fitted air purifying respirator with combination particulate filter and vapor/gas removing cartridge when airborne contaminant level(s) exceed exposure limits indicated on the MSDS, or product is spray applied.
- Hand protection : Use suitable impervious nitrile or neoprene gloves and protective apparel to reduce exposure.
- Eye protection : Wear appropriate eye protection. Wear chemical safety goggles and/or face shield to prevent eye contact. Do not wear contact lenses. Do not touch eyes with contaminated body parts or materials. Have eye washing facilities readily available.
- Skin and body protection : Prevent contact with shoes and clothing.
- Protective measures : Use professional judgment in the selection, care, and use.
- Engineering measures : Use only in well ventilated areas. Provide maximum ventilation in enclosed areas. Use general ventilation and/ or local exhaust to reduce the airborne contaminant concentration below the exposure limit listed in the MSDS

Exposure Limits

Chemical Name	CAS Number	Regulation	Limit	Form
4,4'-Methylene bis(phenylisocyanate)	101-68-8	ACGIH TWA:	0.005 ppm	
Polymethylene polyphenyl isocyanate	9016-87-9	ACGIH TWA:	0.005 ppm	

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

- Form : Liquid solution
- Color : Brown to Black
- Odor : Faint Aromatic
- pH : Not available.
- Vapour pressure : Not available.
- Vapor density : Heavier than air
- Melting point/range : Not available.
- Freezing point : Not available.
- Boiling point/range : Not available.
- Water solubility : Reacts with water
- Specific Gravity : 1.22
- % Volatile Weight : 0 %

SECTION 10 - REACTIVITY / STABILITY

- Substances to avoid : Strong acids. Strong bases. Amines. Water or moisture. Alcohols.



LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"

Version 3.0

Print Date 05/31/2013

REVISION DATE: 05/01/2013

Stability : Material is stable under normal storage, handling, and use.
Hazardous polymerization : Will not occur under normal conditions.

SECTION 11 - TOXICOLOGICAL INFORMATION

4,4'-Methylene bis(phenylisocyanate), CAS-No.: 101-68-8
Acute inhalation toxicity (LC-50) : 0.369 mg/l for 4 h (Rat) 0.38 mg/l for 4 h (Rat)

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method : Waste not regulated under RCRA. Incinerate at EPA approved facility or dispose of waste in compliance with state and local regulations.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

CFR / DOT:

Not Regulated

TDG:

Not Regulated

IMDG:

Not Regulated

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.
This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components : 4,4'-Methylene bis(phenylisocyanate) 101-68-8
Polymethylene polyphenyl isocyanate 9016-87-9

SARA 311/312 Hazards : Acute Health Hazard



LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"

Version 3.0

Print Date 05/31/2013

REVISION DATE: 05/01/2013

OSHA Hazardous Components :

4,4'-Methylene bis(phenylisocyanate) 101-68-8
 Polymethylene polyphenyl isocyanate 9016-87-9

OSHA Status: Considered : Irritant
 hazardous based on the : Sensitizer
 following criteria:

OSHA Flammability : IIIB

When appropriately mixed with the other part, product has a VOC less water and exempt solvent of: 5 g/l

Regulatory VOC (less water and : 0 g/l
 exempt solvent)

VOC Method 310 : 0 %

U.S. State Regulations:

MASS RTK Components : 4,4'-Methylene bis(phenylisocyanate) 101-68-8
 Polymethylene polyphenyl isocyanate 9016-87-9

Penn RTK Components : 4,4'-Methylene bis(phenylisocyanate) 101-68-8
 Polymethylene polyphenyl isocyanate 9016-87-9
 Diphenylmethane diisocyanate 26447-40-5

NJ RTK Components : 4,4'-Methylene bis(phenylisocyanate) 101-68-8
 Polymethylene polyphenyl isocyanate 9016-87-9
 Diphenylmethane diisocyanate 26447-40-5

Components under California Proposition 65:
 None known.

SECTION 16 - OTHER INFORMATION

HMIS Rating :

Health	1
Flammability	1
Reactivity	0
PPE	

0 = Minimum
 1 = Slight
 2 = Moderate
 3 = Serious
 4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists
 CERCLA - Comprehensive Environmental Response, Compensation, and

PEL - Permissible Exposure Limit
 RCRA - Resource Conservation and Recovery Act



LOW RISE FOAM INSUL. ADH. (BG) PART "A" LOW RISE FOAM INSUL. ADH. (BG) PART "A"

Version 3.0

Print Date 05/31/2013

REVISION DATE: 05/01/2013

Liability Act

DOT - Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS - Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

RTK - Right To Know

SARA - Superfund Amendments and Reauthorization Act

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

V - Volume

VOC - Volatile Organic Compound

WHMIS - Workplace Hazardous Materials Information System