Material Safety Data Sheet



TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'

Version 1.1

REVISION DATE: 09/01/2006

Print Date 03/18/2008

SECTION 1 - PRODUCT IDENTIFICATION

Trade name

: TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'TPA 55 MIL

UNREINFORCD MEMBRANE 24"X 30"

Product code

: 505255 503

COMPANY

: Tremco Incorporated 3735 Green Road

Telephone

Cleveland, OH 44122 : (216) 292-5000 8:30 - 5:00 EST

Emergency Phone:

: (216) 765-6727 8:30 - 5:00 EST

After Hours: Chemtrec 1-800-424-9300

Product use

: Roof Sheeting

SECTION 2 - HAZARDS IDENTIFICATION

Emergency Overview

Gray. Solid ply rolls. Not applicable under normal conditions of use. Generally not required under normal conditions of use.

Acute Potential Health Effects/ Routes of Entry

Inhalation

Not applicable under normal conditions of use.

Eyes Ingestion Not applicable under normal conditions of use. Not applicable under normal conditions of use.

Skin

May cause mild irritation.

Aggravated Medical Conditions

Pre-existing eye, skin and respiratory disorders may be aggravated by exposure.

Chronic Health Effects

This product contains granular materials which may cause mechanical skin, eye or respiratory irritation.

Target Organs: Skin, Eye, Lung

SECTION 3 - PRODUCT COMPOSITION

Chemical Name	CAS-No.	Weight %
Not Applicable- This material is an article.		> 60.0
10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic compound)	58-36-6	1.0 - 5.0

SECTION 4 - FIRST AID MEASURES

Get immediate medical attention for any significant overexposure.

Inhalation

: Generally not required under normal conditions of use.

An RPM Company

1/5

505255 503



TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'

Version 1.1

Print Date 03/18/2008

REVISION DATE: 09/01/2006

Eye contact

: Generally not required under normal conditions of use.

Skin contact

: Clean area of contact thoroughly using soap and water. If irritation, rash or other

disorders develop, get medical attention immediately.

Ingestion

: Not applicable under normal conditions of use.

Notes to physician

: Not applicable.

SECTION 5 - FIRE FIGHTING MEASURES

Flash point

Not available.

Method

Not available.

Lower explosion limit

Not available.

Upper explosion limit

Not available.

Autoignition temperature

Not available.

Hazardous combustion

NOL AVAIIADIE.

products

Hydrogen sulfide and hydrocarbon fractions.

p. 4440.0

Protective equipment for

firefighters

Use accepted fire fighting techniques. Wear full firefighting protective

clothing, including self-contained breathing apparatus (SCBA).

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Scrape up and transfer to appropriate container for disposal.

SECTION 7 - HANDLING AND STORAGE

Store under normal warehouse conditions.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protection equipment

Respiratory protection

: Not required under normal conditions of use.

Hand protection

Use suitable impervious leather gloves and protective apparel to reduce

exposure.

Eye protection

Wear appropriate eye protection.

Skin and body protection

Not required.

Protective measures

Other equipment not normally required.

Engineering measures

: General ventilation is sufficient.

Exposure Limits

Material Safety Data Sheet



TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'

Version 1.1

REVISION DATE: 09/01/2006

Print Date 03/18/2008

Chemical Name	CAS Number	Regulation	<u>Limit</u>	Form
10, 10'- Oxybisphenoxarsine (OBPA) (Arsenic compound)	58-36-6	ACGIH TWA: OSHA PEL:	0.01 mg/m3 0.5 mg/m3	as As as As

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Form

: Solid ply rolls

Color

: Gray

Odor

: None

pΗ

: Not available.

Vapour pressure

: Not available.

Vapor density

: Not available.

Melting point/range

: Not available.

Freezing point

Not available.Not available.

Boiling point/range Water solubility

: Not available.

Specific Gravity

INUL AVAIIADIO

% Volatile Weight

: 0%

: 1

SECTION 10 - REACTIVITY / STABILITY

Stability

: Material is stable under normal storage, handling, and use.

Hazardous polymerization

: Will not occur.

SECTION 11 - TOXICOLOGICAL INFORMATION

10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic compound), CAS-No.: 58-36-6

Acute oral toxicity (LD-50 oral)

24 mg/kg (Wild bird) 40 mg/kg (Rat)

SECTION 12 - ECOLOGICAL INFORMATION

No Data Available

SECTION 13 - DISPOSAL CONSIDERATIONS

Disposal Method

: As purchased, this product, when discarded, is not a listed or characteristic hazardous waste according to Federal regulations (40 CFR 261). Check local, regional, state or provincial regulations for applicable requirements for disposal. Any processing, using, alteration or chemical additions to the product, as purchased, may alter the disposal

An **PP** Company



TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'

Version 1.1

REVISION DATE: 09/01/2006

Print Date 03/18/2008

requirements. Under Federal regulations, it is the generator's responsibility to determine if a waste is a hazardous waste. Empty containers may retain product residue. Do not reuse.

SECTION 14 - TRANSPORTATION / SHIPPING DATA

TDG / DOT Shipping Description:

NOT REGULATED

SECTION 15 - REGULATORY INFORMATION

North American Inventories:

All components are listed or exempt from the TSCA inventory.

This product or its components are listed on, or exempt from the Canadian Domestic Substances List.

U.S. Federal Regulations:

SARA 313 Components

: 10, 10'-Oxybisphenoxarsine (OBPA)

58-36-6

(Arsenic compound)

SARA 311/312 Hazards

: Acute Health Hazard

OSHA Hazardous Components:

10, 10'-Oxybisphenoxarsine (OBPA)

58-36-6

(Arsenic compound)

OSHA Status: Considered

hazardous based on the

•

following criteria:

OSHA Flammability

: Not Regulated

: Irritant

Regulatory VOC (less water and

exempt solvent)

: 0 g/l

VOC Method 310

: Not available.

Chemical is listed as an IARC, NTP, OSHA, or ACGIH Carcinogen:

10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic 58

compound)

U.S. State Regulations:

MASS RTK Components : 10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic

58-36-6

compound)

Penn RTK Components

Not Applicable- This material is an article.

10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic

compound)

NJ RTK Components

Not Applicable- This material is an article.

10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic

compound)

58-36-6

58-36-6

An RPM Company

4/5

505255 503



TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30 TPA 55 MIL UNREINFORCD MEMBRANE 24"X 30'

Version 1.1

REVISION DATE: 09/01/2006

Print Date 03/18/2008

Chemicals known to the State of California to cause cancer birth defects and/or other reproductive harm:

58-36-6

10, 10'-Oxybisphenoxarsine (OBPA) (Arsenic

compound)

SECTION 16 - OTHER INFORMATION

HMIS Rating:

Health	1	
Flammability	0	-
Reactivity	0	
PPE		
		i

0 = Minimum 1 = Slight

2 = Moderate 3 = Serious

4 = Severe

Further information:

For Industrial Use Only. Keep out of Reach of Children. The hazard information herein is offered solely for the consideration of the user, subject to their own investigation of compliance with applicable regulations, including the safe use of the product under every foreseeable condition.

Prepared by: Rich Mikol

Legend

ACGIH - American Conference of Governmental Hygienists

CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

DOT - Department of Transportation

DSL - Domestic Substance List

EPA - Environmental Protection Agency

HMIS - Hazardous Materials Information System

IARC - International Agency for Research on Cancer

MSHA - Mine Safety Health Administration

NDSL - Non-Domestic Substance List

NIOSH - National Institute for Occupational Safety and Health

NTP - National Toxicology Program

OSHA - Occupational Safety and Health Administration

PEL - Permissible Exposure Limit

RCRA - Resource Conservation and Recovery Act

RTK - Right To Know

SARA - Superfund Amendments and Reauthorization Act

STEL - Short Term Exposure Limit

TLV - Threshold Limit Value

TSCA - Toxic Substances Control Act

TWA - Time Weighted Average

V - Volume

VOC - Volatile Organic Compound

WHMIS - Workplace Hazardous Materials Information

Syster