

Sustainable Solutions for Health, Productivity and the Environment.

Enviro Care® Neutral Disinfectant





Enviro Care[®] Neutral Disinfectant

Where to Use

Recommended for use in hospitals, nursing homes, schools, colleges, commercial and industrial institutions, and veterinary clinics. Disinfects, cleans and deodorizes floors, walls, metal surfaces, stainless steel surfaces, glazed porcelain, plastic surfaces and other hard non-porous surfaces.

Benefits

- Hard Water Tolerance
- NPE Free
- Organic Soil Tolerance
- Neutral formula will not dull floor finishes
- Cleans, Disinfects, Deodorizes
- Pseudomonicidal, Fungicidal, Virucidal

Dilution Ratios

Dilute: (1:64) 2 oz per gallon/60 ml per 3.8 litres of water.

Directions for Use

Application: Remove heavy soil deposits from surface. Then thoroughly wet surface. The solution can be applied with a cloth, mop, sponge, or coarse spray, or soaking. Let solution remain on surface for a minimum of 10 minutes. Rinse or allow to air dry. Rinsing of floors is not necessary unless they are to be waxed or polished.

For Human Coronavirus: treated surfaces must remain wet for 1 minute. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

For Influenza Virus Type A: treated surfaces must remain wet for 2 minutes. Wipe dry with a clean cloth, sponge or mop or allow to air dry.

Kills HIV-1 (AIDS virus) on pre-cleaned, environmental surfaces or objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human immunodeficiency virus Type I (HIV-1) (Associated with AIDS).

Distributor Contact Info

Effective Against:

- HIV-1 (AIDS virus).
- Hepatitis B (HBV).
- Hepatitis C Virus (HCV).
- Staphylococcus aureus Methicillin resistant strain (MRSA).
- Escherichia coli (antibiotic resistant).
- Aspergillus Niger, Candida albicans, Trichophyton mentagrophytes (a cause of ringworm).
- Pseudomonas aeruginosa (antibiotic resistant)
- Streptococcus faecalis (antibiotic resistant)
- Klebsiella pneumoniae (antibiotic resistant)

Properties	
Color	Blue
Fragrance	Mild
Viscosity	Water, thin
VOC's (% by weight) EPA Method 24	0.5%
pH (Concentrated)	8.2
Readily Biodegradable	Yes
Phosphate Free	Yes

Available Packages	Package Code
6x1 quart case (6x946 ml)	#12001214
4x1 gallon case (4x3.8 litre)	#12001227 💻
5 gallon pail (18.9 litres)	#12001245
55 gallon drum (208.2 litre)	#12001257 💻
Spray Bottle, 32 oz, 48 case	#35064573 📕

For handling and precautionary information, reference the product label and safety data sheet.

For more information about RMC call 1.800.836.1633 or go to www.rochestermidland.com

Enviro Care[®] Neutral Disinfectant

Efficacy Data

Bactericidal

Enviro Care Neutral Disinfectant is bactericidal against many gram-negative pathogens according to the use of the dilution tests AOAC, modified in the presence of serum and hardness of organic water 5% 400 ppm (calculated in CaCO3).

Dilution 1:64 (2 oz per gallon / 60 mL for 3.8 liters of water).

Acinetobacter baumannii Acinetobacter calcoaceticus Bordetella bronchisetica Chlamydia psittaci Enterbacter aerogenes Enterobacter cloacae Enterobacter cloacae -NDM-1 Enterococcus faecalis (vancomycin resistant-VRE) Escherichia coli Escherichia coli-NDM-1 Fusobacterium necrophorum Klebsiella pneumoniae Klebsiella pneumoniae-NDM-1 Legionella pneumophila Listeria monocytogenes Pasteurella multocida Proteus mirabilis Proteus vulgaris Pseudomonas aeruginosa Salmonella choleraesius Salmonella enterica Salmonella enteritidis Salmonella typhi Salmonella typhimurium Serratia marcescens Shigella fexneri Shigella sonnei

Community-associated methicillin-resistant Staphylococcus aureus - (CA-MRSA) (NRS384) (USA300) Community-associated methicillin-resistant Staphylococcus aureus - (CA-MRSA) (NRS123) (USA400) Staphylococcus aureus-résistant à la méthicilline (MRSA) Staphylococcus epidermidis Streptococcus pyogenes (Strep) Staphylococcus aureus-Vancomycin Intermediate Resistant (VISA) Streptococcus faecalis

Virucidal

Enviro Care Neutral Disinfectant is virucidal against the following viruses after having been tested according to the virucide classification, according to the use of the dilution tests CaCO3 modified in the presence of serum and hardness of the organic water 5% 400 ppm (calculated in CaCO3).

Dilution 1:64 (2 oz per gallon / 60 mL in 3.8 liters of water).

Adenovirus Type 7 - 8 oz. Per gallon Aedenovirus Type 4 Avian Influenza (H5N1) Avian polyomavirus Canine distemper

Coronavirus (SARS)- (cause of acute respiratory syndrome) Equine Herpes Virus Type 1 Feline coronavirus Feline leukemia Feline paneleukopenia virus Feline picornavirus Gastroenteritis transmissible (TGE) Hepatitis B Virus Hepatitis C virus Herpes Simplex Type I Herpes Simlex Type II HIV-1 (AIDS) Human coronavirus Infectious bovine rhinotrachelitis Infectious bronchitis (Avian IBV) Influenza A / Hong Kong (H1N1)-Swine flu Newcastle disease Porcine parvovirus Pseudorabies (PRV) Rabies Respiratory syncytial virus (RSV) Rotavirus [WA] Rubella virus SARS Associated Coronavirus Vaccinia (Pox virus)

Fungicidal

Enviro Care Neutral Disinfectant is effective against the following fungi according to the AOAC fungicide test modified in the presence of 5% iron (BIOSTRESS load) and water hardness of 400 ppm (CaCO3 calculation) at 20°C.

Dilution 1:64 (2 oz per gallon / 60 ml in 3.8 liters of water).

Aspergillus niger Trichophyton mentagrophytes (athlete's foot) Candida albicans

Sanitizing

Enviro Care Neutral Disinfectant is a sanitizer for hard nonporous non-food contact surfaces according to the method for Sanitizers - Non-Food Contact Surfaces, modified in the presence of 400 ppm hard water plus 5% organic serum in 60 seconds against:

Enterobacter aerogenes Staphylococcus aureus

TO SANITIZE NON-FOOD CONTACT HARD NON-POROUS SURFACES: Add 2 oz. of this product per gallon of water to sanitize hard nonporous surfaces. Treated surfaces must remain wet for 60 seconds. Wipe dry with a sponge, mop, or cloth or allow to air dry. Do not use in food preparation, food handling and food storage areas. This product is not to be used on glassware, dishware, cookware or utensils.